VOLUME 68: AUTHOR INDEX

ABBOT S E *see* THORNE S A *et al*
ABDULLAH I *see* McMURRAY J *et al*
ABRAMS S, ROSS D, SOMERVILLE J: Long-term outcome of the pulmonary autograft operation for aortic valve disease, 83 *P*
ABU-HARB M *see* WILSON D I *et al*
ADAMOPOULOS S: Effects of physical training on skeletal muscle metabolism in chronic heart failure: experimental and human study, **127** *P*
COATS A J C, ARNOLDA L, BRUNOTTE F, THOMPSON C, MEYER T, STRATTON J, RADDA G, RAJAGOPALAN B: Physical training improves skeletal muscle metabolic abnormalities in patients with chronic heart failure: phosphorus-31 magnetic resonance spectroscopy study, **158** *P*
see also DAVEY P *et al*
ADAMS P C *see* PARRY G *et al*
ADGEY A A *see* PURVIS J A *et al*
ADGEY A A J *see* McCLEMENTS B and ADGEY A A J
AGNEW J E *see* UREN N G *et al*
AIMS STUDY GROUP *see* HILLIS W S *et al*
AKHRAS F, DUBREY S, WOOD C, GAZZARD B, NOBLE M: AIDS-associated heart disease relates to opportunistic infection rather than to the HIV virus: a study of 113 consecutive patients, **136** *P*
AKL E S, OZDOGAN E, OHRI S K, BARBIR M, KITI-CHEI, GAER J A R, MITCHELL A G, YACOUB M H: Early and long term results of re-operation for coronary artery disease, **176**
AL-HALEES Z, GALAL O, WILSON N: Successful repair of pulmonary atresia with ventricular septal defect without the use of a conduit: a new surgical option, **320**
see also KUMAR N *et al*
AL-MAHDAWI S, CHAMBERLAIN S, GILLIGAN D, CLELAND J, CHJNOWSKA L, WOROSZYLSKA M, WILLIAMSON R, OAKLEY C: Identification of a hypervariable polymorphism within the cardiac beta myosin heavy chain gene (MYH7): detection of genetic heterogeneity in families with hypertrophic cardiomyopathy, **77** *P*
AL-SAADY N M *see* KALLIS P *et al*
ALEXANDER N *see* STEWART R A H *et al*
ALLAN L *see* SHARLAND G and ALLAN L
ALLAN L D *see* COOK A C *et al*
OBERHOFFER R *et al*
ALLARDYCE W *see* WOSORNU D *et al*
ALWI M, HAMID Z A A, ZAMBAHARI R: A characteristic continuous wave Doppler signal in cor triatriatum: *case report*, **6**
ANAND I S *see* LINDSAY D C *et al*
ANDERSON D *see* KEANE D *et al*
ANDERSON M H, SIMPSON I A, KATRITSIS D, DAVIES M J, WARD D E: Intravascular ultrasound imaging of the coronary arteries: an in vitro evaluation of measurement of area of the lumen and atheroma characterisation, **276**
ANDERSON R H: Understanding the nature of congenital division of the atrial chambers: *editorial*, **1**
see also HO S Y *et al;* OBERHOFFER R *et al*
ANDREWS R, SKEHAN J D: Temporary pacing: continuing failures in general medical management, **91** *P*
ANGELINI G D, BRYAN A J: Extending the use of autologous arterial conduits in myocardial revascularisation: *editorial*, **161**
see also HOLT C M *et al*
ANGELO-NIELSEN K *see* SVANEGAARD J *et al*
ANGLIN S *see* McEWAN J R *et al*
ANJOS R *see* ROSENTHAL E *et al*
ARAUJO L I *see* DE SILVA R *et al*
ARAVOT D *see* MULLINS P A *et al*
ARGANO V *see* DE BELDER M A *et al*
ARMITAGE J D *see* WEBBER S A *et al*
ARNOLD R *see* KITCHINER D *et al*
SREERAM N *et al*
ARNOLDA L *see* ADAMOPOULOS S *et al*
ARTNER-DWORZAK E *see* MAIR J *et al*
ARUTA E *see* SOMERVILLE J *et al*
ASSENDER J W *see* EVANS M A *et al*
ATHANASSOPOULOS G *see* DRITSAS A *et al*
ATIONU A *see* BURCH M *et al*
AVERY P *see* WESTON C F M *et al*
AYLETT A J, TATE S N, PUN K T, BRYSON S E, BALL S G, BALMFORTH A J: Characterisation of the angiotensin receptor expressed by cells transfected with a plasmid containing the AT1 cDNA, **99** *P*
AZHAR M *see* SHAH D *et al*

BACSO J *see* MacPHERSON A *et al*
BAGLIN T P *see* BUCHALTER M B *et al*
BAIG M W, COWAN J C, PERRINS E J: Comparison of unipolar and bipolar ventricular paced evoked responses, **398**
BAIN H H *see* WILSON D I *et al*
BAINTON D, MILLER N E, BOLTON C H, YARNELL J W G, SWEETNAM P M, BAKER I A, LEWIS B, ELWOOD P C: Plasma triglyceride and high density lipoprotein cholesterol as predictors of ischaemic heart disease in British men, **60**
BAKER E J *see* HUGGON I C *et al*
HUGGON I *et al*
ROSENTHAL E *et al*
TABATABAEI A H *et al*
BAKER I A *see* BAINTON D *et al*
BALCON R *see* CAREY J A *et al*
BALK A H M M *see* MANNAERTS H F J *et al*
BALL S G *see* AYLETT A J *et al*
BALLANTYNE D *see* TODD I C and BALLANTYNE D
WOSORNU D *et al*
BALMFORTH A J *see* AYLETT A J *et al*
BANNING A P *see* LEWIS N P *et al*
BARBIR M *see* AKL E S *et al*
BARRISTER J *see* WRIGHT D *et al*
BARROS D'SA A A B *see* GRAHAM A N J *et al*
BASHIR Y
HEALD S C, KATRITSIS D, O'NUNAIN S, CAMM A J, WARD D E: A novel technique using a bipolar right ventricular/left ventricular electrode configuration for radiofrequency ablation of "difficult" septal pathways, **148** *P*
HEALD S C, O'NUNAIN S, HAMOUDA M, KATRITSIS D, CAMM A J, WARD D E: Radiofrequency ablation of accessory atrioventricular pathways: which electrogram characteristics are useful in the identification of successful target sites? **147** *P*
HEALD S C, SNEDDON J F, PAUL V E, WARD D E, CAMM A J: Pharmacological increase of extracellular magnesium concentrations slows conduction in normal ventricular myocardium independently of stimulation frequency, **113** *P*
WONG C, NATHAN A W, COBBE S M, CAMPBELL R W F, RASMUSSEN H S, CAMM A J, FOR THE DOFETILIDE ARRHYTHMIA STUDY GROUP: Efficacy and safety of dofetilide, a new class III antiarrhythmic agent, in recurrent ventricular tachycardia, **116** *P*
see also HEALD S C *et al;* SNEDDON J F *et al*
BATEMAN J M, SPRIGINGS D C, MAKIN C, FORFAR C, DAVEY P P: Heart rate and sympathetic contribution to exercise induced QT shortening, **105** *P*
see also DAVEY P P *et al*
BATIN P D, HAWKINS M, FULLWOOD L, COWLEY A J: Neurohumoral activation after acute myocardial infarction: differences between the systems and with different drug treatment, **104** *P*
BATRICK N *see* KALLIS P *et al*
BAUDHUIN T *see* MARWICK T *et al*
BAUER G: Walter Hayle Walshe (1812–1892) and his book *Diseases of the Heart: views from the past*, **246**
BAWASKAR H S, BAWASKAR P H: Management of the cardiovascular manifestations of poisoning by the Indian red scorpion (*Mesobuthus tamulus*), **478**
BAWASKAR P H *see* BAWASKAR H S and BAWASKAR P H
BEER S *see* MISHRA M *et al*
BELCH J J F *see* BRIDGES A B *et al*
BELLAMY C M, DODDS P A, GRECH E D, ROBOTHAM K F, FOX M A, FABRI B M, PERRY R A: Doppler derived transmitral velocity indices: changes occurring during alteration of ventricular preload, **121** *P*
BENATAR A *see* STEARE S E *et al*
BENETIS R *see* PEDERSEN A K *et al*
BENNETT D H *see* JAIN S K *et al*
BENNETT E D *see* KALLIS P *et al*
BENNETT J G *see* PETERS N S *et al*
BENNETT M R, EVAN G I, NEWBY A C: Role of c-myc proto-oncogene expression in inhibition of vascular smooth muscle cell proliferation, **93** *P*
BENT S *see* KEELING P J *et al*
BERANT M *see* ZEEVI B *et al*
BESH YAH S *see* SHAHI M *et al*
BEXTON R S *see* DOIG J C *et al*
PARRY G *et al*
RAY S G *et al*
BHARGAVA B *see* MacINTYRE P D *et al*
BHATTACHARYA S *see* SENIOR R *et al*
BINDI F *see* KALLIS P *et al*
BIRD A G *see* JACOB A J *et al*
BIRKHEAD J S, CHAMBERLAIN D A, GRIFFITHS B E, HEBER M, SMYLLIE H C, THOMAS R D: Factors influencing the use of

VOLUME 68: AUTHOR INDEX

ABBOT S E *see* THORNE S A *et al*
ABDULLAH I *see* McMURRAY J *et al*
ABRAMS S, ROSS D, SOMERVILLE J: Long-term outcome of the pulmonary autograft operation for aortic valve disease, 83 *P*
ABU-HARB M *see* WILSON D I *et al*
ADAMOPOULOS S: Effects of physical training on skeletal muscle metabolism in chronic heart failure: experimental and human study, **127** *P*
COATS A J C, ARNOLDA L, BRUNOTTE F, THOMPSON C, MEYER T, STRATTON J, RADDA G, RAJAGOPALAN B: Physical training improves skeletal muscle metabolic abnormalities in patients with chronic heart failure: phosphorus-31 magnetic resonance spectroscopy study, **158** *P*
see also DAVEY P *et al*
ADAMS P C *see* PARRY G *et al*
ADGEY A A *see* PURVIS J A *et al*
ADGEY A A J *see* McCLEMENTS B and ADGEY A A J
AGNEW J E *see* UREN N G *et al*
AIMS STUDY GROUP *see* HILLIS W S *et al*
AKHRAS F, DUBREY S, WOOD C, GAZZARD B, NOBLE M: AIDS-associated heart disease relates to opportunistic infection rather than to the HIV virus: a study of 113 consecutive patients, **136** *P*
AKL E S, OZDOGAN E, OHRI S K, BARBIR M, KITI-CHEI, GAER J A R, MITCHELL A G, YACOUB M H: Early and long term results of re-operation for coronary artery disease, **176**
AL-HALEES Z, GALAL O, WILSON N: Successful repair of pulmonary atresia with ventricular septal defect without the use of a conduit: a new surgical option, **320**
see also KUMAR N *et al*
AL-MAHDAWI S, CHAMBERLAIN S, GILLIGAN D, CLELAND J, CHJNOWSKA L, WOROSZYLSKA M, WILLIAMSON R, OAKLEY C: Identification of a hypervariable polymorphism within the cardiac beta myosin heavy chain gene (MYH7): detection of genetic heterogeneity in families with hypertrophic cardiomyopathy, **77** *P*
AL-SAADY N M *see* KALLIS P *et al*
ALEXANDER N *see* STEWART R A H *et al*
ALLAN L *see* SHARLAND G and ALLAN L
ALLAN L D *see* COOK A C *et al*
OBERHOFFER R *et al*
ALLARDYCE W *see* WOSORNU D *et al*
ALWI M, HAMID Z A A, ZAMBAHARI R: A characteristic continuous wave Doppler signal in cor triatriatum: *case report*, **6**
ANAND I S *see* LINDSAY D C *et al*
ANDERSON D *see* KEANE D *et al*
ANDERSON M H, SIMPSON I A, KATRITSIS D, DAVIES M J, WARD D E: Intravascular ultrasound imaging of the coronary arteries: an in vitro evaluation of measurement of area of the lumen and atheroma characterisation, **276**
ANDERSON R H: Understanding the nature of congenital division of the atrial chambers: *editorial*, **1**
see also HO S Y *et al;* OBERHOFFER R *et al*
ANDREWS R, SKEHAN J D: Temporary pacing: continuing failures in general medical management, **91** *P*
ANGELINI G D, BRYAN A J: Extending the use of autologous arterial conduits in myocardial revascularisation: *editorial*, **161**
see also HOLT C M *et al*
ANGELO-NIELSEN K *see* SVANEGAARD J *et al*
ANGLIN S *see* McEWAN J R *et al*
ANJOS R *see* ROSENTHAL E *et al*
ARAUJO L I *see* DE SILVA R *et al*
ARAVOT D *see* MULLINS P A *et al*
ARGANO V *see* DE BELDER M A *et al*
ARMITAGE J D *see* WEBBER S A *et al*
ARNOLD R *see* KITCHINER D *et al*
SREERAM N *et al*
ARNOLDA L *see* ADAMOPOULOS S *et al*
ARTNER-DWORZAK E *see* MAIR J *et al*
ARUTA E *see* SOMERVILLE J *et al*
ASSENDER J W *see* EVANS M A *et al*
ATHANASSOPOULOS G *see* DRITSAS A *et al*
ATIONU A *see* BURCH M *et al*
AVERY P *see* WESTON C F M *et al*
AYLETT A J, TATE S N, PUN K T, BRYSON S E, BALL S G, BALMFORTH A J: Characterisation of the angiotensin receptor expressed by cells transfected with a plasmid containing the AT1 cDNA, **99** *P*
AZHAR M *see* SHAH D *et al*

BACSO J *see* MacPHERSON A *et al*
BAGLIN T P *see* BUCHALTER M B *et al*
BAIG M W, COWAN J C, PERRINS E J: Comparison of unipolar and bipolar ventricular paced evoked responses, **398**
BAIN H H *see* WILSON D I *et al*
BAINTON D, MILLER N E, BOLTON C H, YARNELL J W G, SWEETNAM P M, BAKER I A, LEWIS B, ELWOOD P C: Plasma triglyceride and high density lipoprotein cholesterol as predictors of ischaemic heart disease in British men, **60**
BAKER E J *see* HUGGON I C *et al*
HUGGON I *et al*
ROSENTHAL E *et al*
TABATABAEI A H *et al*
BAKER I A *see* BAINTON D *et al*
BALCON R *see* CAREY J A *et al*
BALK A H M M *see* MANNAERTS H F J *et al*
BALL S G *see* AYLETT A J *et al*
BALLANTYNE D *see* TODD I C and BALLANTYNE D
WOSORNU D *et al*
BALMFORTH A J *see* AYLETT A J *et al*
BANNING A P *see* LEWIS N P *et al*
BARBIR M *see* AKL E S *et al*
BARRISTER J *see* WRIGHT D *et al*
BARROS D'SA A A B *see* GRAHAM A N J *et al*
BASHIR Y
HEALD S C, KATRITSIS D, O'NUNAIN S, CAMM A J, WARD D E: A novel technique using a bipolar right ventricular/left ventricular electrode configuration for radiofrequency ablation of "difficult" septal pathways, **148** *P*
HEALD S C, O'NUNAIN S, HAMOUDA M, KATRITSIS D, CAMM A J, WARD D E: Radiofrequency ablation of accessory atrioventricular pathways: which electrogram characteristics are useful in the identification of successful target sites? **147** *P*
HEALD S C, SNEDDON J F, PAUL V E, WARD D E, CAMM A J: Pharmacological increase of extracellular magnesium concentrations slows conduction in normal ventricular myocardium independently of stimulation frequency, **113** *P*
WONG C, NATHAN A W, COBBE S M, CAMPBELL R W F, RASMUSSEN H S, CAMM A J, FOR THE DOFETILIDE ARRHYTHMIA STUDY GROUP: Efficacy and safety of dofetilide, a new class III antiarrhythmic agent, in recurrent ventricular tachycardia, **116** *P*
see also HEALD S C *et al;* SNEDDON J F *et al*
BATEMAN J M, SPRIGINGS D C, MAKIN C, FORFAR C, DAVEY P P: Heart rate and sympathetic contribution to exercise induced QT shortening, **105** *P*
see also DAVEY P P *et al*
BATIN P D, HAWKINS M, FULLWOOD L, COWLEY A J: Neurohumoral activation after acute myocardial infarction: differences between the systems and with different drug treatment, **104** *P*
BATRICK N *see* KALLIS P *et al*
BAUDHUIN T *see* MARWICK T *et al*
BAUER G: Walter Hayle Walshe (1812–1892) and his book *Diseases of the Heart: views from the past*, **246**
BAWASKAR H S, BAWASKAR P H: Management of the cardiovascular manifestations of poisoning by the Indian red scorpion (*Mesobuthus tamulus*), **478**
BAWASKAR P H *see* BAWASKAR H S and BAWASKAR P H
BEER S *see* MISHRA M *et al*
BELCH J J F *see* BRIDGES A B *et al*
BELLAMY C M, DODDS P A, GRECH E D, ROBOTHAM K F, FOX M A, FABRI B M, PERRY R A: Doppler derived transmitral velocity indices: changes occurring during alteration of ventricular preload, **121** *P*
BENATAR A *see* STEARE S E *et al*
BENETIS R *see* PEDERSEN A K *et al*
BENNETT D H *see* JAIN S K *et al*
BENNETT E D *see* KALLIS P *et al*
BENNETT J G *see* PETERS N S *et al*
BENNETT M R, EVAN G I, NEWBY A C: Role of c-myc proto-oncogene expression in inhibition of vascular smooth muscle cell proliferation, **93** *P*
BENT S *see* KEELING P J *et al*
BERANT M *see* ZEEVI B *et al*
BESH YAH S *see* SHAHI M *et al*
BEXTON R S *see* DOIG J C *et al*
PARRY G *et al*
RAY S G *et al*
BHARGAVA B *see* MacINTYRE P D *et al*
BHATTACHARYA S *see* SENIOR R *et al*
BINDI F *see* KALLIS P *et al*
BIRD A G *see* JACOB A J *et al*
BIRKHEAD J S, CHAMBERLAIN D A, GRIFFITHS B E, HEBER M, SMYLLIE H C, THOMAS R D: Factors influencing the use of

thrombolytic therapy in six district general hospitals, **111** *P*
BISHOP J *see* LYTHALL D *et al*
BLACK L *see* MISHRA M *et al*
BLACKBURN M E *see* GIBBS J L *et al*
SCOTT P J *et al*
BLAKE D R *see* THORNE S A *et al*
BLANN A D, PORTER M, McCOLLUM C N: von Willebrand factor in plasma: a novel risk factor for recurrent myocardial infarction and death: *correspondence*, **635**
BLOOMFIELD P *see* NOLAN J and BLOOMFIELD P
SUTHERLAND G R *et al*
BLUZHAS J *see* RASTENYTE D *et al*
BOLTON C H *see* BAINTON D *et al*
RAZAY G *et al*
BOLTON-SMITH C *see* TUNSTALL-PEDOE H *et al*
BOOK REVIEWS
BRAUNWALD E, *editor*: Heart disease: a textbook of cardiovascular medicine, 4th ed. 1992, **250**
FALK R H, PODRID P J, *editors*: Atrial fibrillation: mechanisms and management, 1991, **251**
LOWENTHAL D T, *editor*: Geriatric cardiology, 1992, **637**
RAWLES J: Atrial fibrillation, 1992, **636**
ROBERTS R, TOWEIN J, PARKER T, BIERS R G: A primer of molecular biology, 1992, **637**
BOON N *see* STEWART M J *et al*
BOON N A *see* HARGREAVES A D *et al*
JACOB A J *et al*
BOOTH J C *see* KEELING P J *et al*
BOTTAZZO G F *see* KEELING P J *et al*
BOURKE J P, HILTON C J, McCOMB J M, FURNISS S S, DOIG J C, CAMPBELL R W F: Ventricular tachyarrhythmias after myocardial infarction: what does surgery offer, **121** *P*
see also DOIG J C *et al*
BOWER E A *see* CREMONA G *et al*
BOWKER T J, WALKER F, DEWHURST G, GANDHI M M, ROBERTS T, LAMPE F, JEFFRIES M, COOPER M, WOOD D A: Clinical and echocardiographic survey of valvar and myocardial disease in a representative sample of elderly people in the general population, **67** *P*
BOWLES C T *see* SHAH S S *et al*
BOYD E *see* KEANE D *et al*
BRACK M *see* MORE R S *et al*
BRADY A *see* GOOD J *et al*
BRADY A J B, WARREN J B, WILLIAMS T J, POOLE-WILSON P A, HARDING S E: Endothelium-derived factor(s) reduce contraction amplitude of isolated functioning cardiac myocytes, **149** *P*
BRATT S *see* SRIDHARA B S *et al*
BRAWN W J *see* TULLOH R M R *et al*
BRECKER S J *see* KARWATOWSKI S P *et al*
BRECKER S J D
LEE C H, GIBSON D G: Relation of left ventricular isovolumic relaxation time and incoordination to transmitral Doppler filling patterns, **567**
LEE C H, GIBSON D G: The duration and nature of isovolumic relaxation determine the Doppler A/E ratio in left ventricular disease, **130** *P*
STOJNIC B B, XIAO H B, GIBSON D G: Ventricular interactions in pulmonary hypertension: impaired left ventricular filling caused by prolonged right ventricular systole, **144** *P*
XIAO H B, GIBSON D G: Sounds in the superior vena cava caused by presystolic flow reversal: a sign of right ventricular disease, **97** *P*
XIAO H B, MBAISSOUROUM M, GIBSON D G: Characteristics of presystolic flow in the superior vena cava: new thoughts on a forgotten sound, **31**
see also HENEIN M Y *et al*; STOJNIC B B *et al*
BRECKNER S J D, *see* XIAO H B *et al*
BRETTLE R P *see* JACOB A J *et al*
BRIDGES A B
McLAREN M, PRINGLE T H, McNEILL G P, BELCH J J F: Circadian variation in tissue plasminogen activator, its inhibitor, von Willebrand factor, and prostacyclin stimulating factor in men with stable ischaemic heart disease, **158**
SCOTT N A, McNEILL G P, PRINGLE T H, BELCH J J F: Circadian variation in white cell aggregation and free radical markers in men with stable ischaemic heart disease, **157** *P*
BRITISH CARDIAC SOCIETY: Annual General Meeting, Harrogate, 26–29 May 1992, *proceedings*, **67**
CARDIOLOGY COMMITTEE OF THE ROYAL COLLEGE OF PHYSICIANS, TRAFFORD CENTRE FOR MEDICAL RESEARCH: Seventh survey of staffing in cardiology in the United Kingdom 1991, **621**
ROYAL COLLEGE OF PHYSICIANS OF LONDON: The future of paediatric cardiology in the United Kingdom: report of joint working party, **630**
BRITISH CARDIOVASCULAR INTERVENTION SOCIETY: Guidelines for training in percutaneous transluminal coronary angioplasty (PTCA): *Council report*, **437**
see also HUBNER P J
BRITT R *see* CONNELLY M *et al*
BRITT R P *see* PATEL D J *et al*
BROEKEMA C C *see* McNEILL A J *et al*
BROOKS N H *see* GRANT S C D *et al*
JAIN S K *et al*
BROWN A H *see* MOUNSEY J P *et al*
BROWN C A *see* TUNSTALL-PEDOE H *et al*
BROWN P *see* CAFORIO A *et al*
BROWNE T, SIVANANTHAN U M, REES M R, VERMA S P, DAVIES G A: Percutaneous cardiopulmonary support in resuscitation, **154** *P*
BRUNOTTE F, PEIFFERT B, ESCANYE J M, PINELLI G, ZAMORANO J, WALKER P M, ROBERT J, VILLEMOT J P: Nuclear magnetic resonance spectroscopy of excised human hearts, **272**
see also ADAMOPOULOS S *et al*
BRYAN A J *see* ANGELINI G D and BRYAN A J
BRYSON S E *see* AYLETT A J *et al*
BUCHALTER M B
SUNTHARALINGAM G, JENNINGS I, HART C, LUDDINGTON R J, CHAKRAVERTY R, JACOBSON S K, WEISSBERG P L, BAGLIN T P: Streptokinase resistance: when might streptokinase administration be ineffective?, **449**
SUNTHARALINGHAM G, JENNINGS I, HART C, LUDDINGTON R J, CHAVERAVERTY R K, WEISSBERG P L, BAGLIN T P: Streptokinase resistance is present two years after initial administration of streptokinase, **119** *P*
BUCKNALL C *see* SMYTH D *et al*
SMYTH D W *et al*
BUIS-LIEM T N *see* OTTENKAMP J *et al*
BULLER N *see* CHRONOS N *et al*
GIBBS J S R *et al*
NORDREHAUG J E *et al*
BULLER N P *see* STEWART J T *et al*
BU'LOCK F A *see* MARTIN R P *et al*
BURCH M
DE LEVAL M, SINGER D, CARTER N, ATIONU A, REES P, DE LEVAL M: Can the transplanted heart grow in children? An investigation of insulin-like growth factor gene expression, **88** *P*
LUM L, ELLIOTT M, CARTER N, SLATER D, SMITH A, ATIONU A: Influence of cardiopulmonary bypass on water balance hormones in children, **309**
MANN J M, SHARLAND M, SHINEBOURNE E A, PATTON M A, McKENNA W J: Myocardial disarray in Noonan syndrome, **586**
SHINEBOURNE E, SHARLAND M, PATTEN M, McKENNA W: True incidence of cardiological abnormalities in Noonan syndrome: phenotypic diagnosis and echocardiographic assessment of 118 patients, **96** *P*
see also REES P *et al*
BURN J *see* WILSON D I *et al*
BURNS J M A *see* FEARS R *et al*
BURRELL C J *see* DE BELDER M A *et al*
BUTT M A, SYNDERCOMBE-COURT D, EVANS S, McCOOL I, CHOUDHURY S H, MILLS P G: A comparative study of risk factors for coronary artery disease in south Asian and white people, **109** *P*
BUTT Y, HIGENBOTTAM T, PEPKE-ZABA J, CREMONA G, TAKAO M, DINH-XUAN A T: Mechanism of hypoxic vasorelaxation of precontracted isolated porcine coronary arteries, **149** *P*
BUXTON M J *see* O'BRIEN B J *et al*

CAFORIO A, JENNISON S H, HOSSEIN-NIA M, BROWN P, CORBISHLEY C M, MURDAY A J, HOLT D W, McKENNA W J: Creatine kinase (CK-MB) isoforms as a non-invasive marker of significant acute allograft rejection after heart transplantation, **127** *P*
CAFORIO A L P *see* JENNISON S H *et al*
KEELING P J *et al*
ZACHARA E *et al*
CAINE N *see* CIULLI F *et al*
CALE A R J *see* PELL A C H *et al*
CALIFF R M *see* TOPOL E J and CALIFF R M
CAMICI P G *see* UREN N G *et al*
CAMM A *see* MURGATROYD F *et al*
SAUMAREZ R C *et al*
CAMM A J *see* BASHIR Y *et al*
GARRATT C J *et al*
GILL J S *et al*
GRIFFITH M J *et al*
HEALD S C *et al*
KULAKOWSKI P *et al*
LINKER N J *et al*
MacRAE C A *et al*
MILLANE T A and CAMM A J
MILLANE T A *et al*
ODEMUYIWA O *et al*

SNEDDON J F *et al*
CAMPANELLA C *see* PELL A C H *et al*
CAMPBELL N P S *see* VALLELY S R *et al*
CAMPBELL R W F *see* BASHIR Y *et al*
BOURKE J P *et al*
DOIG J C *et al*
HIGHAM P D *et al*
CARBONI G P *see* ZACHARA E *et al*
CARDEN N *see* SMITH R E A *et al*
CARDIOLOGY COMMITTEE OF THE ROYAL COLLEGE OF PHYSICIANS *see* BRITISH CARDIAC SOCIETY
CAREY J A, DAVIES S W, MAGEE P, WRIGHT J E C, TIMMIS A D, ROTHMAN M T, LAYTON C A, BALCON R, WALESBY R K: Emergency surgical revascularisation performed within 24 hours of failed coronary angioplasty, **106** *P*
CARTER N *see* BURCH M *et al*
CARTER R *see* TWEDDEL A C *et al*
CARY N B R *see* MULLINS P A *et al*
CARY N R *see* MULLINS P A *et al*
CASADEI B *see* DAVEY P *et al*
CASE C L *see* WIENECKE M M *et al*
CASSINELLI D *see* WEBBER S A *et al*
CELERMAJER D S, CULLEN S, DEANFIELD J E: In vivo detection of endothelial dysfunction in the pulmonary circulation of children with congenital heart disease, **85** *P*
see also DEANFIELD J E *et al*
CENTURION O A, FUKATANI M, KONOE A, TANIGAWA M, SHIMIZU A, ISOMOTO S, KAIBARA M, HASHIBA K: Different distribution of abnormal endocardial electrograms within the right atrium in patients with sick sinus syndrome, **596**
CEPAITIS Z *see* RASTENYTE D *et al*
CHAKRAVERTY R *see* BUCHALTER M B *et al*
CHAMBERLAIN D, DYMOND D: British Cardiac Society newsletter, **159, 251, 343, 440, 535, 638**
CHAMBERLAIN D A *see* BIRKHEAD J S *et al*
HILLIS W S *et al*
CHAMBERLAIN S *see* AL-MAHDAWI S *et al*
CHAMBERLAIN-WEBBER R *see* PETERSEN M E V *et al*
CHAMBERS D J *see* PATEL R L *et al*
CHAMBERS J B *see* SULKE A N *et al*
CHAN K *see* PEARSON G *et al*
CHAN K C, DICKINSON D F, WHARTON G A, GIBBS J L: Continuous wave Doppler echocardiography after surgical repair of coarctation of the aorta, **192**
CHAN K L *see* GREENBAUM R *et al*
CHARTERS B *see* CUNNINGHAM A D *et al*
CHATZIS A *see* KALLIS P *et al*
CHAUHAN A, MULLINS P, THURAISINGHAM S, TAYLOR G, JAWHARI A, PETCH M C, SCHOFIELD P M: Effect of hyperventilation and mental stress on coronary blood flow in patients with syndrome X, **131** *P*
see also MULLINS P A *et al*
CHAVERAVERTY R K *see* BUCHALTER M B *et al*
CHEADLE H A *see* GROVES P H *et al*
CHILD A *see* MURGATROYD F *et al*
CHJNOWSKA L *see* AL-MAHDAWI S *et al*
CHONG J L, PILLAI R, FISHER A, GREBENIK C, SINCLAIR M, WESTABY S: Cardiac surgery: moving away from intensive care, **430**
CHOPRA M *see* McMURRAY J *et al*
CHOUDHURY S H *see* BUTT M A *et al*
CHOY A M *see* LANG C C *et al*
CHRONOS N
GOODALL A, MOOKERJEE R, SIGWART U, RICKARDS A, BULLER N: Platelet activation: an important side effect of contrast media of relevance to coronary angiography and intervention, **80** *P*
MOOKERJEE R, BULLER N, GOODALL A: Flow cytometry of whole blood: a method for analysing platelet activation in cardiovascular disease, **100** *P*
see also NORDREHAUG J E *et al*
CIULLI F, ENGLISH T A H, CAINE N, MULLINS P, PARAMESHWAR J, SCHOFIELD P M, WALLWORK J, LARGE S R: Surgical management of end stage heart disease: is conventional surgery still an option? **126** *P*
see also MULLINS P A *et al*
CLAGUE J *see* DEAN J W *et al*
CLARKE B *see* DAWKINS K D *et al*
CLARKE D *see* HOLDRIGHT D R *et al*
CLARKE J *see* TOUSOULIS D *et al*
CLELAND J *see* AL-MAHDAWI S *et al*
GOOD J *et al*
CLELAND J E *see* SHAH D *et al*
CLELAND J G F *see* DRITSAS A *et al*
CLESHAM G *see* McEWAN J R *et al*
CLOAD P *see* SRIDHARA B S *et al*
COATS A *see* DAVEY P *et al*
LUDMAN P F *et al*
COATS A J C *see also* ADAMOPOULOS S *et al*
COATS A J S, MURPHY C, CONWAY J, SLEIGHT P: Validation of the beat to beat measurement of blood velocity in the human ascending aorta by a new high temporal resolution Doppler ultrasound spectral analyser, **223**
COBBE S M *see* BASHIR Y *et al*
OLDROYD K G *et al*
TWEDDEL A C *et al*
COCCO P *see* CORRADO D *et al*
COLLINS K A *see* HEALD S C *et al*
COLLINS P *see* HOLDRIGHT D R *et al*
COLTART D J *see* SHAKESPEARE C F *et al*
CONNELLY D T
CUNNINGHAM A D, RICKARDS A F, ROWLAND E: Electrophysiological assessment and follow up of survivors of cardiac arrest, **115** *P*
CUNNINGHAM A D, ROWLAND E: Inhibition in the human heart by long duration subthreshold pulses: spatial and temporal effects, **122** *P*
see also GARRATT C J *et al;* ROWLAND E *et al*
CONNELLY M, PATEL D, BRITT R, KEIL J, SUTTON G: Prevalence of coronary heart disease in south Asians living in west London is not higher than in the English population, **111** *P*
CONNELLY M S *see* PATEL D J *et al*
CONWAY J *see* COATS A J S *et al*
DAVEY P *et al*
CONWAY M A: Phosphorus-31 magnetic resonance spectroscopy of the failing heart in ischaemic cardiomyopathy, myocarditis, and severe valve disease, **114** *P*
CONWAY N *see* DAWKINS K D *et al*
COOK A C, FAGG N L K, ALLAN L D: Use of casts in the necropsy diagnosis of fetal congenital heart disease, **481**
see also OBERHOFFER R *et al*
COOK D G *see* MORRIS J K *et al*
TANG J-L *et al*
COOPER I C *see* SHAKESPEARE C F *et al*
COOPER J P, SOYOMBO A A, WILLIAMS A, NEWBY A C: Monocytes inhibit intimal smooth muscle proliferation: in vitro studies with human saphenous vein, **93** *P*
COOPER M *see* BOWKER T J *et al*
CORBISHLEY C M *see* CAFORIO A *et al*
JENNISON S H *et al*
CORRADO D, THIENE G, COCCO P, FRESCURA C: Non-atherosclerotic coronary artery disease and sudden death in the young, **601**
COSTA D C *see* JOHN R M *et al*
COUNCIL OF THE BRITISH CARDIOVASCULAR INTERVENTION SOCIETY: Surgical cover for percutaneous transluminal coronary angioplasty, **339**
COUNIHAN P J *see* KEELING P J *et al*
KULAKOWSKI P *et al*
SNEDDON J F *et al*
TAKATA J *et al*
COUTIE W *see* LANG C C *et al*
COWAN J C *see* BAIG M W *et al*
MORRIS J L *et al*
COWLEY A J *see* BATIN P D *et al*
CRAFT INVESTIGATORS *see* MURGATROYD F *et al*
CRAKE T *see* LEFROY D C *et al*
TOUSOULIS D *et al*
UREN N G *et al*
CREAN P *see* JOSEPH P A *et al*
CREMONA G, HIGENBOTTAM T, WOOD A, BOWER E A: Nitric oxide (NO) release is responsible for the accommodation of the pulmonary vasculature to increased flow, **150** *P*
see also BUTT Y *et al*
CRIPPS T, ROCKER G, STRADLING J: Nocturnal hypoxia and arrhythmias in patients with impaired left ventricular function, **382**
CROOK D, ELLERINGTON M C, WHITCROFT S I J, WHITEHEAD M I, STEVENSON J C: Effects of hormone replacement on lipid and lipoprotein cardiovascular risk markers in postmenopausal women, **108** *P*
see also FELTON C V *et al;* SIDHU M *et al;* STEVENSON J C *et al*
CROSS J *see* SULKE A N *et al*
CROSS S *see* METCALFE M J *et al*
CROSS S J, LEE H S, KENMURE A C F, WALTON S, JENNINGS K: Cardiac catheterisation in a consecutive series of young patients with first myocardial infarction: should all patients be investigated? **107** *P*
see also LEE H S *et al*
CROSSMAN D C, MORGAN D M, WHYTE M K B: Programmed cell death is a mechanism of senescence of human endothelial cells in culture, **99** *P*
see also DAVIES D W *et al*
CROWTHER A *see* SHAKESPEARE C F *et al*
CUBUKCU A *see* DEANER A N S *et al*
CULLEN S *see* CELERMAJER D S *et al*

CUMMING D V E *see* SHAH S S *et al*
CUNNINGHAM A D, NATHAN A W, CHARTERS B, HOLT P, WARD D: Clinical results of catheter ablation in the United Kingdom and Ireland, **75** *P*
see also CONNELLY D T *et al;* ROWLAND E *et al*
CUNNINGHAM D *see* MULCAHY D *et al*
CURCHER D *see* MULCAHY D *et al*
CURRIE P *see* RITTOO D *et al*

DARGIE H J *see* McMURRAY J *et al*
NORTHRIDGE D B *et al*
DARK J H *see* DOIG J C *et al*
PARRY G *et al*
SCOTT C D and DARK J H
D'AURIA D *see* GREENBAUM R *et al*
DAVEY P, MEYER T, COATS A, ADAMOPOULOS S, CASADEI B, CONWAY J, SLEIGHT P: Ventilation in chronic heart failure: effects of physical training, **473**
DAVEY P P, BATEMAN J M, MULLIGAN I P, HARRISON N, HART G: QT dynamics in patients with left ventricular hypertrophy and heart failure, **105** *P*
see also BATEMAN J M *et al*
DAVIDSON J *see* METCALFE M J *et al*
DAVIDSON R *see* LEE H S *et al*
DAVIES D W, CROSSMAN D C, SHAHI M, WALSH K P: Radiofrequency catheter ablation for all forms of junctional reentry: a new, safe, and effective therapy for all age groups, **73** *P*
DAVIES G *see* TOUSOULIS D *et al*
DAVIES G A *see* BROWNE T *et al*
DAVIES G J *see* EL-TAMIMI H and DAVIES G J
LEFROY D C *et al*
UREN N G *et al*
DAVIES M *see* FELTON C V *et al*
DAVIES M J: Prediction of sudden death in hypertrophic cardiomyopathy: abstracts in cardiology, **37**
Spasm and sudden death: abstracts in cardiology, **180**
FOX K, MILLS P: Speeding up the review process: *editorial*, **345**
WARD D E: How can myocarditis be diagnosed and should it be treated: *editorial*, **346**
see also ANDERSON M H *et al;* KEELING P J *et al*
DAVIES S W
GREIG C A, JORDAN S L, GRIEVE D W, LIPKIN D P: Short-stepping gait in severe heart failure, **469**
WINTERTON S J, ROTHMAN M T: Intravascular ultrasound to assess left main stem coronary artery lesion: case report, **524**
see also CAREY J A *et al;* DEAN J W *et al;* RANJADAYALAN K *et al;* UREN N G *et al*
DAWKINS K D, GRAY H H, CLARKE B, FITZPATRICK A P, OGILVIE B C, CONWAY N: Complexity, results, and complications of the first 1000 consecutive percutaneous transluminal coronary angioplasty (PTCA) procedures in a regional centre, **80** *P*
DE BELDER M: Limitations of transoesophageal echocardiography in patients with focal cerebral ischaemic events: *correspondence reply*, **634**
see also SAUMAREZ R C *et al*
DE BELDER M A, ARGANO V, BURRELL C J: Cor triatriatum sinister, not mitral stenosis, in an adult with previous Syndenham's chorea: diagnosis and preoperative assessment by cross sectional echocardiography: *case report*, **9**
DE BONO D: Effect of early intravenous heparin on coronary patency infarct size, and bleeding complications after alteplase thrombolysis: *correspondence reply*, **342**
DE BONO D P: Confidential enquiry into cardiac catheter complications, **68** *P*
see also HILLIS W S *et al;* SAMANI N J *et al;* UNDERWOOD M J *et al*
DE FEYTER P J *see* SERRUYS P W *et al*
DE GEEST H *see* VAN LIERDE J M *et al*
DE GIOVANNI J V *see* TULLOH R M R *et al*
DE LEVAL M *see* BURCH M *et al*
REES P *et al*
DE RUBERTIS C *see* ZACHARA E *et al*
DE SILVA R
YAMAMOTO Y, RHODES C G, IIDA H, NIHOYANNOPOULOS P, JONES T, MASERI A: A novel approach to preoperative prediction of the outcome of coronary revascularisation by positron emission tomography (PET), **106** *P*
YAMAMOTO Y, RHODES C G, IIDA H, RECHAVIA E, ARAUJO L I, NIHOYANNOPOULOS P, HACKETT D, JONES T, MASERI A: Assessment of myocardial viability by 150-labelled water and positron emission tomography (PET) in patients successfully thrombolysed for acute myocardial infarction, **151** *P*
see also UREN N G *et al*
DEAN J W, DAVIES S W, CLAGUE J, McCOOL M, ROTHMAN M T: Experience with the Palmaz-Schatz intracoronary stent, **153** *P*
DEANER A N S, CUBUKCU A, SCOTT P J, ESSOP A R, WILLIAMS G J: Comparison of angiography and intravascular ultrasound in the detection of early atherosclerosis, **120** *P*
DEANFIELD J E, CELERMAJER D S, SORENSEN K E, GOOCH V M, LLOYD J K: Non-invasive detection of endothelial dysfunction in systemic arteries of children and adults at risk of atherosclerosis, **86** *P*
see also CELERMAJER D S *et al*
DeBELDER M *see* MURGATROYD F *et al*
DECROLY P *see* WRIGHT R A *et al*
DEMBO L *see* ZEEVI B *et al*
DENNE L *see* GIBBS J S R *et al*
NORDREHAUG J E *et al*
STEWART J T *et al*
DETRY J M *see* MARWICK T *et al*
DEVERALL P *see* KEANE D *et al*
DEWHURST G *see* BOWKER T J *et al*
D'HONDT A M *see* MARWICK T *et al*
DICKINSON D F *see* CHAN K C *et al*
SCOTT P J *et al*
DIENSTL F *see* MAIR J *et al*
DIJKHUIS A C *see* STUMPER O *et al*
DILLY S G *see* NORTHRIDGE D B *et al*
DIMITRI W R, REID A W, DUNN F G: Leaking false aneurysm of right coronary saphenous vein graft: successful treatment by percutaneous coil embolisation: *case report*, **619**
DINH-XUAN A T *see* BUTT Y *et al*
DODDS P A *see* BELLAMY C M *et al*
GRECH E D *et al*
DOFETILIDE ARRHYTHMIA STUDY GROUP *see* BASHIR Y *et al*
DOI Y *see* TAKATA J *et al*
DOIG J C
HEADS A, GOODSHIP T J H, WILKINSON R, HUNTER S: Closure of arteriovenous fistulas in renal transplant recipients: long-term haemodynamic benefits, **142** *P*
NIMKHEDKAR K, HILTON C J, DARK J H, BEXTON R S: Predictive value of pulmonary haemodynamic measurements in patients accepted for cardiac transplantation, **126** *P*
NIMKHEDKAR K, NICHOL I E, McCOMB J M, HILTON C J, BOURKE J P, FURNISS S S, CAMPBELL R W F: Relation of right ventricular isolation procedures to postoperative ventricular arrhythmias, **74** *P*
see also BOURKE J P *et al*
DONNELLY L E *see* LEFROY D C *et al*
DRITSAS A
JOSHI J, ATHANASSOPOULOS G, CLELAND J G F, OAKLEY C M, NIHOYANNOPOULOS P: Beat to beat variability of stroke volume during VVI pacing as predictor of haemodynamic benefit from DDD pacing, **92** *P*
SBAROUNI E, OAKLEY C M, CLELAND J G F: Is QT interlead variability an arrhythmogenic marker? **116** *P*
DUBOWITZ V *see* STEARE S E *et al*
DUBREY S, SEED M, LANE D, IRELAND H, O'DONNELL M, REEVELY D, O'CONNOR B, LESLIE R D G: Major risk factors for ischaemic heart disease in type 1 (insulin dependent) diabetes: a study of identical twins, **154** *P*
see also AKHRAS F *et al*
DUNCAN A J *see* PELL A C H *et al*
DUNN F G *see* DIMITRI W R *et al*
FEARS R *et al*
DUNNING J *see* RICHARDSON M P *et al*
DURAN C M G *see* KUMAR N *et al*
RIBEIRO P A *et al*
DYMOND D *see* CHAMBERLAIN D and DYMOND D

EDHAG O *see* RASMANIS G *et al*
EL-SAID E M *see* McNEILL A J *et al*
EL-TAMIMI H, DAVIES G J: Optimal control of myocardial ischaemia: the benefit of a fixed combination of atenolol and nifedipine in patients with chronic stable angina, **291**
ELL P J *see* JOHN R M *et al*
ELLERINGTON M C *see* CROOK D *et al*
ELLIOTT M *see* BURCH M *et al*
REES P *et al*
ELOAKLEY R M, TURKIE W H, KEENAN D J M: Role of internal thoracic artery in patients undergoing urgent and semi-urgent surgery for complete coronary revascularisation, **134** *P*
ELWOOD P C *see* BAINTON D *et al*
ENGLISH T A H *see* CIULLI F *et al*
ESCANYE J M *see* BRUNOTTE F *et al*
ESSOP A R *see* DEANER A N S *et al*
MITCHELL I M *et al*
ETEIBA H *see* OLDROYD K G *et al*
EVAN G I *see* BENNETT M R *et al*
EVANS D H *see* SAMANI N J *et al*
EVANS H G *see* SHAH A M *et al*
EVANS M A, ASSENDER J W, NEWBY A C: Selective inhibitors of protein kinase C are potent inhibitors of vascular smooth muscle pro-

liferation, **109** *P*
EVANS R C *see* WESTON C F M *et al*
EVANS R J *see* WESTON C F M *et al*
EVANS S *see* BUTT M A *et al*
EVANS W D *see* GROVES P H *et al*
EVEMY K L *see* MORGAN-HUGHES N J and EVEMY K L

FABRI B M *see* BELLAMY C M *et al*
FAGG N L K *see* COOK A C *et al*
OBERHOFFER R *et al*
FARRELL T *see* ODEMUYIWA O *et al*
FASHOLA T *see* JENNISON S H *et al*
FEARS R, FERRES H, GLASGOW E, STANDRING R, HOGG K J, GEMMILL J D, BURNS J M A, RAE A P, DUNN F G, HILLIS W S: Monitoring of streptokinase resistance titre in acute myocardial infarction patients up to 30 months after giving streptokinase or anistreplase and related studies to measure specific antistreptokinase IgG, **167**
FELL G S *see* JACOB A J *et al*
FELTON C B, CROOK D, McCUE C, DAVIES M, OLIVER M F: Differences in the fatty acid composition within human aortic plaques, **132** *P*
FENWICK M K *see* MOTWANI J G *et al*
FERGUSON R *see* VALLELY S R *et al*
FERRES H *see* FEARS R *et al*
FINDLAY I: The effect of cardiac catheterisation facilities on the rate of coronary artery bypass grafting in Scotland, **69** *P*
FIORETTI P M *see* McNEILL A J *et al*
FIRMIN D N *see* KILNER P J *et al*
FIRMIN R *see* PEARSON G *et al*
FISHER A *see* CHONG J L *et al*
FITZGERALD M *see* MULCAHY D *et al*
FITZPATRICK A *see* PETERSEN M E V *et al*
FITZPATRICK A P *see* DAWKINS K D *et al*
FLETCHER S *see* WOODS K L *et al*
FLINT L L *see* HARGREAVES A D *et al*
FOALE R A *see* SHAHI M *et al*
FOLEY D P *see* SERRUYS P W *et al*
FORAN J P M, PADARIA S F, WAINWRIGHT R J: Fast-track coronary angioplasty in patients with chronic stable angina, **81** *P*
FORFAR C *see* BATEMAN J M *et al*
FORT S
LEWIS M J: Modulation of myocardial contraction via activation of K+ channels by an agent released from coronary vascular endothelium, **149** *P*
SHAH A M, LEWIS M J: Endothelium-derived relaxing factor (EDRF) modulates contraction in the intact heart, **148** *P*
FOX K *see* DAVIES M J *et al*
GIBBS J S R *et al*
MULCAHY D *et al*
FOX K A A *see* HARGREAVES A D *et al*
HILLIS W S *et al*
SUNDAR A S and FOX K A A
FOX K M *see* GIBBS J S R *et al*
HOLDRIGHT D R *et al*
MULCAHY D *et al*
FOX M A *see* BELLAMY C M *et al*
FRANCIS S E *see* HOLT C M *et al*
FRASER D M *see* STEWART M J *et al*
FRESCURA C *see* CORRADO D *et al*
FRICKER F J *see* WEBBER S A *et al*
FROST G *see* GOOD J *et al*
FUJITA T *see* SHIMAMOTO H *et al*
FUKATANI M *see* CENTURION O A *et al*
FULLER C A *see* KENNY A *et al*
FULLWOOD L *see* BATIN P D *et al*
FUNG A *see* KALLIS P *et al*
FURNISS S S *see* BOURKE J P *et al*
DOIG J C *et al*
HIGHAM P D *et al*

GADSDON P A *see* HOLT C M *et al*
GAER J A R *see* AKL E S *et al*
WHARTON J *et al*
GALAL O *see* AL-HALEES Z *et al*
GALINANES M *see* QIU Y *et al*
GALLAGHER P *see* ROBERTS T L *et al*
GANDHI M M, LAMPE F, WOOD D A: Incidence of stable angina pectoris in a population survey, **74** *P*
see also BOWKER T J *et al*
GANE J N *see* TAKATA J *et al*
GANT J *see* GILL J S *et al*
GARRATT C J, GRIFFITH M J, CONNELLY D T, O'NUNAIN S, GILL J, ROWLAND E, WARD D E, CAMM A J: Adenosine-sensitive atrial tachyarrhythmias: clinical and electrophysiological characteristics, **117** *P*
see also GRIFFITH M J *et al*
GARTHWAITE P *see* LEE H S *et al*
GAZZARD B *see* AKHRAS F *et al*
GE Z *see* KUMAR N *et al*
GEARTY G *see* JOSEPH P A *et al*
GEMMILL J D *see* FEARS R *et al*
MacINTYRE P D *et al*
GERSHLICK A H *see* MORE R S *et al*
GHALEI M *see* GOOD J *et al*
GIBBS J L, WREN C, ROTHMAN M T, REES M R, PARSONS J M, BLACKBURN M E, HAMILTON J R L, RUIZ C E: Maintenance of ductal patency by percutaneous stent implantation: early experience, **70** *P*
see also CHAN K C *et al;* SCOTT P J *et al*
GIBBS J S R
MacLACHLAN D, FOX K M: A new system for ambulatory pulmonary artery pressure recording, **230**
NORDREHAUG J E, DENNE L, SIMPSON I A, BULLER N, RICKARDS A F, SIGWART U: Collagen plug for femoral arterial haemostasis after cardiac catheterisation, **82** *P*
PURCELL H, SULLIVAN A, WRIGHT C, SPARROW J, FOX K, YACOUB M: Ambulatory pulmonary artery pressure monitoring in pulmonary hypertension: diurnal variation and effects of exercise and daily activities, **135** *P*
SIMPSON I A, NORDREHAUG J E, RICKARDS A F, SIGWART U, BULLER N: Temporary stenting as a bale out procedure during coronary angioplasty, **153** *P*
GIBSON D *see* LYTHALL D *et al*
GIBSON D G *see* BRECKER S J D *et al*
HENEIN M Y *et al*
STOJNIC B B *et al*
XIAO H B *et al*
GIBSON S *see* MacRAE C A *et al*
MILLANE T A *et al*
GILES H *see* SMITH R E A *et al*
GILL J *see* GARRATT C J *et al*
GILL J S
LINKEN N J, GANT J, WARD D E, CAMM A J: Symmetrical and asymmetrical 123I-metaiodobenzylguanidine scans in patients with long QT syndrome, **137** *P*
LU F, McKENNA W J, CAMM A J: Effect of propafenone and verapamil on the inward calcium current in isolated cardiac myocytes, **134** *P*
LU F, WARD D E, CAMM A J: Relation of ventricular ectopic activity to spectral measures of heart rate variability in patients with idiopathic ventricular tachycardia, **101** *P*
MEHTA D, WARD D E, CAMM A J: Efficacy of flecainide, sotalol, and verapamil in the treatment of right ventricular tachycardia in patients without overt cardiac abnormality, **392**
MILLANE T A, WARD D E, CAMM A J: Electrocardiographic waves following the T wave in patients with idiopathic ventricular tachycardia: a surface manifestation of afterdepolarisations? **100** *P*
MOONGA B S, LU F, ZAIDI M, CAMM A J: Contrasting effects of isoprenaline and calcitonin gene related peptide on intracellular free calcium concentrations in isolated depolarised cardiac myocytes, **105** *P*
see also MILLANE T A *et al*
GILLETTE P C *see* WIENECKE M M *et al*
GILLIGAN D *see* AL-MAHDAWI S *et al*
GLASGOW E *see* FEARS R *et al*
GLAZIER J J *see* VAN LIERDE J M *et al*
GODMAN M J *see* STUMPER O *et al*
GODSLAND I *see* SIDHU M *et al*
GODSLAND I F *see* STEVENSON J C *et al*
GOLD R G *see* RAY S G *et al*
GOMETZA B *see* KUMAR N *et al*
GOOCH V M *see* DEANFIELD J E *et al*
GOOD J
BRADY A, MEEK J, OAKLEY C, CLELAND J: Intense inhibition of angiotensin converting enzyme (ACE) enhances frusemide induced diuresis during chronic ACE inhibitor therapy, **109** *P*
WATSON S, GHALEI M, JACKSON N, PETERS M, FROST G, OAKLEY C, CLELAND J: Response to candoxatrilat in patients with severe heart failure, **119** *P*
GOODALL A *see* CHRONOS N *et al*
GOODSHIP J A *see* WILSON D I *et al*
GOODSHIP T J H *see* DOIG J C *et al*
GOODWIN M *see* REES P *et al*
GOUDEVENOS J *see* PARRY G *et al*
GOY J-J *see* STEWART J T *et al*
GRACE A A, METCALFE J C, WEISSBERG P L, VANDENBERG J I: Mechanisms of intracellular pH recovery in perfused heart, **99** *P*
see also VANDENBERG J I *et al*
GRAHAM A N J, HOOD J M, BARROS D'SA A A B, PATTERSON G C: A 10 year review of the management of false aneurysms after transfemoral arterial catheterisation, **102** *P*

GRAHAM R C P: Working party report on cardiac rehabilitation: *correspondence*, **250**
GRANT S C D
LEVY R D, BROOKS N H: Fall in pulmonary vascular resistance in patients awaiting heart transplantation, **365**
RAHMAN A N, BROOKS N H: Regression of left ventricular hypertrophy in a transplanted heart: *case report*, **55**
GRAVES P *see* HUGGON I *et al*
GRAY H H *see* DAWKINS K D *et al*
GRAZULEVICIENE R *see* RASTENYTE D *et al*
GRBIC M *see* STEWART J T *et al*
GREBENIK C *see* CHONG J L *et al*
GRECH E D, DODDS P A, PERRY R A: Delayed complications after myocardial contusion: *case report*, **529**
see also BELLAMY C M *et al*
GREEN C R *see* PETERS N S *et al*
GRÉEN K *see* RASMANIS G *et al*
GREEN N, ROLLASON T P: Pulmonary artery rupture in pregnancy complicating patent ductus arteriosus: *case report*, **616**
GREENBAUM R
SHANIT D, SRITARA P, CHAN K L: Reduced in-hospital mortality from acute myocardial infarction in the North West Thames Regional Health Authority (1980–89) with general adoption of fibrinolytic therapy, **90** *P*
SRITARA P, D'AURIA D, CHAN K L: Results of HAL-1 (Heart Attacks in London) study: potential for earlier treatment by prehospital initiation of fibrinolytic therapy, **90** *P*
GREIG C A *see* DAVIES S W *et al*
GRIEVE D W *see* DAVIES S W *et al*
GRIFFITH M J, GARRATT C J, WARD D E, CAMM A J: A new philosophical approach to the electrocardiographic diagnosis of ventricular tachycardia, **117** *P*
see also GARRATT C J *et al*; LINKER N J *et al*; MOUNSEY J P *et al*; RAY S G *et al*
GRIFFITHS B E *see* BIRKHEAD J S *et al*
GRIFFITHS C J *see* HIGHAM P D *et al*
GRODEN B M *see* MacPHERSON A *et al*
GROUNDSTROEM K *see* SUTHERLAND G R *et al*
GROVES P H
IKRAM S, INGOLD U, HALL R J C: Tricuspid annular dilatation: an important cause of tricuspid regurgitation after mitral valve replacement, **111** *P*
LEWIS M J, CHEADLE H A, PENNY W J: Platelet adhesion after balloon angioplasty is inhibited by SIN-1 an exogenous donor of nitric oxide, **94** *P*
LEWIS M J, NEWBY A C, CHEADLE H A, PENNY W J: Progressive intimal thickening after balloon angioplasty is related to rupture of the internal elastic lamina, **86** *P*
LEWIS N P, WHISTON R J, JONES E A, EVANS W D, REES A, RUTTLEY M, LANE I F, HALL R J C: High apolipoprotein (a) concentrations are associated with increased cardiac risk in patients undergoing peripheral vascular surgery, **143** *P*
GUNNES P *see* NORDREHAUG J E *et al*
GUTTERIDGE C N *see* RANJADAYALAN K *et al*

HABIBI P *see* REES P *et al*
HACKETT D *see* DE SILVA R *et al*
HAIDER A W *see* TOUSOULIS D *et al*
HALL R J C *see* GROVES P H *et al*
HAMID Z A A *see* ALWI M *et al*
HAMILTON J R L *see* GIBBS J L *et al*
HAMOUDA M *see* BASHIR Y *et al*
HEALD S C *et al*
HAMPTON J R, SKENE A M: Beyond the mega-trial: certainty and uncertainty: viewpoint, **352**
HARDING S E *see* BRADY A J B *et al*
HARGREAVES A D
KOLETTIS T, JACOB A J, FLINT L L, TURNBULL L W, MUIR A L, BOON N A: Early vasodilator treatment in myocardial infarction: appropriate for the majority or minority?, **369**
MINAUR N J, MacGREGOR I R, WHALEY K, FOX K A A: Early complement and neutrophil activation is associated with failed reperfusion after streptokinase, **77** *P*
HARRISON N *see* DAVEY P P *et al*
HART C *see* BUCHALTER M B *et al*
HART G *see* DAVEY P P *et al*
HARTSHORNE T *see* SAMANI N J *et al*
HASHIBA K *see* CENTURION O A *et al*
HASHIMOTO I *see* MIYAZAKI A *et al*
HASHIMOTO Y *see* ONIKI T *et al*
HASSINEN I E *see* REMES A M *et al*
HAWKINS M *see* BATIN P D *et al*
HAYWOOD G A: Measurement of renal blood flow by continuous renal vein thermodilution: a new technique for the investigation of human cardiovascular reflexes, **127** *P*
see also KEELING P J *et al*; SNEDDON J F *et al*
HEADS A *see* DOIG J C *et al*
HEALD S C
BASHIR Y, O'NUNAIN S, HAMOUDA M, CAMM A J, WARD D E: Clinical experience with selective radiofrequency ablation in the treatment of atrioventricular nodal reentrant tachycardia, **147** *P*
BASHIR Y, PAUL V E, RANDALL N J, COLLINS K A, WARD D E, CAMM A J: Discrimination of ventricular tachycardia from exercise induced sinus tachycardia by pulsatile right ventricular pressure monitoring, **121** *P*
see also BASHIR Y *et al*
HEARSE D J *see* QIU Y *et al*
HEATON K W *see* RAZAY G *et al*
HEAVISIDE D W *see* MOUNSEY J P *et al*
HEBER M *see* BIRKHEAD J S *et al*
HELMS P *see* REES P *et al*
HELMY S M *see* STOJNIC B B *et al*
HENDERSON A H *see* LEWIS N P *et al*
HENDERSON E *see* NORTHRIDGE D B *et al*
HENDERSON R A, RASKINO C, FOR RITA TRIAL STEERING COMMITTEE: Determinants of myocardial revascularisation in patients with coronary artery disease: a report from the RITA coronary arteriogram register, **89** *P*
HENEIN M Y, BRECKER S J D, XIAO H B, STOJNIC B B, GIBSON D G: Improved left ventricular subendocardial function after coronary angioplasty, **138** *P*
HENRIKSSON P *see* RASMANIS G *et al*
HESS J *see* OTTENKAMP J *et al*
STUMPER O *et al*
HICKS M N *see* OLDROYD K G *et al*
HIGENBOTTAM T *see* BUTT Y *et al*
CREMONA G *et al*
HIGHAM P D, HILTON C J, GRIFFITHS C J, FURNISS S S, CAMPBELL R W F: Relation between QT intervals and epicardial monophasic action potential, **123** *P*
HILLIS W S, CHAMBERLAIN D A, DE BONO D P, GOX K A A, MURRAY R G, JULIAN D G, POCOCK S J, WELLWOOD M, WATERS J, FOR AIMS STUDY GROUP: Intravenous anistreplase in acute myocardial infarction: continued reduction in mortality up to five years: long-term results of the APSAC International Mortality Study (AIMS), **89** *P*
see also FEARS R *et al*; MacINTYRE P D *et al*
HILSON A J W *see* UREN N G *et al*
HILTON C J *see* BOURKE J P *et al*
DOIG J C *et al*
HIGHAM P D *et al*
HINGE D *see* SRIDHARA B S *et al*
HIRSCH R, SUTTON M StJ, SIMPSON I, KILNER P, REES S, SOMERVILLE J: Congenital heart disease in adults: respective roles of magnetic resonance imaging and transoesophageal echocardiography? **97** *P*
HO S Y, McCOMB J, SCOTT C D, ANDERSON R H: Morphology of the cardiac conduction system in patients with dual atrioventricular modal pathways, **73** *P*
HOFFMAN P *see* STUMPER O *et al*
SUTHERLAND G R *et al*
HOGG K J *see* FEARS R *et al*
MacINTYRE P D *et al*
HOLDRIGHT D R
CLARKE D, LINDSAY D C, POOLE-WILSON P A, FOX K M, COLLINS P: Coronary arterial endothelium dependent vasodilator responses in syndrome X, **131** *P*
CLARKE D, LINDSAY D C, POOLE-WILSON P A, FOX K M, COLLINS P: Coronary flow reserve is not impaired in syndrome X, **86** *P*
HOLMBERG S *see* SMYTH D *et al*
HOLT C M, FRANCIS S E, GADSDON P A, TAYLOR T, ANGELINI G D: Detection of proliferating cells in human coronary artery, **115** *P*
HOLT D W *see* CAFORIO A *et al*
JENNISON S H *et al*
HOLT P *see* CUNNINGHAM A D *et al*
HOME P D *see* LAWRENCE G P *et al*
HOOD J M *see* GRAHAM A N J *et al*
HORNER S *see* TAGGART P *et al*
HORNER S M: Effect of intravenous magnesium on tachycardia and cardiac arrest in acute myocardial infarction, **144** *P*
STURRIDGE M F, SWANTON R H: *Propionibacterium acnes* causing an aortic root abscess: *case report*, **218**
HOSSEIN-NIA M *see* CAFORIO A *et al*
HOUSTON A B *see* STEJSKAL L *et al*
HUBNER P J B, ON BEHALF OF THE BRITISH CARDIOVASCULAR INTERVENTION SOCIETY: Cardiac interventional procedure in the United Kingdom during 1990, **434**
HUGGON I C
BAKER E J, MAISEY M N, KAKADEKAR A P, GRAVES P, QURESHI S A, TYNAN M: Magnetic resonance imaging of hearts

with atrioventricular valve atresia or double inlet ventricle, **313**
QURESHI S A, BAKER E J, TYNAN M: Effect on overall outcome of the introduction of balloon dilatation of native aortic coarctation in infants and children, **71** *P*
TABATABAEI A H, QURESHI S A, BAKER E J, TYNAN M: Malposition of the Rashkind double umbrella as a cause of residual flow after transcatheter occlusion of the arterial duct, **71** *P*
see also TABATABAEI A H *et al*
HUNTER S, ROBSON S C: Adaptation of the maternal heart in pregnancy: *review*, **540**
see also DOIG J C *et al*; WILSON D I *et al*
HUTCHON D J R *see* MURPHY J J and HUTCHON D J R
HUTTON I *see* OLDROYD K G *et al*
TWEDDEL A C *et al*

IBRAHIM B *see* SANDERSON J E *et al*
ICHIDA F *see* MIYAZAKI A *et al*
IIDA H *see* DE SILVA R *et al*
IKARI Y, KUWAKO K, YAMAGUCHI T: Fabry's disease with complete atrioventricular block: histological evidence of involvement of the conduction system: *case report*, **323**
IKRAM S *see* GROVES P H *et al*
ILSLEY C *see* LYTHALL D *et al*
INGOLD U *see* GROVES P H *et al*
INGRAM A *see* PETERSEN M E V *et al*
INOUE H *see* MURAKAWA Y *et al*
IRELAND H *see* DUBREY S *et al*
IRWIN A G *see* UREN N G *et al*
ISOMOTO S *see* CENTURION O A *et al*
ITTI R *see* SRIDHARA B S *et al*

JACKSON G, KEANE D, MISHRA M: Percutaneous balloon pericardotomy in the management of recurrent malignant pericardial effusions, **613**
see also KEANE D *et al*
MISHRA M *et al*
JACKSON M *see* KITCHINER D *et al*
JACKSON N *see* GOOD J *et al*
JACOB A J
FELL G S, BIRD A G, BRETTLE R P, BOON N A: Is HIV cardiomyopathy caused by selenium deficiency? **137** *P*
SUTHERLAND G R, BIRD A G, BRETTLE R P, LUDLAM C A, McMILLAN A, BOON N A: Myocardial dysfunction in patients infected with HIV: prevalence and risk factors, **549**
see also HARGREAVES A D *et al*
JACOBSON S K *see* BUCHALTER M B *et al*
JAGGER C *see* WOODS K L *et al*
JAGOE R *see* McEWAN J R *et al*
JAIN S K, LEVY R D, BROOKS N H, BENNETT D H: Is life-long anti-arrhythmic therapy necessary to prevent ventricular tachycardia after myocardial infarction? **155** *P*
JAMES D N *see* PATEL R L *et al*
JAMESON S *see* McCOMB J M and JAMESON S
JAMIESON M P G *see* STEJSKAL L *et al*
JAMIESON S *see* RAY S G *et al*
JANSSON J-H: von Willebrand factor in plasma: a novel risk factor for recurrent myocardial infarction and death: correspondence, **635**
JARDINE A *see* NORTHRIDGE D B *et al*
JARVIS J C *see* SALMONS S and JARVIS J C
JAWHARI A *see* CHAUHAN A *et al*
JEFFREY S *see* KEELING P J *et al*
JEFFRIES M *see* BOWKER T J *et al*
JENNINGS I *see* BUCHALTER M B *et al*
JENNINGS K *see* CROSS S J *et al*
METCALFE M J *et al*
JENNINGS K P *see* LEE H S *et al*
JENNISON S H, CAFORIO A L P, FASHOLA T, RILEY S, POLONIECKI J, CORBISHLEY C M, HOLT D W, MURDAY A J, McKENNA W J: Non-invasive monitoring of rejection: soluble interleukin-2 receptor concentrations may predict subsequent acute allograft rejection in the transplanted heart, **132** *P*
see also CAFORIO A *et al*; KEELING P J *et al*; MILLANE T A *et al*
JESPERSEN C M, RASMUSSEN V: Detection of myocardial ischaemia by transthoracic leads in ambulatory electrocardiographic monitoring, **286**
JEWITT D E *see* MONOGHAN M J *et al*
PRVULOVICH E *et al*
SMYTH D *et al*
SMYTH D W *et al*
THOMAS M R *et al*
JOFFE H S *see* MARTIN R P *et al*
JOHN R *see* TAGGART P *et al*
JOHN R M, TAGGART P I, SUTTON P M, COSTA D C, ELL P J, SWANTON H: Vasodilator myocardial perfusion imaging: demonstration of local electrophysiological changes of ischaemia, **21**
JOHNSTON D *see* SHAHI M *et al*
JOHNSTON R T *see* VIJAN S G *et al*
JONES E A *see* GROVES P H *et al*
JONES K *see* MISHRA M *et al*
JONES T *see* DE SILVA R *et al*
JORDAN S C *see* MARTIN R P *et al*
JORDAN S L *see* DAVIES S W *et al*
UREN N G *et al*
JOSEPH P A, ROBINSON K, CREAN P, GEARTY G, WALSH M: A comparison of exercise echocardiography and technetium-99m MIBI SPECT in three dimensional images for identification of myocardial ischaemia, **124** *P*
JOSHI J *see* DRITSAS A *et al*
STEWART R A H *et al*
JULIAN D G *see* HILLIS W S *et al*

KAIBARA M *see* CENTURION O A *et al*
KAKADEKAR A P *see* HUGGON I *et al*
ROSENTHAL E *et al*
KAKUTA T *see* ONIKI T *et al*
KALLIKAZAROS I *see* STEFANADIS C *et al*
KALLIS P
AL-SAADY N M, BENNETT E D, TREASURE T: Early experience with intravenous oxygenation, **133** *P*
BATRICK N, BINDI F, CHATZIS A, KEOGH B E, MASCARO J, MURDAY A J, PARKER D J, SMITH E E J, TREATSURE T: Pacing thresholds of epicardial electrodes, **133** *P*
SNEDDON J F, SIMPSON L A, FUNG A, PEPPER J R, SMITH E E J: Clinical and haemodynamic performance of the 19 mm Carpentier-Edwards supra-annular aortic valve, **135** *P*
KANKAANPÄÄ J *see* RASTENYTE D *et al*
KARANI S *see* MISHRA M *et al*
KARWATOWSKI S P, BRECKER S J, YANG G Z, SUTTON M StJ, UNDERWOOD S R: Abnormalities of left ventricular wall motion in ischaemic heart disease: a comparison of Doppler echocardiography and magnetic resonance velocity mapping, **125** *P*
KASKI J C *see* TOUSOULIS D *et al*
KATRITSIS D *see* ANDERSON M H *et al*
BASHIR Y *et al*
KAWAZOE K *see* SHIMAMOTO H *et al*
KEANE D, BOYD E, ROBLES A, ANDERSON D, ORDIWAY L, DEVERALL P, JACKSON G, SOWTON E: Energy requirements of epicardial atrial defibrillation with bidirectional and monophasic waveforms, **116** P
see also JACKSON G *et al*
KEELING P J
HAYWOOD G A, COUNIHAN P J, KLARE M E, BENT S, McKENNA W J: Chronotropic incompetence can be accurately assessed by analysis of the chronotropic response during early exercise, **79** *P*
JEFFERY S, CAFORIO A L P, TAYLOR R, BOTTAZZO G F, DAVIES M J, McKENNA W J: Similar prevalence of enteroviral genome within the myocardium from patients with idiopathic dilated cardiomyopathy and controls by the polymerase chain reaction, **554**
JEFFREY S, CAFORIO A L P, TAYLOR R, DAVIES M J, BOTTAZZO G F, McKENNA W J: Similar prevalence of enterovirus genome within the myocardium of patients with idiopathic dilated cardiomyopathy and controls shown by the polymerase chain reaction, **128** *P*
LUSASZYK A, CAFORIO A L P, JENNISON S H, BENT S, MOWBRAY J F, BOOTH J C, McKENNA W J: Enteroviral serology in idiopathic dilated cardiomyopathy, **98** *P*
KEENAN D J M *see* ELOAKLEY R M *et al*
KEIL J *see* CONNELLY M *et al*
KEIL J E *see* PATEL D J *et al*
KELLY M P *see* SAMANI N J *et al*
KENDALL S W H *see* MULLINS P A *et al*
KENMURE A C F *see* CROSS S J *et al*
KENNY A, FULLER C A, SHAPIRO L M, WELLS F C: Conservative surgery of the mitral valve: a report of the first 100 cases from one unit and one surgeon, **505**
KEOGH B E *see* KALLIS P *et al*
KHARKEVITCH T *see* WRIGHT R A *et al*
KILNER P *see* HIRSCH R *et al*
KILNER P J, MANZARA C C, MOHIADDIN R H, PENNELL D J, SUTTON M G StJ, FIRMIN D N, UNDERWOOD S R, LONGMORE D B: Magnetic resonance jet velocity mapping validated against Doppler echocardiography in mitral and aortic valve stenosis, **112** *P*
KITCHINER D, JACKSON M, PEART I, WALSH K, ARNOLD R: The incidence and prognosis of congenital aortic valve stenosis during childhood and into early adult life, **84** *P*
KITI-CHEI *see* AKL E S *et al*
KITO H *see* SHIMAMOTO H *et al*
KLARE M E *see* KEELING P J *et al*
KNOCK G A *see* WHARTON J *et al*

KOIDE T *see* MURAKAWA Y *et al*
KOLETTIS T *see* HARGREAVES A D *et al*
KONOE A *see* CENTURION O A *et al*
KRONZON I *see* TUNICK P A and KRONZON I
KUCUKOGLU S *see* WALKER D M *et al*
KULAKOWSKI P, COUNIHAN P J, CAMM A J, McKENNA W J: Value of time and frequency domain and spectral temporal mapping analysis of the signal-averaged electrocardiogram in identification of patients with hypertrophic cardiomyopathy at increased risk of sudden death, **98** *P*
KUMAR N, PRABHAKAR G, GE Z, GOMETZA B, AL HALEES Z, DURAN C M G: Pulmonary autograft in aortic position (Ross operation): an initial experience, **84** *P*
KUULASMAA K *see* RASTENYTE D *et al*
KUWAKO K *see* IKARI Y *et al*

LAB M J *see* TAGGART P *et al*
LAGERQVIST B, SYLVEN C, WALDENSTROM A: Lower threshold for adenosine-induced chest pain in patients with angina and normal coronary angiograms, **282**
LAHIRI A *see* SENIOR R *et al*
SRIDHARA B S *et al*
LAIRD J D *see* VALLELY S R *et al*
LAMPE F *see* BOWKER T J *et al*
GANDHI M M *et al*
ROBERTS T L *et al*
LANE D *see* DUBREY S *et al*
LANE I F *see* GROVES P H *et al*
LANG C C, CHOY A M, COUTIE W, MOTWANI J G, STRUTHERS A D, McDEVITT D G: Release and metabolism of the novel cardiac hormone, brain natriuretic peptide, in humans, **108** *P*
LANG D *see* OBERHOFFER R *et al*
LARGE S R *see* CIULLI F *et al*
MULLINS P A *et al*
LAWRENCE G P, HOME P D, MURRAY A: Repeatability of measurements and sources of variability in tests of cardiovascular autonomic function, **205**
LAWSON C S: Thallium scans in syndrome X: *correspondence*, **636**
LAYTON C A *see* CAREY J A *et al*
LEANAGE R *see* PEARSON G *et al*
LECHLEITNER P *see* MAIR J *et al*
LEE A J *see* TUNSTALL-PEDOE H *et al*
LEE C H *see* BRECKER S J D *et al*
LEE H S
CROSS S J, DAVIDSON R, REID T, JENNINGS K P: High levels of antistreptokinase antibody and neutralisation titres from three days to three years after a previous dose of streptokinase, **103** *P*
CROSS S J, GARTHWAITE P, JENNINGS K P: Rapid exclusion of acute myocardial infarction in patients without SR elevation by serial enzyme analysis with novel analysers: myoglobin, creatine kinase, and creatine kinase-MB enzymes, **145** *P*
CROSS S J, NORTON M, WALTON S: Gated F18 fluorodeoxyglucose positron emission tomography: a novel approach for the detection of viable myocardium, **140** *P*
YULE S, McKENZIE A, CROSS S J, REID T, DAVIDSON R, JENNINGS K P: Hypersensitivity reactions to streptokinase in patients with high pretreatment antistreptokinase antibody and neutralisation titres: experience with 189 consecutive patients with suspected myocardial infarction, **156** *P*
see also CROSS S J *et al*
LEES B *see* STEVENSON J C *et al*
LEFROY D *see* TOUSOULIS D *et al*
LEFROY D C
CRAKE T, UREN N G, DAVIES G J, MASERI A: Regulation of coronary artery tone by nitric oxide in humans: different role in epicardial and resistive vessels, **85** *P*
DONNELLY L E, McEWAN J R, MacDERMOT J: Phorbol ester and adenosine triphosphate potentiate adenylate cyclase activity in endothelial cells, **114** *P*
see also UREN N G *et al*
LESLIE R D G *see* DUBREY S *et al*
LO S S S *et al*
LEVY R D *see* GRANT S C D *et al*
JAIN S K *et al*
LEWIS B *see* BAINTON D *et al*
LEWIS J F, SPIRITO P, PELLICCIA A, MARON B J: Usefulness of Doppler echocardiographic assessment of diastolic filling in distinguishing "athlete's heart" from hypertrophic cardiomyopathy, **296**
LEWIS M J *see* FORT S *et al*
FORT S and LEWIS M J
GROVES P H *et al*
SHAH A M *et al*
LEWIS N P, BANNING A P, SUNDAR A S, HENDERSON A H: Is the ventilation/perfusion mismatch which contributes to exertional hyperpnoea in chronic heart failure (CHF) dependent on limiting right ventricular (RV) output? **107** *P*
see also GROVES P H *et al*
LINDBLOM D: Management of patients with Björk-Shiley prosthetic valves: correspondence, **249**
LINDSAY D C, ROTHERY S, ANAND I S, SEVERS N J, POOLE-WILSON P A: Increased vascular resistance in chronic heart failure is not due to ultrastructural changes in the vasculature of skeletal muscle, **77** *P*
see also HOLDRIGHT D R *et al*
LINKEN N J *see* GILL J S *et al*
LINKER N J, WARD I, GRIFFITH M J, ROWLAND E, WARD D E, CAMM A J, McKENNA W J: Repolarisation abnormalities in patients with hypertrophic cardiomyopathy and ventricular arrhythmias: are they important? **113** *P*
LIPKIN D P *see* DAVIES S W *et al*
UREN N G *et al*
LLOYD J K *see* DEANFIELD J E *et al*
LO S S S, LESLIE R D G, SUTTON M G StJ: Effects of type 1 diabetes on left ventricular size and function: Doppler echocardiographic study of identical twins, **130** *P*
LO S S S, LESLIE R D G, SUTTON M G StJ: Prolonged QT interval in type 1 diabetes: information from identical twins, **142** *P*
LONGMORE D B *see* KILNER P J *et al*
LORENZONI R *see* UREN N G *et al*
LOWE G D O *see* TUNSTALL-PEDOE H *et al*
LU F *see* GILL J S *et al*
LUDDINGTON R J *see* BUCHALTER M B *et al*
LUDLAM C A *see* JACOB A J *et al*
LUDMAN P F, COATS A, POOLE-WILSON P A, UNDERWOOD S R, REES S: Measurement of myocardial perfusion in humans by ultrafast x ray computed tomography: validation by comparison with adenosine thallium tomography, **106** *P*
LUM L *see* BURCH M *et al*
LUSASZYK A *see* KEELING P J *et al*
LYTHALL D, BISHOP J, ILSLEY C, MITCHELL A, GIBSON D, YACOUB M: Relation between myocardial collagen and echo amplitude, **78** *P*

McCABE M J *see* WESTON C F M *et al*
McCLEMENTS B, ADGEY A A J: Role of the signal-averaged electrocardiogram in the prediction of serious arrhythmic events after myocardial infarction in the thrombolytic era, **79** *P*
McCOLLUM C N *see* BLANN A D *et al*
McCOMB J *see* HO S Y *et al*
McCOMB J M: Long-term results of antitachycardia pacing for supraventricular tachycardia, **92** *P*
JAMESON S: Chronic sensing thresholds during sinus rhythm and tachycardia: implications for pacing, **91** *P*
SCOTT C D: Prevalence of dual atrioventricular nodal pathway physiology in patients without arrhythmias, **73**
see also BOURKE J P *et al*; DOIG J C *et al*
McCOOL I *see* BUTT M A *et al*
McCOOL M *see* DEAN J W *et al*
McCUE C *see* FELTON C V *et al*
MacDERMOT J *see* LEFROY D C *et al*
McDEVITT D G *see* LANG C C *et al*
McEWAN J R, ANGLIN S, CLESHAM G, WHARTON J, JAGOE R, POLAK J M: Effect of ramipril on the response to vascular injury induced by balloon catheter in the rat, **93** *P*
see also LEFROY D C *et al*
McFADDEN E *see* TOUSOULIS D *et al*
MacGREGOR I R *see* HARGREAVES A D *et al*
MacINTYRE P D, GEMMILL J D, HOGG K J, BHARGAVA B, HILLIS W S: Effect of sumatriptan (GR43175) on central haemodynamics and coronary circulation, **120** *P*
McKENNA W *see* BURCH M *et al*
SAUMAREZ R C *et al*
McKENNA W J *see* BURCH M *et al*
CAFORIO A *et al*
GILL J S *et al*
JENNISON S H *et al*
KEELING P J *et al*
KULAKOWSKI P *et al*
LINKER N J *et al*
TAKATA J *et al*
WATKINS H *et al*
ZACHARA E *et al*
McKENZIE A *see* LEE H S *et al*
MACKINTOSH A F *see* WRIGHT D *et al*
MacLACHLAN D *see* GIBBS J S R *et al*
McLAREN M *see* BRIDGES A B *et al*
McMILLAN A *see* JACOB A J *et al*
McMURRAY J, CHOPRA M, ABDULLAH I, SMITH W E, DARGIE H J: Evidence for free radical generation (oxidative stress) in unstable angina, **104** *P*
McMURRAY J, CHOPRA M, ABDULLAH I, SMITH W E, DARGIE

H J: Evidence for oxidative stress in unstable angina, **454**
McNAIR W *see* VALLELY S R *et al*
McNEILL A J, FIORETTI P M, SALUSTRI A, POZZOLI M M A, BROEKEMA C C, REIJS A E M, EL-SAID E M, ROELANDT J R T C: Simultaneous dipyridamole stress echocardiography and technetium-99m MIBI SPECT after uncomplicated infarction: comparison of prognostic values with exercise testing, **124** *P*
McNEILL G P *see* BRIDGES A B *et al*
MacPHERSON A, BACSO J, GRODEN B M: A possible new non-invasive diagnostic technique confirms South West Scotland as a high risk area for coronary heart disease, **75** *P*
MacRAE C A, SIMPSON I A, GIBSON S, SNEDDON J F, CAMM A J: Dobutamine is the most physiological stress for echocardiographic assessment of regional wall motion in multivessel coronary artery disease, **123** *P*
MAGEE P *see* CAREY J A *et al*
MAIR J, ARTNER-DWORZAK E, LECHLEITNER P, MORASS B, SMIDT J, WAGNER I, DIENSTL F, PUSCHENDORF B: Early diagnosis of acute myocardial infarction by a newly developed rapid immunoturbidimetric assay for myoglobin, **462**
MAISEY M N *see* HUGGON I *et al*
MAJAMAA K *see* REMES A M *et al*
MAKIN C *see* BATEMAN J M *et al*
MALBUT K *see* PARRY G *et al*
MALIK M *see* ODEMUYIWA O *et al*
MANN J: Graft vascular disease in heart transplant patients: editorial, **253**
MANN J M *see* BURCH M *et al*
MANNAERTS H F J, BALK A H M M, SIMOONS M L, TIJSSEN J, VAN DER BORDEN S G, ZONDERVAN P, SUTHERLAND G R, ROELANDT J R T C: Changes in left ventricular function and wall thickness in heart transplant recipients and their relation to acute rejection: an assessment by digitised M mode echocardiography, **356**
MANNING W J, WAKSMONSKI C A, RILEY M F: Remnant of the common pulmonary vein mistaken for a left atrial mass: clarification by transoesophageal echocardiography: case report, **4**
MANSPEAKER P *see* SENIOR R *et al*
MANZARA C C *see* KILNER P J *et al*
MARBER M A, WALKER J M, YELLON D M: Myocardial resistance to calcium overload is enhanced by prior heat stress, **72** *P*
MARBER M S, WALKER J M, YELLON D M: Enhanced myocardial resistance to hypoxia after heat stress is dependent on metabolic substrate, **71** *P*
see also WALKER D M *et al*
MARCHANT B, STEVENSON R, RANJADAYALAR K: Thrombolytic therapy in acute infarction: circadian variations in the onset of symptoms and silent ischaemia during early recovery, **90** *P*
see also RANJADAYALAN K *et al*
MARON B J *see* LEWIS J F *et al*
MARRACCINI P *see* UREN N G *et al*
MARTIN I *see* REES P *et al*
MARTIN J *see* SMYTH D W *et al*
MARTIN J F *see* SMITH R E A *et al*
MARTIN P *see* MITCHELL I M *et al*
MARTIN R P, BU'LOCK F A, JOFFE H S, JORDAN S C: Balloon dilatation of the aortic valve for severe symptomatic aortic stenosis in early infancy: the treatment of choice, **69** *P*
MARTIN W *see* TWEDDEL A C *et al*
MARTINS T C, RIGBY M L, REDINGTON A N: Left ventricular performance in children: transthoracic versus transoesophageal measurement of M mode derived indices, **485**
MARWICK T, BAUDHUIN T, D'HONDT A M, MELIN J, DETRY J M: Inotropic versus vasodilator agents for diagnostic stress echocardiography: a prospective study in 100 patients undergoing coronary arteriography, **124** *P*
MASCARO J *see* KALLIS P *et al*
MASERI A *see* DE SILVA R *et al*
LEFROY D C *et al*
TOUSOULIS D *et al*
UREN N G *et al*
MASSEL D R: Effect of early intravenous heparin on coronary patency infarct size, and bleeding complications after alteplase thrombolysis: *correspondence*, **342**
MAZEIKA P, NADAZDIN A, OAKLEY C M: Prognostic value of dobutamine echocardiography in patients with high pretest likelihood of coronary artery disease, **123** *P*
MBAISSOUROUM M *see* BRECKER S J D *et al*
STOJNIC B B *et al*
MEEK J *see* GOOD J *et al*
MEHTA D *see* GILL J S *et al*
MELIN J *see* MARWICK T *et al*
METCALFE J C *see* GRACE A A *et al*
VANDENBERG J I *et al*
METCALFE J M *see* THOMAS M R *et al*
METCALFE M J, CROSS S, DAVIDSON J, JENNINGS K, WALTON S: Evidence of asymmetrical cardiac sympathetic innervation in the Romano-Ward syndrome from studies using 123I-metaiodobenzylguanidine, **137** *P*
METZE K: Abnormal right heart filling after cardiac surgery: *correspondence*, **250**
MEYER T *see* ADAMOPOULOS S *et al*
MEYER T *see* DAVEY P *et al*
MICHALIS L K *see* MONOGHAN M J *et al*
SMYTH D W *et al*
THOMAS M R *et al*
MILLANE T *see* ODEMUYIWA O *et al*
MILLANE T A
CAMM A J: Magnesium and the myocardium: *editorial*, **441**
JENNISON S H, GILL J S, GIBSON S, WARD J, CAMM A J: Magnesium prolongs ventricular action potential duration in the denervated heart, **101** *P*
see also GILL J S *et al*
MILLER N E *see* BAINTON D *et al*
MILLS P *see* DAVIES M J *et al*
MILLS P G *see* BUTT M A *et al*
THORNE S A *et al*
MINAUR N J *see* HARGREAVES A D *et al*
MISHRA M
BEER S, BLACK L, JONES K, JACKSON G: Are 50% of hypercholesterolaemic patients receiving lipid lowering drug therapy unnecessarily? **108** *P*
WATTS S E, KARANI S, SOWTON E: Should mild coronary stenoses be dilated? **81** *P*
see also JACKSON G *et al*
MITCHELL A *see* LYTHALL D *et al*
MITCHELL A G *see* AKL E S *et al*
MITCHELL I M, ESSOP A R, SCOTT P J, MARTIN P, SAUNDERS N R, NAIR R U, WILLIAMS G J: Bovine internal mammary artery grafts: do they remain patent? **139** *P*
MIYAZAKI A, ICHIDA F, HASHIMOTO I, TSUBATA S, OKADA T: Analysis of left ventricular regional wall motion in normal neonates, **574**
MOHIADDIN R H *see* KILNER P J *et al*
MONAGHAN M J, THOMAS M R, MICHALIS L K, JEWITT D E: Real time, echocardiographic analysis of ventricular function by automatic boundary detection, **143** *P*
see also THOMAS M R *et al*
MOOKERJEE R *see* CHRONOS N *et al*
MOONGA B S *see* GILL J S *et al*
MORASS B *see* MAIR J *et al*
MORE R S, BRACK M, PRINGLE S, GERSHLICK A H: A novel monoclonal conjugate with powerful antiplatelet and fibrinolytic properties which localises to damaged endothelium, **143** *P*
MORGAN D M *see* CROSSMAN D C *et al*
MORGAN-HUGHES N J, EVEMY K L: Coronary bypass: a district general hospital's perspective, **68** *P*
MORGAN J M *see* ROWLAND E *et al*
MORRIS J K, SHAPER A G, COOK D G: Cardiorespiratory symptoms before loss of employment, **118** *P*
MORRIS J L, ZAMAN A G, SMYLLIE J H, COWAN J C: Development of late potentials after myocardial infarction is related to infarct size, **101** *P*
MORTON J J *see* MOTWANI J G *et al*
MOTWANI J G, FENWICK M K, MORTON J J, STRUTHERS A D: Frusemide-induced natriuresis is augmented by ultra-low-dose captopril but not by standard doses of captopril in chronic heart failure, **119** *P*
see also LANG C C *et al*
MOUNSEY J P, GRIFFITH M J, BROWN A H, REID D S, HEAVISIDE D W: Coronary artery bypass grafting: identification of "fast track" patients, **102** *P*
MOWBRAY J F *see* KEELING P J *et al*
MUIR A L *see* HARGREAVES A D *et al*
MULCAHY D
FITZGERALD M, WRIGHT C, YACOUB M H, FOX K: Long-term follow up of patients requiring intensive in-hospital support who underwent urgent cardiac transplantation, **125** *P*
WRIGHT C, CURCHER D, CUNNINGHAM D, SPARROW J, PURCELL H, FOX K M: Snooze-induced excitation of sympathetic triggered activity (SIESTA): the effects of an afternoon nap on the circadian patterns of heart rate and blood pressure, **155** *P*
MULIGAN I P *see* DAVEY P P *et al*
MULLINS P *see* CHAUHAN A *et al*
CIULLI F *et al*
MULLINS P A
CARY N R, SHARPLES L, SCOTT J, ARAVOT D, LARGE S R, WALLWORK J, SCHOFIELD P M: Coronary occlusive disease and late graft failure after cardiac transplantation, **260**
CHAUHAN A, CIULLI F, LARGE S R, WALLWORK J, SCHOFIELD P M: Coronary endothelial and non-endothelial microvascular function are impaired in cardiac transplant patients early after operation, **87** *P*

CHAUHAN A, KENDALL S W H, LARGE S R, WALLWORK J, SCHOFIELD P M: Impaired myocardial microvascular function in patients with coronary occlusive disease after cardiac transplantation, **81** *P*
CHAUHAN A, LARGE S R, WALLWORK J, SCHOFIELD P M: Impaired myocardial endothelial and non-endothelial dependent microvascular function in patients with coronary occlusive disease after cardiac transplantation, **140** *P*
CHAUHAN A, SHARPLES L, CARY N R, LARGE S R, WALLWORK J, SCHOFIELD P M: Impairment of coronary flow reserve in orthotopic cardiac transplant recipients with minor coronary occlusive disease, **266**
SHARPLES L, CARY N B R, LARGE S R, WALLWORK J, SCHOFIELD P M: Angiographic and pathological features of coronary occlusive disease in cardiac transplant patients, **103** *P*
MURAKAWA Y, INOUE H, KOIDE T, NOZAKI A, SUGIMOTO T: Reappraisal of the coupling interval of ventricular extrasystoles as an index of ectopic mechanisms, **589**
MURDAY A J *see* CAFORIO A *et al*
JENNISON S H *et al*
KALLIS P *et al*
MURGATROYD F
CHILD A, POLONIECKI J, DeBELDER M, TREASURE T, PUMPHREY C: Echocardiographic and clinical features are inadequate guides to the management of patients with the Marfan syndrome, **84** *P*
STAFFORD P, WARD D, CAMM A, FOR THE CRAFT INVESTIGATORS: Clinical features and treatment of patients with paroxysmal atrial fibrillation: the CRAFT multicentre registry, **102** *P*
MURPHY C *see* COATS A J S *et al*
MURPHY J J, HUTCHON D J R: Incessant atrial tachycardia accelerated by pregnancy: *correspondence*, **342**
MURRAY A *see* LAWRENCE G P *et al*
MURRAY R G *see* HILLIS W S *et al*
MUSTANIEMI H *see* RASTENYTE D *et al*
MUTHUSAMY R *see* RIBEIRO P A *et al*

NADAZDIN A *see* MAZEIKA P *et al*
NAIR R U *see* MITCHELL I M *et al*
NANDRA C S *see* ROWLAND E *et al*
NATHAN A W, VASSILIKOS V P, WONG C K Y: Catheter ablation for the cure of atrioventricular nodal reentrant tachycardia by destruction of the slow pathway, **147** *P*
see also BASHIR Y *et al;*
CUNNINGHAM A D *et al;*
WONG C K Y *et al*
NEVOLA D *see* UREN N G *et al*
NEWBY A C *see* BENNETT M R *et al*
COOPER J P *et al*
EVANS M A *et al*
GROVES P H *et al*
NEWMAN S *see* PATEL R L *et al*
NICHOL I E *see* DOIG J C *et al*
NIHOYANNOPOULOS P *see* DE SILVA R *et al*
DRITSAS A *et al*
SHAH D *et al*
STEWART R A H *et al*
NIMKHEDKAR K *see* DOIG J C *et al*
NISHIMURA K *see* SHAH S S *et al*
NIXON P A *see* WEBBER S A *et al*
NOBLE M *see* AKHRAS F *et al*
NOLAN J, BLOOMFIELD P: Non-rheumatic atrial fibrillation: warfarin or aspirin for all: *review*, **544**
NORDREHAUG J E
CHRONOS N, DENNE L, RICKARDS A F, BULLER N, SIGWART U: Results of stent implantation for the management of aorto-ostial stenosis, **154** *P*
CHRONOS N, GUNNES P, RICKARDS A F, BULLER N, SIGWART U: Safety, efficacy, and patient toleration of a new inflatable device for compressing the femoral artery after cardiac angiography? **82** *P*
see also GIBBS J S R *et al*
NORTHRIDGE D B, JARDINE A, HENDERSON E, DILLY S G, DARGIE H J: Increased circulating atrial natriuretic factor concentrations in patients with chronic heart failure after inhibition of neutral endopeptidase: effects on diastolic function, **387**
NORTON M *see* LEE H S *et al*
NOZAKI A *see* MURAKAWA Y *et al*
NUMANO F *see* ONIKI T *et al*
NUNAN T O *see* SHAKESPEARE C F *et al*
NYAWO B *see* SIVANANTHAN U M *et al*

OAKLEY C *see* AL-MAHDAWI S *et al*
GOOD J *et al*
OAKLEY C M *see* DRITSAS A *et al*
MAZEIKA P *et al*
SHAH D *et al*
STEWART R A H *et al*
OBERHOFFER R, COOK A C, LANG D, SHARLAND G, ALLAN L D, FAGG N L K, ANDERSON R H: Correlation between echocardiographic and morphological investigations of lesions of the tricuspid valve diagnosed during fetal life, **580**
O'BRIEN B J, BUXTON M J, RUSHBY J A: Cost effectiveness of the implantable cardioverter defibrillator: a preliminary analysis, **241**
O'CONNOR B *see* DUBREY S *et al*
ODEMUYIWA O
MALIK M, FARRELL T, STAUNTON A, POLONIECKI J, MILLANE T, CAMM A J: Independent value of heart rate variability for predicting sudden death after myocardial infarction, **145** *P*
MALIK M, STAUNTON A, FARRELL T, POLONIECKI J, CAMM A J: Heart rate recovery after exercise: a new index of autonomic balance in post-infarction patients? **103** *P*
O'DOHERTY M J *see* SHAKESPEARE C F *et al*
O'DONNELL M *see* DUBREY S *et al*
OGILVIE B C *see* DAWKINS K D *et al*
OHRI S K *see* AKL E S *et al*
OKADA T *see* MIYAZAKI A *et al*
OLDERSHAW P: Assessment of right ventricular function and its role in clinical practice: review, **12**
OLDROYD K G
HICKS M N, COBBE S M: Naloxone has non-receptor mediated Class I and Class III antiarrhythmic activity and attenuates the rate of extracellular potassium accumulation during myocardial ischaemia, **134** *P*
PATERSON J R, RUMLEY A G, ETEIBA H, RAE A P, SHEPHERD J, COBBE S M, HUTTON I: Coronary venous lipid peroxide concentrations after coronary angioplasty: correlation with biochemical and electrocardiographic evidence of myocardial ischaemia, **43**
OLIVER M *see* SIDHU M *et al*
OLIVER M F *see* FELTON C V *et al*
WRIGHT R A *et al*
ONIKI T, HASHIMOTO Y, SHIMIZU S, KAKUTA T, YAJIMA M, NUMANO F: Effect of increasing heart rate on Doppler indices of left ventricular performance in healthy men, **425**
O'NUNAIN S *see* BASHIR Y *et al*
GARRATT C J *et al*
HEALD S C *et al*
ORDIWAY L *see* KEANE D *et al*
ORENSTEIN D M *see* WEBBER S A *et al*
OTTENKAMP J, HESS J, TALSMA M D, BUIS-LIEM T N: Protrusion of the device: a complication of catheter closure of patent ductus arteriosus, **301**
OZAWA T *see* TAKATA J *et al*
OZDOGAN E *see* AKL E S *et al*

PADARIA S F *see* FORAN J P M *et al*
PAGE C J *see* SHAKESPEARE C F *et al*
PALMER R B G *see* SANDERSON J E *et al*
PANAGOS A *see* SAUMAREZ R C *et al*
PARAMESHWAR J *see* CIULLI F *et al*
PARKER D J *see* KALLIS P *et al*
PARRATT J *see* TWEDDEL A C *et al*
PARRY G
GOUDEVENOS J, REID D S, ADAMS P C: Post-infarct septal rupture in the elderly, **140** *P*
MALBUT K, DARK J H, BEXTON R S: Optimal pacing modes after cardiac transplantation: is synchronisation of recipient and donor atria beneficial?, **195**
PARSONS J M *see* GIBBS J L *et al*
PASINI E *see* WALKER D M *et al*
PATEL D *see* CONNELLY M *et al*
PATEL D J, WINTERBOTHAM M, CONNELLY M S, BRITT R P, KEIL J E, SUTTON G C: Assessment of the prevalence of coronary heart disease (CHD) in south Asians: difficulties with conventional methods, **110** *P*
PATEL R L, JAMES D N, CHAMBERS D J, NEWMAN S, VENN G E: Improved cerebral protection with alpha-stat acid base regulation after coronary artery bypass surgery, **132** *P*
PATERSON J R *see* OLDROYD K G *et al*
PATTEN M *see* BURCH M *et al*
PATTERSON G C *see* GRAHAM A N J *et al*
PATTISON C W *see* SHAH S S *et al*
PATTON M A *see* BURCH M *et al*
PAUL V E *see* BASHIR Y *et al*
HEALD S C *et al*
PEARSON G, FIRMIN R, CHAN K, LEANAGE R: Pulmonary hypertensive crisis in infancy treated with extracorporeal membrane oxygenation, **88** *P*
PEART I *see* KITCHINER D *et al*
SREERAM N *et al*

PEDERSEN A K, BENETIS R, THOMSEN P E B: A posteroseptal accessory pathway located in a coronary sinus aneurysm: diagnosis and radiofrequency catheter ablation: *case report*, **414**
PEIFFERT B *see* BRUNOTTE F *et al*
PELL A C H, CAMPANELLA C, PRASAD S, CALE A R J, DUNCAN A J, SUTHERLAND G R: Role of transoesophageal echocardiography in cardiac surgical intensive care, **136** *P*
PELLICCIA A *see* LEWIS J F *et al*
PENNELL D J *see* KILNER P J *et al*
UNDERWOOD S R and PENNELL D J
PENNY D J, SOMERVILLE J, REDINGTON A N: Echocardiographic demonstration of important abnormalities of the mitral valve in congenitally corrected transposition, **498**
PENNY W J *see* GROVES P H *et al*
PEPKE-ZABA J *see* BUTT Y *et al*
PEPPER J R *see* KALLIS P *et al*
SHAH S S *et al*
PERRINS E J *see* BAIG M W *et al*
PERRY R A *see* BELLAMY C M *et al*
GRECH E D *et al*
PETCH M C *see* CHAUHAN A *et al*
PETERS M *see* GOOD J *et al*
PETERS N S: Gap junction in normal, ischaemic and hypertrophied human ventricular myocardium: a quantitative and descriptive study of gap junction intercellural communication pathways, **128** *P*
GREEN C R, SEVERS N J, BENNETT J G, ROWLAND E: Cellular morphology and basis for conduction in accessory atrioventricular pathways in the Wolff-Parkinson-White syndrome, **76** *P*
GREEN C R, SEVERS N J, POOLE-WILSON P A: Abnormal gap junction organisation in human myocardial ischaemia and hypertrophy, **76** *P*
SOMERVILLE J: Arrhythmias after the Fontan procedure, **199**
PETERSEN M E V, FITZPATRICK A, CHAMBERLAIN-WEBBER R, INGRAM A, SUTTON R: Permanent pacing in cardioinhibitory malignant vasovagal syndrome - the Westminster experience, **97** *P*
PEUHKURINEN K J *see* REMES A M *et al*
PIESSENS J H *see* VAN LIERDE J M *et al*
PILLAI R *see* CHONG J L *et al*
PINDBORG T *see* SVANEGAARD J *et al*
PINELLI G *see* BRUNOTTE F *et al*
PITSAVOS C *see* STEFANADIS C *et al*
PLAPPERT T *see* YEUNG A C *et al*
POCOCK S J *see* HILLIS W S *et al*
POLAK J M *see* McEWAN J R *et al*
WHARTON J *et al*
POLLOCK J C S *see* STEJSKAL L *et al*
POLONIECKI J *see* JENNISON S H *et al*
MURGATROYD F *et al*
ODEMUYIWA O *et al*
POMPILI A *see* ZACHARA E *et al*
POOLE-WILSON P A *see* BRADY A J B *et al*
HOLDRIGHT D R *et al*
LINDSAY D C *et al*
LUDMAN P F *et al*
PETERS N S *et al*
PORTER M *see* BLANN A D *et al*
POZZOLI M M A *see* McNEILL A J *et al*
PRABHAKAR G *see* KUMAR N *et al*
PRASAD S *see* PELL A C H *et al*
PRATI P L *see* ZACHARA E *et al*
PRESBITERO P *see* SOMERVILLE J *et al*
PRINGLE S *see* MORE R S *et al*
UNDERWOOD M J *et al*
PRINGLE T H *see* BRIDGES A B *et al*
PRVULOVICH E, UNDERWOOD S R, JEWITT D E: Effect of late thrombolysis on left ventricular remodelling and function after myocardial infarction, **90** *P*
PRVULOVICH E, UNDERWOOD S R, JEWITT D E: Myocardial viability after Q wave infarction: evaluation using early and late thallium reinjection imaging, **151** *P*
PUGSLEY W B *see* WONG P S and PUGSLEY W B
PUMPHREY C *see* MURGATROYD F *et al*
PUN K T *see* AYLETT A J *et al*
PURCELL H *see* GIBBS J S R *et al*
MULCAHY D *et al*
PURVIS J A, YOUNG I S, TRIMBLE E, ADGEY A A: Evidence of free radical production after successful thrombolytic therapy in acute myocardial infarction, **158** *P*
PUSCHENDORF B *see* MAIR J *et al*

QIU Y, GALINANES M, HEARSE D J: Effect of continuous warm blood cardioplegia versus crystalloid cardioplegia in the isolated blood perfused rat heart, **133** *P*
QURESHI S A *see* HUGGON I C *et al*
HUGGON I *et al*
ROSENTHAL E *et al*
TABATABAEI A H *et al*

RADDA G *see* ADAMOPOULOS S *et al*
RADLEY-SMITH R, YACOUB M H: Accelerated coronary sclerosis in children after cardiac transplantation: what role do oral steroids have? **126** *P*
RAE A P *see* FEARS R *et al*
OLDROYD K G *et al*
RAHMAN A N *see* GRANT S C D *et al*
RAJAGOPALAN B *see* ADAMOPOULOS S *et al*
RANDALL N J *see* HEALD S C *et al*
RANJADAYALAN K, STEVENSON R, MARCHANT B, UMACHANDRAN V, DAVIES S W, SYNDRECOMBE-COURT D, GUTTERIDGE C N, TIMMIS A D: Streptokinase induced defibrination assessed by thrombin time: effects on residual coronary stenosis and left ventricular ejection fraction, **171**
see also STEVENSON R *et al*
RANJADAYALAR K, *see also* MARCHANT B *et al*
RASKINO C *see* HENDERSON R A *et al*
RASMANIS G, VESTERQVIST O, GRéEN K, EDHAG O, HENRIKSSON P: Evidence of increased platelet activation after thrombolysis in patients with acute myocardial infarction, **374**
RASMUSSEN J S *see* BASHIR Y *et al*
RASMUSSEN V *see* JESPERSEN C M and RASMUSSEN V
RASTENIENE D *see* RASTENYTE D *et al*
RASTENYTE D, SALOMAA V, MUSTANIEMI H, RASTENIENE D, GRAZULEVICIENE R, CEPAITIS Z, KANKAANPÄÄ J, KUULASMAA K, TORPPA J, BLUZHAS J, TUOMILEHTO J: Comparison of trends in ischaemic heart disease between North Karelia, Finland, and Kaunas, Lithuania, from 1971-1987, **516**
RAVAL U *see* SRIDHARA B S *et al*
RAY S G, GRIFFITH M J, JAMIESON S, BEXTON R S, GOLD R G: Impact of the recommendations of the British Pacing and Electrophysiology Group on pacemaker prescription and on the immediate costs of pacing in the Northern Region: *audit*, **531**
RAZAY G, HEATON K W, BOLTON C H: Insulin, alcohol, and the risk of cardiovascular disease in middle aged men, **110** *P*
RAZAY G, HEATON K W, BOLTON C H: Waist:hip circumference ratio (WHR) and its relation to cardiovascular risk factors in men and women, **117** *P*
READ P A *see* SAMANI N J *et al*
RECHAVIA E *see* DE SILVA R *et al*
REDINGTON A N *see* MARTINS T C *et al*
PENNY D J *et al*
REES A *see* GROVES P H *et al*
REES M R *see* BROWNE T *et al*
GIBBS J L *et al*
SIVANANTHAN U M *et al*
VERMA S P *et al*
REES P, DE LEVAL M, ELLIOTT M, BURCH M, WHITEHEAD B, HABIBI P, GOODWIN M, MARTIN I, HELMS P, WALLWORK J: Three and a half year review of paediatric heart and heart and lung transplantation, **87** *P*
see also BURCH M *et al*
REES S *see* HIRSCH R *et al*
LUDMAN P F *et al*
REEVELY D *see* DUBREY S *et al*
REID A W *see* DIMITRI W R *et al*
REID D S *see* MOUNSEY J P *et al*
PARRY G *et al*
REID T *see* LEE H S *et al*
REIJS A E M *see* McNEILL A J *et al*
REMES A M, HASSINEN I E, MAJAMAA K, PEUHKURINEN K J: Mitochondrial DNA deletion diagnosed by analysis of an endomyocardial biopsy specimen from a patient with Kearns-Sayre syndrome and complete heart block: *case report*, **408**
RHODES C G *see* DE SILVA R *et al*
RIBEIRO P A, MUTHUSAMY R, DURAN C M G: Right-sided endomyocardial fibrosis with recurrent pulmonary emboli leading to irreversible pulmonary hypertension: *case report*, **326**
RICHARDSON M P, THURAISINGHAM S I, DUNNING J: Apparent obstruction of the superior vena cava and a continuous murmur: signs of a fistula between a vein graft aneurysm and the right atrium: case report, **412**
RICHMOND P W *see* WESTON C F M *et al*
RICKARDS A *see* CHRONOS N *et al*
RICKARDS A F *see* CONNELLY D T *et al*
GIBBS J S R *et al*
NORDREHAUG J E *et al*
STEWART J T *et al*
RIEMERSMA R A *see* ROBERTS T L *et al*
RIGBY M L *see* MARTINS T C *et al*
RIGO P *see* SRIDHARA B S *et al*
RILEY M F *see* MANNING W J *et al*
RILEY S *see* JENNISON S H *et al*
RITA TRIAL STEERING COMMITTEE *see* HENDERSON R A *et al*

RITTOO D
SUTHERLAND G R, CURRIE P, STARKEY I R, SHAW T R D: Complementary roles of biplane transoesophageal and precordial echocardiography in evaluating patients undergoing balloon dilatation of the mitral valve? **82** *P*
SUTHERLAND G R, CURRIE P, STARKEY I R, SHAW T R D: Is thromboembolic risk reduced by balloon dilatation of the mitral valve? **84** *P*
see also SUTHERLAND G R *et al*
RITZ R *see* SALATHE M *et al*
ROBERT J *see* BRUNOTTE F *et al*
ROBERTS T *see* BOWKER T J *et al*
ROBERTS T L, GALLAGHER P, LAMPE F, RIEMERSMA R A, WOOD D A: Linoleic acid and the risk of sudden cardiac death, **110** *P*
ROBINSON K *see* JOSEPH P A *et al*
ROBLES A *see* KEANE D *et al*
ROBOTHAM K F *see* BELLAMY C M *et al*
ROBSON S C *see* HUNTER S and ROBSON S C
ROCKER G *see* CRIPPS T *et al*
ROELANDT J R T C *see* McNEILL A J *et al*
MANNAERTS H F J *et al*
ROLLASON T P *see* GREEN N J and ROLLASON T P
ROSENTHAL E
QURESHI S A, ANJOS R, BAKER E J, TYNAN M: Balloon dilatation for aortic stenosis: age at presentation is an important determinant of the outcome, **69** *P*
QURESHI S A, KAKADEKAR A P, TABATABAIE A H, BAKER E J, TYNAN M: Comparison of balloon dilatation, laser-balloon dilatation and stent implantation for maintaining patency of the arterial duct, **70** *P*
QURESHI S A, KAKADEKAR A P, TABATABAIE A H, BAKER E J, TYNAN M: Long-term results of stent implantation for maintaining patency of the arterial duct, **70** *P*
ROSENZWEIG *see* WATKINS H *et al*
ROSS D *see* ABRAMS S *et al*
ROTHERY S *see* LINDSAY D C *et al*
ROTHMAN M T *see* CAREY J A *et al*
DAVIES S W *et al*
DEAN J W *et al*
GIBBS J L *et al*
ROWLAND E, MORGAN J M, CONNELLY D T, NANDRA C S, CUNNINGHAM A D: Detailed mapping of the posteroseptal space for catheter ablation of posteroseptal accessory pathways, **148** *P*
see also CONNELLY D T *et al*
GARRATT C J *et al*
LINKER N J *et al*
PETERS N S *et al*
ROYAL COLLEGE OF PHYSICIANS OF LONDON, BRITISH CARDIAC SOCIETY: The future of paediatric cardiology in the United Kingdom: report of joint working party, **630**
RUIZ C E *see* GIBBS J L *et al*
RUMLEY A G *see* OLDROYD K G *et al*
RUSHBY J A *see* O'BRIEN B J *et al*
RUTTLEY M *see* GROVES P H *et al*

SABROE I *see* VERMA S P *et al*
SALATHE M, WEISS P, RITZ R: Rapid reversal of heart failure in a patient with phaeochromocytoma and catecholamine-induced cardiomyopathy who was treated with captopril: *case report*, **527**
SALMONS S, JARVIS J C: Cardiac assistance from skeletal muscle: a critical appraisal of the various approaches, **333**
SALOMAA V *see* RASTENYTE D *et al*
SALUSTRI A *see* McNEILL A J *et al*
SAMANI N J
DE BONO D P, SPYT T J, HARTSHORNE T, THRUSH A J, EVANS D H: Measurement of flow in internal mammary artery to coronary artery grafts by transcutaneous ultrasound, **78** *P*
KELLY M P, READ P A, SWALES J D: Effects of angiotensin converting enzyme inhibition on tissue renin and angiotensinogen gene expression, **115** *P*
SANDERSON J E, IBRAHIM B, WARTERHOUSE D, PALMER R B G: Complications of epidural spinal electrical stimulation (ESES) for angina, **156** *P*
SAUMAREZ R C, PANAGOS A, DE BELDER M, SIMPSON I, STEWART J, McKENNA W, CAMM A: Fractionation of paced ventricular electrograms in hypertrophic cardiomyopathy is associated with an increased risk of sudden death, **122** *P*
SAUNDERS N R *see* MITCHELL I M *et al*
SBAROUNI E *see* DRITSAS A *et al*
SCAMBLER P J *see* WILSON D I *et al*
SCHOFIELD P M *see* CHAUHAN A *et al*
CIULLI F *et al*
MULLINS P A *et al*
SCOTT C D, DARK J H: Coronary artery disease after heart transplantation: clinical aspects: editorial, **255**
see also HO S Y *et al*
McCOMB J M and SCOTT C D
SCOTT J *see* MULLINS P A *et al*
SCOTT N A *see* BRIDGES A B *et al*
SCOTT P J, BLACKBURN M E, WHARTON G A, WILSON N, DICKINSON D F, GIBBS J L: Transoesophageal echocardiography in neonates, infants and children: applicability and diagnostic value in everyday practice of a cardiothoracic unit, **488**
see also DEANER A N S *et al;* MITCHELL I M *et al*
SEED M *see* DUBREY S *et al*
SEIDMAN C E *see* WATKINS H *et al*
SEIDMAN J G *see* WATKINS H *et al*
SENIOR R, BHATTACHARYA S, WEGENER W, MANSPEAKER P, WEISMAN H, LAHIRI A: Combined assessment of left ventricular wall motion, ejection fraction, and acute myocardial necrosis with a single dose of technetium-99m antimyosin antibody, **152** *P*
SERRUYS P W, FOLEY D P, DE FEYTER P J: Restenosis after coronary angioplasty: a proposal of new comparative approaches based on quantitative angiography, **417**
SETHIA B *see* TULLOH R M R *et al*
SEVERS N J *see* LINDSAY D C *et al*
PETERS N S *et al*
SHAH A M, EVANS H G, LEWIS M J: Myocardial nitric oxide production could contribute to cardiac depression in endotoxaemia and allograft rejection, **129** *P*
see also FORT S *et al*
SHAH D, AZHAR M, NIHOYANNOPOULOS P, CLELAND J E, OAKLEY C M: Long-term outcome of adults with secundum atrial septal defect with and without surgical closure, **87** *P*
SHAH K, WALSH K: Giant right atrial diverticulum: an unusual cause of Wolff-Parkinson-White syndrome: *case report*, **58**
SHAH S S, CUMMING D V E, NISHIMURA K, BOWLES C T, PATTISON C W, PEPPER J R, YACOUB M H: Objective evaluation of skeletal muscle counterpulsation in a mock circulation model, **125** *P*
SHAHI M, BESH YAH S, SHARP P, JOHNSTON D, FOALE R A: Beneficial effects of growth hormone replacement therapy on myocardial infarction, **129** *P*
see also DAVIES D W *et al*
SHAKESPEARE C F
CROWTHER A, COOPER I C, COLTART D J, WEBB-PEPLOE M M: Autonomic reflexes stimulated by coronary balloon angioplasty: regional differences in afferent population, **120** *P*
PAGE C J, O'DOHERTY M J, NUNAN T O, COOPER I C, COLTART D J, WEBB-PEPLOE M M: Differences in regional cardiac autonomic innervation detected by metaiodobenzylguanidine imaging, **152** *P*
SHANIT D *see* GREENBAUM R *et al*
SHAPER A G, WANNAMETHEE G, WALKER M: Physical activity, hypertension, and risk of heart attack, **139** *P*
see also MORRIS J K *et al;* TANG J-L *et al;* WANNAMETHEE G and SHAPER A G
SHAPIRO L M *see* KENNY A *et al*
SHARLAND G, ALLAN L: Coarctation of the aorta: difficulties in prenatal diagnosis, **95** *P*
see also OBERHOFFER R *et al*
SHARLAND M *see* BURCH M *et al*
SHARP P *see* SHAHI M *et al*
SHARPLES L *see* MULLINS P A *et al*
SHAW T R D *see* RITTOO D *et al*
SHENNAN A A *see* WONG C K Y *et al*
SHEPHERD J *see* OLDROYD K G *et al*
SHIMAMOTO H, KITO H, KAWAZOE K, FUJITA T, SHIMAMOTO Y: Transoesophageal Doppler echocardiographic measurement of cardiac output by the mitral annulus method, **510**
SHIMAMOTO Y *see* SHIMAMOTO H *et al*
SHIMIZU A *see* CENTURION O A *et al*
SHIMIZU S *see* ONIKI T *et al*
SHINEBOURNE E *see* BURCH M *et al*
SHINEBOURNE E A *see* BURCH M *et al*
SIDHU M, CROOK D, GODSLAND I, WALTON C, WYNN V, OLIVER M: Inverse relation between serum lipoprotein (a) concentrations and first phase insulin secretion, **141** P
SIGWART U *see* CHRONOS N *et al*
GIBBS J S R *et al*
NORDREHAUG J E *et al*
STEWART J T *et al*
SILOVE E D *see* TULLOH R M R *et al*
SIMOONS M L *see* MANNAERTS H F J *et al*
SIMPSON I *see* HIRSCH R *et al*
SAUMAREZ R C *et al*
SIMPSON I A *see* ANDERSON M H *et al*
GIBBS J S R *et al*
MacRAE C A *et al*
SIMPSON L A *see* KALLIS P *et al*
SINCLAIR M *see* CHONG J L *et al*

SINGER D *see* BURCH M *et al*
SIONIS D *see* VAN LIERDE J M *et al*
SIVANANTHAN U M, WALLER D, NYAWO B, WALKER D, REES M R: Use of magnetic resonance imaging to assess the long-term results of total correction of tetralogy of Fallot, **80** *P*
see also BROWNE T *et al*
VERMA S P *et al*
SKEHAN J D *see* ANDREWS R *and* SKEHAN J D
VIJAN S G *et al*
SKENE A M *see* HAMPTON J R *and* SKENE A M
SLATER D *see* BURCH M *et al*
SLEIGHT P *see* COATS A J S *et al*
DAVEY P *et al*
SMIDT J *see* MAIR J *et al*
SMITH A *see* BURCH M *et al*
SMITH E E J *see* KALLIS P *et al*
SMITH R E A, GILES H, CARDEN N, MARTIN J F: Platelet membrane glycoprotein (GPIIb-IIIa) expression and size are increased in acute myocardial infarction, **157** *P*
SMITH W E *see* McMURRAY J *et al*
SMYLLIE H C *see* BIRKHEAD J S *et al*
SMYLLIE J H *see* MORRIS J L *et al*
SMYTH D, BUCKNALL C, HOLMBERG S, THOMAS M, THOMAS S, JEWITT D E: Omniflex or Magnarail for total coronary occlusions? **82** *P*
SMYTH D W, BUCKNALL C, MICHALIS L K, MARTIN J, JEWITT D E: Mean platelet volume predicts restenosis after successful coronary angioplasty, **78** *P*
see also THOMAS M R *et al*
SNEDDON J F, COUNIHAN P J, BASHIR Y, HAYWOOD G A, WARD D E, CAMM A J: Augmented cardiopulmonary baroreflex control in patients with neurally mediated syncope, **76** *P*
SNEDDON J F, COUNIHAN P J, BASHIR Y, HAYWOOD G A, WARD D E, CAMM A J: Impaired immediate vasoconstrictor response to head-up tilt: new insights into the pathophysiology of vasovagal syncope, **73** *P*
see also BASHIR Y *et al*
KALLIS P *et al*
MacRAE C A *et al*
SOMERVILLE J, PRESBITERO P, STONE S, ARUTA E, SPIEGELHALTER D: Pregnancy in cyanotic congenital heart disease: maternal complications and factors influencing successful fetal outcome, **96** *P*
see also ABRAMS S *et al;* HIRSCH R *et al;* PENNY D J *et al;* PETERS N S and SOMERVILLE J
SORENSEN K E *see* DEANFIELD J E *et al*
SOWTON E *see* KEANE D *et al*
MISHRA M *et al*
SULKE A N *et al*
SOYOMBO A A *see* COOPER J P *et al*
SPARROW J *see* GIBBS J S R *et al*
MULCAHY D *et al*
SPIEGELHALTER D *see* SOMERVILLE J *et al*
SPIRITO P *see* LEWIS J F *et al*
SPRIGINGS D C *see* BATEMAN J M *et al*
SPYT T J *see* SAMANI N J *et al*
SREERAM N, WALSH K, PEART I, ARNOLD R: Balloon dilatation of valves in infants and children with carbon dioxide as the contrast agent, **144** *P*
SRIDHARA B S, ITTI R, BRATT S, RIGO P, CLOAD P, RAVAL U, HINGE D, LAHIRI A: Technetium-99m tetrofosmin (P53) myocardial perfusion imaging in coronary heart disease: comparison with thallium-201 imaging, **152** *P*
SRITARA P *see* GREENBAUM R *et al*
STAFFORD P *see* MURGATROYD F *et al*
STAMMEN F J *see* VAN LIERDE J M *et al*
STANDRING R *see* FEARS R *et al*
STARKEY I R *see* RITTOO D *et al*
STAUNTON A *see* ODEMUYIWA O *et al*
STEARE S, DUBOWITZ V, BENATAR A: Subclinical cardiomyopathy in Becker muscular dystrophy, **304**
STEFANADIS C, TRIPOSKIADIS F, STRATOS C, PITSAVOS C, KALLIKAZAROS I, VLACHOPOULOS C, TRIKAS A, TOUTOUZAS P: Effect of retrograde non-transseptal balloon dilatation of the mitral valve on left atrial function in mitral stenosis, **112** *P*
STEJSKAL L, POLLOCK J C S, JAMIESON M P G, HOUSTON A B, TWEDDEL A: Role of pulmonary valve insertion in reoperation for progressive late right ventricular dysfunction after repair of tetralogy of Fallot, **89** *P*
STEPHENS M R *see* WESTON C F M *et al*
STEVENSON J C, WHITCROFT S I J, LEES B, GODSLAND I F, CROOK D: Effects of hormone deficiency on cardiovascular risk markers in women, **131** *P*
see also CROOK D *et al*
STEVENSON R, UMACHANDRAN V, RANJADAYALAN K, TIMMIS A D: Significance of reciprocal ST depression on the resting and exercise electrocardiogram in patients with acute infarction treated by thrombolysis, **104** *P*
see also MARCHANT B *et al*
RANJADAYALAN K *et al*
STEWART J *see* SAUMAREZ R C *et al*
STEWART J T
GRBIC M, SIGWART U: Left atrial and left ventricular diastolic function during acute myocardial ischaemia, **377**
WILLIAMS M G, GOY J-J, DENNE L, BULLER N P, RICKARDS A F, SIGWART U: Self-expanding stents for diseased saphenous vein coronary artery bypass grafts, **153** *P*
STEWART M J, FRASER DM, BOON N: Dilated cardiomyopathy associated with chronic overuse of an adrenaline inhaler: case report, **221**
STEWART R A H, JOSHI J, ALEXANDER N, NIHOYANNOPOULOS P, OAKLEY C M: Adjustment for the influence of age and heart rate on Doppler measurements of left ventricular filling, **608**
STOJNIC B B
BRECKER S J D, XIAO H B, GIBSON D G: Jugular venous 'a' wave in pulmonary hypertension: new insights from a Doppler echocardiographic study, **187**
BRECKER S J D, XIAO H B, HELMY S M, MBAISSOUROUM M, GIBSON D G: Left ventricular filling characteristics in pulmonary hypertension: a new mode of ventricular interaction, **16**
see also BRECKER S J D *et al*
HENEIN M Y *et al*
STONE S *see* SOMERVILLE J *et al*
STRADLING J *see* CRIPPS T *et al*
STRATOS C *see* STEFANADIS C *et al*
STRATTON J *see* ADAMOPOULOS S *et al*
STRUTHERS A D *see* LANG C C *et al*
MOTWANI J G *et al*
STUMPER O
DIJKHUIS A C, GODMAN M J, HOFFMAN P, HESS J, SUTHERLAND G R: Current indications and complications of transoesophageal echocardiography in children with congenital heart disease, **79** *P*
HOFFMAN P, SUTHERLAND G R, GODMAN M J: Are transoesophageal ultrasound studies required to select patients for transcatheter closure of atrial septal defects? **138** *P*
STURRIDGE M F *see* HORNER S M *et al*
SUGIMOTO T *see* MURAKAWA Y *et al*
SULKE A N, CHAMBERS J B, CROSS J, SOWTON E: Is the pacemaker syndrome caused by increased variability of pulmonary venous blood flow? **92** *P*
SULLIVAN A *see* GIBBS J S R *et al*
SUNDAR A S, FOX K A A: Anomalous origin of the right coronary artery from the pulmonary artery in association with congenital aneurysm of the sinus of Valsalva: angiographic diagnosis of a rare association: *case report*, **330**
see also LEWIS N P *et al*
SUNTHARALINGAM G *see* BUCHALTER M B *et al*
SUNTHARALINGHAM G *see* BUCHALTER M B *et al*
SUTHERLAND G R, RITTOO D, GROUNDSTROEM K, HOFFMAN P, BLOOMFIELD P: Does biplane transoesophageal imaging confer advantages in the assessment of mitral prosthesis function? **112** *P*
see also JACOB A J *et al*
MANNAERTS H F J *et al*
PELL A C H *et al*
RITTOO D *et al*
STUMPER O *et al*
SUTTON G *see* CONNELLY M *et al*
SUTTON G C *see* PATEL D J *et al*
SUTTON M G StJ *see* KILNER P J *et al*
LO S S S *et al*
YEUNG A C *et al*
SUTTON M StJ *see* HIRSCH R *et al*
KARWATOWSKI S P *et al*
SUTTON P M *see* JOHN R M *et al*
SUTTON P M I *see* TAGGART P *et al*
SUTTON R *see* PETERSEN M E V *et al*
TRAVILL C M and SUTTON R
SVANEGAARD J, ANGELO-NIELSEN K, PINDBORG T: Plasma concentration of atrial natriuretic peptide at admission and risk of cardiac death in patients with acute myocardial infarction, **38**
SWALES J D *see* SAMANI N J *et al*
SWANTON H *see* JOHN R M *et al*
SWANTON R H *see* HORNER S M *et al*
TAGGART P *et al*
SWEETNAM P M *see* BAINTON D *et al*
SYLVÉN C *see* LAGERQVIST B *et al*
SYNDERCOMBE-COURT D *see* BUTT M A *et al*
RANJADAYALAN K *et al*

TABATABAEI A H, HUGGON I C, BAKER E J, QURESHI S A, TYNAN M: Factors influencing the late results of transcatheter occlu-

sion of patent arterial duct with an umbrella device, **71** *P*
TABATABAEI A H, HUGGON I C, BAKER E J, QURESHI S A, TYNAN M: Transcatheter occlusion of patent arterial ducts: six years' experience at Guy's Hospital, **138** *P*
see also HUGGON I C *et al*
ROSENTHAL E *et al*
TAGGART P, SUTTON P M I, JOHN R, LAB M J, HORNER S, SWANTON R H: Stretch-induced electrical dispersion: evidence in humans from a new in vivo model, **135** *P*
TAGGART P I *see* JOHN R M *et al*
TAKAO M *see* BUTT Y *et al*
TAKATA J, COUNIHAN P J, GANE J N, DOI Y, OZAWA T, McKENNA W J: Regional thallium-201 washout rate and myocardial hypertrophy in hypertrophic cardiomyopathy: relation to exertional chest pain, **113** *P*
TALSMA M D *see* OTTENKAMP J *et al*
TANG J-L, COOK D G, SHAPER A G: Giving up smoking: how rapidly does risk of heart attack disappear? **146** P
TANIGAWA M *see* CENTURION O A *et al*
TANSEY P *see* WOSORNU D *et al*
TATE S N *see* AYLETT A J *et al*
TAYLOR D J E *see* VANNAN M A and TAYLOR D J E
TAYLOR G *see* CHAUHAN A *et al*
TAYLOR K M *see* WHARTON J *et al*
TAYLOR R *see* KEELING P J *et al*
TAYLOR T *see* HOLT C M *et al*
THIENE G *see* CORRADO D *et al*
THOMAS M *see* SMYTH D *et al*
THOMAS M R
MONAGHAN M J, MICHALIS L K, JEWITT D E: Echocardiographic restenosis after successful balloon dilatation of the mitral valve? **83** *P*
MONAGHAN M J, SMYTH D W, METCALFE J M, JEWITT D E: Comparative value of transthoracic and transoesophageal echocardiography before balloon dilatation of the mitral valve, **493**
see also MONAGHAN M J *et al*
THOMAS R D *see* BIRKHEAD J S *et al*
THOMAS S *see* SMYTH D *et al*
THOMPSON C *see* ADAMOPOULOS S *et al*
THOMSEN P E B *see* PEDERSEN A K *et al*
THORLEY P *see* VERMA S P *et al*
THORNE S A, ABBOT S E, BLAKE D R, MILLS P G: Human recombinant tissue-type plasminogen activator enhances wound healing in human coronary artery endothelial cells, **94** *P*
THRUSH A J *see* SAMANI N J *et al*
THURAISINGHAM S *see* CHAUHAN A *et al*
THURAISINGHAM S I *see* RICHARDSON M P *et al*
TIJSSEN J *see* MANNAERTS H F J *et al*
TIMMIS A D: Thallium scans in syndrome X: *correspondence*, **636**
see also CAREY J A *et al*
RANJADAYALAN K *et al*
STEVENSON R *et al*
TODD I C, BALLANTYNE D: Effect of exercise training on the total ischaemic burden: an assessment by 24 hour ambulatory electrocardiographic monitoring, **560**
TOPOL E J, CALIFF R M: Answers to complex questions cannot be derived from "simple" trials: viewpoint, **348**
TORPPA J *see* RASTENYTE D *et al*
TOUSOULIS D
CRAKE T, LEFROY D, KASKI J C, HAIDER A W, MASERI A: Dissociation of coronary stenoses progression from changes in left ventricular function in chronic stable angina pectoris, **155** *P*
McFADDEN E, CLARKE J, KASKI J C, MASERI A, DAVIES G: Coronary vasomotor effects of serotonin in patients with angina: relation to coronary stenosis morphology, **141** *P*
TOUTOUZAS P *see* STEFANADIS C *et al*
TRAFFORD CENTRE FOR MEDICAL RESEARCH *see* BRITISH CARDIAC SOCIETY
TRAVILL C M, SUTTON R: Pacemaker syndrome: an iatrogenic condition: *viewpoint*, **163**
TREASURE T: Management of patients with Björk-Shiley prosthetic valves: *correspondence reply*, **249**
see also KALLIS P *et al*
MURGATROYD F *et al*
TRIKAS A *see* STEFANADIS C *et al*
TRIMBLE E *see* PURVIS J A *et al*
TRIPOSKIADIS F *see* STEFANADIS C *et al*
TSUBATA S *see* MIYAZAKI A *et al*
TULLOH R M R, WRIGHT J G C, DE GIOVANNI J V, SILOVE E D, BRAWN W J, SETHIA B: Coronary artery anatomy in transposition of the great arteries: is diagnosis by echocardiography accurate? **96** *P*
TUNICK P A, KRONZON I: Limitations of transoesophageal echocardiography in patients with focal cerebral ischaemic events: *correspondence*, **634**
TUNSTALL-PEDOE H
BOLTON-SMITH C, WOODWARD M, BROWN C A: Relation of diet to current smoking and time since quitting in the Scottish Heart Health Study, **118** *P*
LEE A J, LOWE G D O, WOODWARD M: Plasma fibrinogen, medical history, and prevalent coronary heart disease in the Scottish Heart Health Study, **74** *P*
TUOMILEHTO J *see* RASTENYTE D *et al*
TURKIE W H *see* ELOAKLEY R M *et al*
TURNBULL L W *see* HARGREAVES A D *et al*
TWEDDEL A *see* STEJSKAL L *et al*
TWEDDEL A C
CARTER R, HUTTON I: Breathlessness in microvascular angina, **130** *P*
MARTIN W, HUTTON I: Thallium scans in syndrome X, 48: *correspondence*, **636**
MARTIN W, WAINWRIGHT C, PARRATT J, COBBE S M: White cell accumulation in infarction and its inhibition by adenosine, **95** *P*
TYNAN M *see* HUGGON I C *et al*
HUGGON I *et al*
ROSENTHAL E *et al*
TABATABAEI A H *et al*

UMACHANDRAN V *see* RANJADAYALAN K *et al*
STEVENSON R *et al*
UNDERWOOD M J, PRINGLE S, DE BONO D P: Increased fibrinolytic activity in the intima of atheromatous coronary arteries: protection at a price? **114** *P*
UNDERWOOD M J, PRINGLE S, DE BONO D P: Inhibition of thrombus formation in vivo by urokinase linked to a monoclonal antibody which recognises damaged endothelium, **133** *P*
UNDERWOOD S R, PENNELL D J: *editorial*, **537**
see also KARWATOWSKI S P *et al*; KILNER P J *et al*; LUDMAN P F *et al*; PRVULOVICH E *et al*
UREN N G
CRAKE T, LEFROY D C, DE SILVA R, DAVIES G J, MASERI A: Recovery of coronary resistive vessel function after successful coronary angioplasty, **145** *P*
DAVIES S W, IRWIN A G, JORDAN S L, HILSON A J W, AGNEW J E, LIPKIN D P: Reduction of global ventilation-perfusion mismatch is related to exercise capacity in chronic heart failure, **156** *P*
MARRACCINI P, LORENZONI R, NEVOLA D, DE SILVA R, CRAKE T, CAMICI P G: Altered coronary flow reserve and metabolism in myocardium subtended by normal arteries in patients with coronary artery disease, **146** *P*
see also LEFROY D C *et al*

VALLELY S R, CAMPBELL N P S, LAIRD J D, FERGUSON R, McNAIR W: Radionuclide angiography with a multiwire camera and tantalum-178: an advance over conventional imaging techniques, **151** *P*
VAN DER BORDEN S G *see* MANNAERTS H F J *et al*
VAN LIERDE J M, GLAZIER J J, STAMMEN F J, VROLIX M C, SIONIS D, DE GEEST H, PIESSENS J H: Use of an autoperfusion catheter in the treatment of acute refractory vessel closure after coronary balloon angioplasty: immediate and six month follow up results, **51**
VANDENBERG J I, METCALFE J C, GRACE A A: Mechanisms of intracellular pH recovery after global ischaemia in the perfused heart, **142** *P*
VANDENBERG J I *see also* GRACE A A *et al*
VANNAN M A, TAYLOR D J E: Ventricular remodelling after myocardial infarction: *editorial*, **257**
VASSILIKOS V P *see* NATHAN A W *et al*
WONG C K Y *et al*
VENN G E *see* PATEL R L *et al*
VERMA S P, REES M R, SIVANANTHAN U M, THORLEY P, SABROE I: Containment of dissection after percutaneous transluminal coronary angioplasty by an implantation of a Palmaz-Schatz coronary artery stent, **154** *P*
see also BROWNE T *et al*
VESTERQVIST O *see* RASMANIS G *et al*
VIJAN S G, JOHNSTON R T, WILLIAMS H, SKEHAN J D: An assessment of changes in cardiac responses to activities of daily living in pacemaker patients using a new ambulatory nuclear vest: comparison of WI and DDD pacing, **91** *P*
VILLEMOT J P *see* BRUNOTTE F *et al*
VLACHOPOULOS C *see* STEFANADIS C *et al*
VROLIX M C *see* VAN LIERDE J M *et al*

WAGNER I *see* MAIR J *et al*
WAINWRIGHT C *see* TWEDDEL A C *et al*
WAINWRIGHT R J *see* FORAN J P M *et al*
WAKSMONSKI C A *see* MANNING W J *et al*
WALDENSTRÖM A *see* LAGERQVIST B *et al*
WALESBY R K *see* CAREY J A *et al*

WALKER D M, KUCUKOGLU S, PASINI E, MARBER M S, YELLON D M: Preconditioning with heat stress protects the ischaemic myocardium, **72** *P*
WALKER F *see* BOWKER T J *et al*
WALKER J M *see* MARBER M A *et al*
WALKER J N *see* MARBER M S *et al*
WALKER M *see* SHAPER A G *et al*
WALKER P M *see* BRUNOTTE F *et al*
WALLER D *see* SIVANANTHAN U M *et al*
WALLWORK J *see* CIULLI F *et al*
MULLINS P A *et al*
REES P *et al*
WALSH K *see* KITCHINER D *et al*
SHAH K and WALSH K
SREERAM N *et al*
WALSH K P *see* DAVIES D W *et al*
WALSH M *see* JOSEPH P A *et al*
WALTON C *see* SIDHU M *et al*
WALTON S *see* CROSS S J *et al*
LEE H S *et al*
METCALFE M J *et al*
WANNAMETHEE G, SHAPER A G: Alcohol and sudden cardiac death, **139** *P*, **443**
see also SHAPER A G *et al*
WARD D *see* CUNNINGHAM A D *et al*
MURGATROYD F *et al*
WARD D E *see* ANDERSON M H *et al*
BASHIR Y *et al*
DAVIES M J and WARD D E
GARRATT C J *et al*
GILL J S *et al*
GRIFFITH M J *et al*
HEALD S C *et al*
LINKER N J *et al*
SNEDDON J F *et al*
WARD I *see* LINKER N J *et al*
WARD J *see* MILLANE T A *et al*
WARREN J B *see* BRADY A J B *et al*
WATERHOUSE D *see* SANDERSON J E *et al*
WATERS J *see* HILLIS W S *et al*
WATKINS H: Clinical applications of molecular genetic analysis in familial hypertrophic cardiomyopathy, **128** *P*
ROSENZWEIG A, SEIDMAN J G, SEIDMAN C E, McKENNA W J: Mis-sense mutations in myosin suggest a pathogenetic mechanism in familial hypertrophic cardiomyopathy, **129** *P*
WATSON S *see* GOOD J *et al*
WATTS S E *see* MISHRA M *et al*
WEBB-PEPLOE M M *see* SHAKESPEARE C F *et al*
WEBBER S A, NIXON P A, ORENSTEIN D M, CASSINELLI D, ARMITAGE J D, FRICKER F J: Response to dynamic exercise after paediatric cardiac transplantation, **88** *P*
WEGENER W *see* SENIOR R *et al*
WEISMAN H *see* SENIOR R *et al*
WEISS L: An analysis of the incidence of myocardial metastasis from solid cancers, **501**
WEISS P *see* SALATHE M *et al*
WEISSBERG P L *see* BUCHALTER M B *et al*
GRACE A A *et al*
WELLS F C *see* KENNY A *et al*
WELLWOOD M *see* HILLIS W S *et al*
WESTABY S *see* CHONG J L *et al*
WESTON C F M
AVERY P, STEPHENS M R: What do we do with survivors of out of hospital ventricular fibrillation? **118** *P*
McCABE M J, EVANS R J, EVANS R C, RICHMOND P W: Monitoring cardiac arrest management in an accident and emergency department with a video camera, **68** *P*
WHALEY K *see* HARGREAVES A D *et al*
WHARTON G A *see* CHAN K C *et al*
SCOTT P J *et al*
WHARTON J, KNOCK G A, GAER J A R, TAYLOR K M, POLAK J M: Distribution and regulation of binding sites for 125I-calcitonin gene related peptide in bovine coronary arteries, **150** *P*
see also McEWAN J R *et al*
WHISTON R J *see* GROVES P H *et al*
WHITCROFT S I J *see* CROOK D *et al*
STEVENSON J C *et al*
WHITEHEAD B *see* REES P *et al*
WHITEHEAD M I *see* CROOK D *et al*
WHYTE M K B *see* CROSSMAN D C *et al*
WIENECKE M M, CASE C L, GILLETTE P C: Unmasking of a second atrioventricular accessory connection by adenosine in a child with a long RP' reentrant tachycardia: *case report*, **216**
WILKINSON R *see* DOIG J C *et al*
WILLIAMS A *see* COOPER J P *et al*
WILLIAMS G J *see* DEANER A N S *et al*
MITCHELL I M *et al*
WILLIAMS H *see* VIJAN S G *et al*
WILLIAMS M G *see* STEWART J T *et al*
WILLIAMS T J *see* BRADY A J B *et al*
WILLIAMSON R *see* AL-MAHDAWI S *et al*
WILMSHURST P: Limitations of transoesophageal echocardiography in patients with focal cerebral ischaemic events: *correspondence*, **634**
WILSON D I, GOODSHIP J A, ABU-HARB M, SCAMBLER P J, WREN C, BAIN H H, HUNTER S, BURN J: Deletion with chromosome 22q11 is an important cause of isolated heart defects and the cause of over 90% of cases of DiGeorge syndrome, **95** *P*
WILSON N *see* AL-HALEES Z *et al*
SCOTT P J *et al*
WINTERBOTHAM M *see* PATEL D J *et al*
WINTERSON S J *see* DAVIES S W *et al*
WLAKER D *see* SIVANANTHAN U M *et al*
WONG C *see* BASHIR Y *et al*
WONG C K Y
SHENNAN A A, VASSILIKOS V P, NATHAN A W: Cost-benefit analysis of radiofrequency catheter ablation for cure of supraventricular arrhythmias, **67** P
VASSILIKOS V P, NATHAN A W: Radiofrequency catheter ablation for atrioventricular accessory pathways, **146** P
see also NATHAN A W *et al*
WONG P S, PUGSLEY W B: Raised international normalised ratio (INR): is it a cause or an effect of late cardiac tamponade?, **212**
WOOD A *see* CREMONA G *et al*
WOOD C *see* AKHRAS F *et al*
WOOD D A *see* BOWKER T J *et al*
GANDHI M M *et al*
ROBERTS T L *et al*
WOODS K L, FLETCHER S, JAGGER C: Modification of the circadian rhythm of onset of acute myocardial infarction by long-term antianginal treatment, **458**
WOODWARD M *see* TUNSTALL-PEDOE H *et al*
WOROSZYLSKA M *see* AL-MAHDAWI S *et al*
WOSORNU D, ALLARDYCE W, BALLANTYNE D, TANSEY P: Influence of power and aerobic exercise training on haemostatic factors after coronary artery surgery, **181**
WREN C *see* GIBBS J L *et al*
WILSON D I *et al*
WRIGHT C *see* GIBBS J S R *et al*
MULCAHY D *et al*
WRIGHT D, BARRISTER J, MACKINTOSH A F: Automatic recording of defibrillation on general medical wards by day and night: implications for ward design and staffing, **141** *P*
WRIGHT J E C *see* CAREY J A *et al*
WRIGHT J G C *see* TULLOH R M R *et al*
WRIGHT R A, DECROLY P, KHARKEVITCH T, OLIVER M F: Exercise tolerance in angina is improved by Mivazerol (an alpha-2 adrenoceptor agonist), **107** *P*
WYNN V *see* SIDHU M *et al*

XIAO H B, BRECKNER S J D, GIBSON D G: Effects of abnormal activation on the time course of the left ventricular pressure pulse in dilated cardiomyopathy, **403**
see also BRECKER S J D *et al*
HENEIN M Y *et al*
STOJNIC B B *et al*

YACOUB M *see* GIBBS J S R *et al*
LYTHALL D *et al*
YACOUB M H *see* AKL E S *et al*
MULCAHY D *et al*
RADLEY-SMITH R and YACOUB M H
SHAH S S *et al*
YAJIMA M *see* ONIKI T *et al*
YAMAGUCHI T *see* IKARI Y *et al*
YAMAMOTO Y *see* DE SILVA R *et al*
YANG G Z *see* KARWATOWSKI S P *et al*
YARNELL J W G *see* BAINTON D *et al*
YELLON D M *see* MARBER M A *et al*
MARBER M S *et al*
WALKER D M *et al*
YEUNG A C, PLAPPERT T, SUTTON M G StJ: Calculation of aortic regurgitation orifice area by Doppler echocardiography: an application of the continuity equation, **236**
YOUNG I S *see* PURVIS J A *et al*
YULE S *see* LEE H S *et al*

ZACHARA E, CAFORIO A L P, DE RUBERTIS C, POMPILI A, CARBONI G P, PRATI P L, McKENNA W J: Familial aggregation of idiopathic dilated cardiomyopathy: variable clinical phenotypes and autosomal dominant pattern of inheritance in 14 families, **98** *P*
ZAIDI M *see* GILL J S *et al*
ZAMAN A G *see* MORRIS J L *et al*
ZAMBAHARI R *see* ALWI M *et al*
ZAMORANO J *see* BRUNOTTE F *et al*
ZEEVI B, DEMBO L, BERANT M: Rare variant of truncus arteriosus with intact ventricular septum and hypoplastic right ventricle: *case report*, **214**
ZONDERVAN P *see* MANNAERTS H F J *et al*

VOLUME 68 · SUBJECT INDEX

Accessory atrioventricular pathways
  radiofrequency ablation, **147** *P*
  in Wolff-Parkinson-White syndrome, cellular morphology and basis for conduction, **76** *P*
Acid base regulation, alpha-stat, after coronary artery bypass surgery, **132** *P*
Adenosine
  induced chest pain, with angina and normal coronary angiograms, lower threshold, **282**
  inhibition of white cell accumulation in myocardial infarction, **95** *P*
  triphosphate, and phorbol ester, potentiate adenylate cyclase activity in endothelial cells, **114** *P*
  unmasking of second atrioventricular accessory connection in child with long RP reentrant tachycardia: *case report*, **216**
Adenosine, sensitive atrial tachyarrhythmias, clinical and electrophysiological characteristics, **117** *P*
Adrenaline inhaler, chronic overuse, and dilated cardiomyopathy: *case report*, **221**
Afternoon nap, effects on circadian patterns of heart rate and blood pressure, **155** *P*
AIDS-associated heart disease relates to opportunistic infection rather than to the HIV virus, **136** *P*
Alcohol
  insulin, and cardiovascular disease risk, middle aged men, **110** *P*
  and sudden cardiac death, **443**, **139** *P*
Allograft rejection, and endotoxaemia, myocardial nitric oxide production could contribute to cardiac depression, **129** *P*
Alteplase thrombolysis, coronary patency, infarct size, and bleeding complications after, effect of early intravenous heparin: *correspondence*, **342**
Ambulatory pulmonary artery pressure monitoring in pulmonary hypertension, **135** *P*
Ambulatory pulmonary artery pressure recording, new system: *technology*, **230**
Aneurysms, false, mangement after transfemoral arterial catheterisation, 10 year review, **102** *P*
Angina
  chronic stable
    atenolol and nifedipine combined, **291**
    PTCA, **81** *P*
  complications of ESES, **156** *P*
  coronary vasomotor effects of serotonin, relation to coronary stenmosis morphology, **141** *P*
  exercise tolerance improved by Mivazerol, **107** *P*
  microvascular, and breathlessness, **130** *P*
  unstable
    evidence for free radical generation (oxidative stress), **104** *P*
    evidence for oxidative stress, **454**
Angina pectoris
  chronic stable, and changes in left ventricular function, dissociation of coronary stenoses progression, **155** *P*
  stable, incidence in population survey, **74** *P*
Angiography, and intravascular ultrasound compared, in detection of early atherosclerosis, **120** *P*
Angioplasty, coronary, successful, mean platelet volume predicts restenosis after, **78** *P*
Angiotensin converting enzyme
  inhibition, effects on tissue renin and angiotensinogen gene expression, **115** *P*
  intense inhibition enhances frusemide induced diuresis during chronic ACED inhibitor therapy, **109** *P*
Angiotensin receptor, characterisation expressed by cells transfected with plasmid containing AT1 cDNA, **99** *P*
Anistreplase, intravenous, in acute myocardial infarction, **89** *P*
Anti-arrhythmic therapy, life-long, necessity to prevent ventricular tachycardia after myocardial infarction, **155** *P*
Antianginal treatment, long-term, in modification of circadian rhythm of onset of myocardial infarction, **458**
Antistreptokinase antibody, high levels, and neutralisation titres from three days to three years after a previous dose of streptokinase, **103** *P*
Antitachycardia pacing for supraventricular tachycardia, long-term results, **92** *P*
Aortic regirgitation, orifice area, calculation by Doppler echocardiography by continuity equation, **236**
Aortic root abscess, *Propionibacterium acnes* causing: *case report*, **218**
Aortic stenosis, severe symptomatic, early infancy, balloon dilatation of aortic valve, treatment of choice, **69** *P*
Aortic valve disease
  pulmonary autograft operation, long-term outcome, **83** *P*
  pulmonary autograft (Ross operation), initial experience, **84** *P*
Aortic valve stenosis
  congenital, during childhood and into early adult life, incidence and prognosis, **84** *P*
  magnetic resonance jet velocity mapping validated against Doppler echocardiography, **112** *P*
Aorto-ostial stenosis, stent implantation for management, results, **154** *P*
Apolipoprotein (a), high concentrations, increased cardiac risk and peripheral vascular surgery, **143** *P*
APSAC International Mortality Study (AIMS), long-term results, **89** *P*
Arrhythmias
  after Fontan procedure, **199**
  and hypoxia, nocturnal, in patients with impaired left ventricular function, **382**
  ventricular, and hypertrophic cardiomyopathy, repolarisation abnormalities, importance, **113** *P*
Arteriovenous fistulas, closure, in renal transplant recipients, **142** *P*
Atenolol and nifedipine combined in chronic stable angina, **291**
Atherosclerosis
  early detection, angiography and intravascular ultrasound compared, **1** **120** *P*
  non-invasive detection of endothelial dysfunction in systemic arteries of children and adults at risk, **86** *P*
"Athlete's heart", and hypertrophic cardiomyopathy, distinguishing between, usefulness of Doppler echocardiographic assessment of diastolic filling, **296**
Atria (atrium)
  donor and recipient, synchronisation, benefit, **195**
  right, in sick sinus syndrome, endocardial electrograms, **596**
Atrial
  chambers, congenital division, understanding the nature: *editorial*, **1**
  fibrillation, non-rheumatic, warfarin or aspirin for all: *review*, **544**
  left, and left ventricular diastolic function, during myocardial ischaemia, **377**
  natriuretic factor
    increased circulating, in chronic heart failure, **387**
    plasma, prediction of mortality after myocardial infarction, **38**
  septal defects, transoesophageal ultrasound to select patients for transcatheter closure, **138** *P*
  tachycardia, incessant, pregnancy accelerating: *correspondence*, **342**
Atrioventricular accessory pathways, radiofrequency catheter ablation, **146** *P*
Atrioventricular block, complete, and Fabry's disease, histological evidence of involvement of conduction system: *case report*, **323**
Atrioventricular nodal reentrant tachycardia
  radiofrequency catheter ablation, **147** *P*
  radiofrequency catheter ablation cure by destruction of slow pathway, **147** *P*
Atrioventricular valve atresia, magnetic resonance imaging, **313**
Autologous arterial conduits in myocardial revascularisation, extending use: *editorial*, **161**
Autonomic function, cardiovascular, repeatability of measurements and sources of variability in tests, **205**
Autonomic innervation, regional cardiac, differences detected by metaiodobenzylguanidine imaging, **152** *P*
Autonomic reflexes, stimulated by PTCA, **120** *P*
Autoperfusion catheter, in acute refractory vessel closure after angioplasty, **51**

Balloon angioplasty
  damage, effect of ramipril, **93** *P*
  platelet adhesion inhibited by SIN-1, **94** *P*
  progressive intimal thickening after is related to rupture of internal elastic lamina, **86** *P*
Balloon dilatation
  for aortic stenosis, age at presentation is an important determinant of outcome, **69** *P*
  of aortic valve for severe symptomatic aortic stenosis in early infancy, treatment choice, **69** *P*
  laser-balloon dilatation, and stent implantation compared, for maintaining patency of the arterial duct, **70** *P*
  mitral valve, transthoracic and transoesophageal echocardigraphy before, comparative value, **493**
  of native aortic coarctation, infants and children, effect on overall outcome, **71** *P*
  of valves
    infants and children, with carbon dioxide as contrast agent, **144** *P*
    UK, 1990, **434**
Björk-Shiley prosthetic valves, management of patients: *correspondence*, **249**

Blood velocity in ascending aorta, validation by high temporal resolution Doppler ultrasound spectral analyser: *technology*, **223**
Bovine internal mammary artery grafts, do they remain patent? **139** *P*
Brain natriuretic peptide, novel cardiac hormone, release and metabolism, **108** *P*
Breathlessness in microvascular angina, **130** *P*
British Cardiac Society Newsletter, **159, 251, 343, 440, 535, 638**

C-myc proto-oncogene expression, role in inhibition of vascular smooth muscle cell proliferation, **93** *P*
Caerphilly and Speedwell Collaborative Heart Disease Studies, **60**
Calcitonin 125I gene related peptide in bovine coronary arteries, distribution and regulation of binding sites for, **150** *P*
Calcitonin gene related peptide, and isoprenaline, contrasting effects on intracellular free calcium concentrations in isolated depolarised cardiac myocytes, **105** *P*
±Candoxatrilat, in increase of ANF concentrations, in chronic heart failure, **387**
Candoxatrilat, response in patients with severe heart failure, **119** *P*
Capintec vest, and WI and DDD pacing, **91** *P*
Captopril, in rapid reversal of heart failure in phaeochromocytoma and catecholamine-induced cardiomyopathy: *case report*, **527**
Carbon dioxide as contrast agent in balloon dilatation of valves, infants and children, **144** *P*
Cardiac arrest
  management, monitoring, accident and emergency department, with a video camera, **68** *P*
  survivors, electrophysiological assessment and follow up, **115** *P*
  and tachycardia, in acute myocardial infarction, effect of intravenous magnesium, **144** *P*
Cardiac catheter complications, confidential enquiry, **68** *P*
Cardiac catheterisation
  facilities, effect on rate of coronary artery bypass grafting, Scotland, **69** *P*
  young patients with first myocardial infarction, should all patients be investigated? **107** *P*
Cardiac interventional procedure, UK, 1990, **434**
Cardiac output, transoesophageal Doppler echocardiographic measurement by mitral annulus method, **510**
Cardiac surgery
  abnormal right heart filling after: *correspondence*, **250**
  moving away from intensive care: *audit*, **430**
Cardiac tamponade, raised INR, cause or effect, **212**
Cardiac transplantation, optimal pacing modes after, is synchronisation of recipient and donor atrial beneficial?, **195**
Cardioinhibitory malignant vasovagal syndrome, and permanent pacing, the Westminster experience, **97** *P*
Cardiomyopathy
  catecholamine-induced, and phaeochromocytoma, captopril treatment, and heart failure reversal: *case report*, **527**
  dilated
    associated with chronic overuse of adrenaline inhaler: *case report*, **221**
    effects of abnormal activation on time course of left ventricular pressure pulse, **403**
    idiopathic
      enteroviral serology, **98** *P*
      familial aggregation, variable clinical phenotypes and autosomal dominant pattern of inheritance, 14 families, **98** *P*
  HIV, is it caused by selenium deficiency? **137** *P*
  hypertrophic
    familial
      molecular genetic analysis, clinical applications, **128** *P*
      myosin mis-sense mutations suggest pathogenetic mechanism, **129** *P*
    fractionation of paced ventricular electrograms is associated with increased risk of sudden death, **122** *P*
    myocardial hypertrophy, regional thallium-201 washout rate, and exertional chest pain, **113** *P*
    myosin heavy chain gene identification, **77** *P*
    myosin mutations: *abstracts in cardiology*, **37**
    prediction of sudden death: *abstracts in cardiology*, **37**
    time and frequency domain and spectral temporal mapping analysis of SAECG, **98** *P*
    and ventricular arrhythmias, repolarisation abnormalities, importance, **113** *P*
  idiopathic, mitochondrial DNA deletion diagnosis: *case report*, **408**
  idiopathic dilated
    and controls, similar prevalence of enteroviral genome, **554**
    enterovirus genome within myocardium and controls shown by polymerase chain reaction, **128** *P*
  subclinical, in Becker muscular dystrophy, **304**
Cardioplegia, continuous warm blood versus crystalloid, in isolated blood perfused rat heart, **133** *P*
Cardiopulmonary baroreflex control, augmented, in neurally mediated syncope, **76** *P*
Cardiopulmonary bypass, influence on water balance hormones in children, **309**
Cardiorespiratory symptoms before loss of employment, **118** *P*
Cardiovascular autonomic function, repeatability of measurements and sources of variability in tests, **205**
Cardiovascular disease, risk, and insulin and alcohol, middle aged men, **110** *P*
Carpentier-Edwards supra-annular aortic valve (19 mm), clinical and haemodynamic performance, **135** *P*
Casts, use in necropsy diagnosis of fetal congenital heart disease, **481**
Catecholamine-induced cardiomyopathy, and phaeochromocytoma, captopril treatment, and heart failure reversal: *case report*, **527**
Catheter ablation
  clinical results, United Kingdom and Ireland, **75** *P*
  radiofrequency
    of accessory atrioventricular pathways, **147** *P*
    for atrioventricular accessory pathways, **146** *P*
    in atrioventricular nodal reentrant tachycardia, **147** *P*
    for cure of atrioventricular nodal reentrant tachycardia by destruction of slow pathway, **147** *P*
    for difficult septal pathways, technique lasting bipolar RV/LV electrode, **148** *P*
    for posteroseptal accessory pathways, detailed mapping of posteroseptal space, **148** *P*
Catheter, cardiac, complications, confidential enquiry, **68** *P*
Catheter closure of patent ductus arteriosus, complication, device protrusion, **301**
Cerebral protection, alpha-stat acid base regulation in coronary artery bypass surgery, **132** *P*
Chest pain, adenosine-induced, with angina and normal coronary angiograms, lower threshold, **282**
Chromosome 22q11 deletion causing isolated heart defects and DiGeorge syndrome, **95** *P*
Chronic heart failure
  effects of physical training on skeletal muscle metabolism, experimental and human study, **127** *P*
  frusemide-induced natriuresis, augmented by ultra-low-dose captopril but not by standard doses of captopril, **119** *P*
  increased vascular resistance, ultrastructural changes, **77** *P*
  reduction of global ventilation-perfusion mismatch is related to exercise capacity, **156** *P*
  and ventilation/perfusion mismatch, **107** *P*
Chronotropic incompetence can be accurately assessed by analysis of chronotropic response during early exercise, **79** *P*
Circadian patterns of heart rate and blood pressure, effects of afternoon nap, **155** *P*
Circadian variation
  in tissue plasminogen activator, its inhibitor, von Willebrand factor, and prostacyclin stimulating factor, in men with stable ischaemic heart disease, **158** *P*
  in white cell aggregation and free radical markers in men with stable ischaemic heart disease, **157** *P*
Coarctation of the aorta
  continuous wave Doppler echocardiography after surgical repair, **192**
  prenatal diagnosis difficulties, **95** *P*
Collagen plug for femoral arterial haemostasis after cardiac catheterisation, **82** *P*
Common pulmonary vein, remnant, mistaken for left atrial mass, transoesophageal echocardiography: *case report*, **4**
Complement and neutrophil activation, early, is associated with failed reperfusion after streptokinase, **77** *P*
Complex questions, answers cannot be derived from "simple" trials: *viewpoint*, **348**
Conduction, extracellular magnesium increase slows, **113** *P*
Conduction system, cardiac, morphology, in dual atrioventricular modal pathways, **73** *P*
Congenital division of atrial chambers, understanding the nature: *editorial*, **1**
Congenital heart disease
  adults, respective roles of MRI and TOE, **97** *P*
  children
    transoesophageal echocardiography, **79** *P*
    in vivo detection of endothelial dysfunction in pulmonary circulation, **85** *P*
  cyanotic, and pregnancy, maternal complications and factors influencing successful fetal outcome, **96** *P*
  fetal, use of casts in necropsy diagnosis, **481**
Congenitally corrected transposition, mitral valve abnormalities, echocardiography, **498**
Continuous wave Doppler echocardiography, after surgical repair of coarctation of the aorta, **192**
Contraction, myocardial, modulation via activation of K+ channels by agent released from coronary vascular endothelium, **149** *P*
Cor triatriatum, characteristic continuous wave Doppler signal, **6**
Cor triatriatum sinister, with previous Sydenham's chorea, cross sectional echocardiography: *case report*, **9**
Coronary angioplasty, *see* Percutaneous transluminal coronary angioplasty
Coronary artery(ies)
  bovine, distribution and regulation of binding sites for 125I-calcitonin

gene related peptide, **150** *P*
bypass surgery
district general hospital's perspective, **68** *P*
identification of "fast track" patients, **102** *P*
improved cerebral protection with alpha-stat acid base regulation, **132** *P*
disease
after heart transplantation, clinical aspects: *editorial*, **255**
altered coronary flow reserve and metabolism in myocardium subtended by normal arteries, **146** *P*
non-atherosclerotic, and sudden death in the young, **601**
possible new non-invasive diagnostic technique confirms South West Scotland as high risk area, **75** *P*
prevalence, assessment in south Asians, difficulties with conventional methods, **110** *P*
prevalence in south Asians living in west London is not higher than in the English population, **111** *P*
re-operation, early and long term results, **176**
risk factors, south Asian and white people, comparative study, **109** *P*
technetium-99m tetrofosmin (P53) myocardial perfusion imaging and thallium-201 imaging compared, **152** *P*
intravascular ultrasound imaging, **276**
isolated porcine, precontracted, mechanism of hypoxic vasorelaxation, **149** *P*
right, anomalous origin from pulmonary artery, with congenital aneurysm of sinus of Valsalva: *case report*, **330**
surgery, influence of power and aerobic exercise training on haemostatic factors after, **181**
tone, regulation by nitric oxide in humans, **85** *P*
Coronary flow reserve
altered, and metabolism in myocardium subtended by normal arteries in coronary artery disease, **146** *P*
impairment in cardiac transplant recipients with minor coronary occlusive disease, **266**
is not impaired in syndrome X, **86** *P*
Coronary heart disease, *see* Coronary artery(ies), disease
Coronary occlusive disease
after cardiac transplantation, impaired myocardial microvascular function, **81** *P*
after heart transplantation, impaired myocardial endothelial and non-endothelial dependent microvascular function, **140** *P*
and coronary flow reserve impairment, in heart transplant recipients, **266**
in heart transplant patients, angiographic and pathological features, **103** *P*
and late graft failure after cardiac transplantation, **260**
Coronary resistive vessel function, recovery after successful coronary angioplasty, **145** *P*
Coronary sclerosis, accelerated, in children after heart transplantation, role of oral steroids, **126** *P*
Coronary sinus aneurysm, posteroseptal accessory pathway located in, diagnosis and radiofrequency catheter ablation: *case report*, **414**
Coronary stenoses, mild, should they be dilated? **81** *P*
Correction, **160**
Cost-benefit analysis of radiofrequency catheter ablation for cure of supraventricular arrhythmias, **67** *P*
Cost effectiveness of implantable cardioverter defibrillator, **241**
Counterpulsation, skeletal muscle, in mock circulation model, objective evaluation, **125** *P*
CRAFT multicentre registry, clinical features and treatment of paroxysmal atrial fibrillation, **102** *P*
Creatine kinase isoforms as non-invasive marker of significant acute allograft rejection after heart transplantation, **127** *P*

Defibrillation, automatic recording on general medical wards by day and night, implications for ward design and staffing, **141** *P*
Defibrillator, implantable cardioverter, cost effectiveness, **241**
Diabetes
type 1
effects on left ventricular size and function, Doppler echocardiographic study of identical twins, **130** *P*
major risk factors for ischaemic heart disease, study of identical twins, **154** *P*
prolonged QT interval, information from identical twins, **142** *P*
DiGeorge syndrome, caused by deletion within chromosome 22q11, **95** *P*
Digitised M mode echocardiography, in assessment of left ventricular function and wall thickness changes, heart transplant recipients, **356**
Dilated cardiomyopathy, *see* Cardiomyopathy, dilated
Dipyridamole stress echocardiography and technetium-99m MIBI SPECT, simultaneous, after uncomplicated infarction, comparison of prognostic values with exercise testing, **124** *P*
Dobutamine, echocardiographic assessment of regional wall motion in multivessel coronary artery disease, **123** *P*
Dobutamine echocardiography, prognostic value in high pretest likelihood of coronary artery disease, **123** *P*
Dofetilide, in recurrent ventricular tachycardia, efficacy and safety, **116** *P*
Doppler A/E ratio, in left ventricular disease, duration and nature of isovolumic relaxation determine, **130** *P*
Doppler derived transmitral velocity indices, changes occurring during alteration of ventricular preload, **121** *P*
Doppler echocardiography
in calculation of aortic regurgitation orifice area, **236**
continuous wave, after surgical repair of coarctation of the aorta, **192**
jugular venous "a" wave in pulmonary hypertension, **187**
and magnetic resonance velocity mapping compared, abnormalities of left ventricular wall motion in ischaemic heart disease, **125** *P*
usefulness in assessment of diastolic filling in distinguishing "athlete's heart" from hypertrophic cardiomyopathy, **296**
Doppler filling patterns, transmitral, relation of left ventricular isovolumic relaxation time and incoordination, **567**
Doppler indices of left ventricular performance in healthy men, effect of increasing heart rate, **425**
Doppler measurements, left ventricular filling, adjustment for influence of age and heart rate, **608**
Doppler signal, continuous wave, characteristic, in cor triatriatum, **6**
Doppler ultrasound spectral analyser, high temporal resolution, in validation of blood velocity in ascending aorta: *technology*, **223**
Double inlet ventricle, magnetic resonance imaging, **313**
Dual atrioventricular modal pathway, morphology of cardiac conduction system, **73** *P*
Dual atrioventricular nodal pathway, physiology, prevalence in patients without arrhythmias, **73** *P*

Echo amplitude, and myocardial collagen, relation between, **78** *P*
Echocardiography
diagnosis, accuracy in coronary artery anatomy in transposition of the great arteries, **96** *P*
exercise, and technetium-99m MIBI SPECT compared, for identification of myocardial ischaemia, **124** *P*
mitral valve abnormalities, in congenitally corrected transposition, **498**
restenosis after successful balloon dilatation of mitral valve, **83** *P*
stress
dipyridamole, and technetium-99m MIBI SPECT, simultaneous, after uncomplicated infarction, comparison of prognostic values with exercise testing, **124** *P*
dobutamine
in high pretest likelihood of coronary artery disease, **123** *P*
regional wall motion in multivessel coronary artery disease, **123** *P*
inotropic versus vasodilator agents, **124**
End stage heart disease, surgical management, is conventional surgery still an option? **126** *P*
Endomyocardial fibrosis, right-sided, with recurrent pulmonary emboli, leading to irreversible pulmonary hypertension: *case report*, **326**
Endothelium (endothelial)
cells
in culture, programmed cell death is mechanism of senescence, **99** *P*
phorbol ester and adenosine triphosphate potentiate adenylate cyclase activity, **114** *P*
coronary vascular, modulation of myocardial contraction via activation of K+ channels by agent released from, **149** *P*
damaged, novel monoclonal conjugate with powerful antiplatelet and fibrinolytic properties which localises to, **143** *P*
dependent vasodilator responses, in syndrome X, **131** *P*
—derived factor(s), reduce contraction amplitude of isolated functioning cardiac myocytes, **149** *P*
—derived relaxing factor modulates contraction in intact heart, **148** *P*
dysfunction
in pulmonary circulation of children with congenital heart disease, in vivo detection, **85** *P*
in systemic arteries of children and adults at risk of atherosclerosis, non-invasive detection, **86** *P*
human tissue plasminogen activator enhances wound healing in coronary artery, **94** *P*
and non-endothelial microvascular function, coronary, impaired in cardiac transplant patients early after operation, **87** *P*
Endotoxaemia, and allograft rejection, myocardial nitric oxide production could contribute to cardiac depression, **129** *P*
Enteroviral genome, similar prevalence in idiopathic dilated cardiomyopathy and controls, **554**
Enteroviral serology in idiopathic dilated cardiomyopathy, **98** *P*
Enterovirus genome within myocardium in idiopathic dilated cardiomyopathy and controls shown by polymerase chain reaction, **128** *P*
Epicardial atrial defibrillation with bidirectional and monophasic waveforms, energy requirements, **116** *P*
Epicardial electrodes, pacing thresholds, **133** *P*
Epicardial monophasic action potential, and QT intervals, relation between, **123** *P*
Epidural spinal electrical stimulation for angina, complications, **156** *P*
Excised human hearts, nuclear magnetic resonance spectroscopy, **272**
Exercise
effect on ventilation in chronic heart failure, **473**
training
effect on total ischaemic burden, assessment by 24 hour ambulatory electrocardiographic monitoring, **560**
power and aerobic, influence on haemostatic factors after coronary artery surgery, **181**

Extracorporeal membrane oxygenation, for treatment of pulmonary hypertensive crisis in infancy, **88** *P*

Fabry's disease, with complete atrioventricular block, histological evidence of involvement of conduction system: *case report*, **323**
False aneurysm, leaking, of right coronary saphenous vein graft, percutaneous coil embolisation: *case report*, **619**
"Fast track" patients, identification for coronary artery bypass surgery, **102** *P*
Fatty acid composition within human aortic plaques, differences, **132** *P*
Femoral arterial haemostasis, after cardiac catheterisation, collagen plug, **82** *P*
Femoral artery compression, new pneumatic device, **82** *P*
Fetal congenital heart disease, use of casts in necropsy diagnosis, **481**
Fibrinogen, plasma, medical history, and prevalent coronary heart disease, Scottish Heart Health Study, **74** *P*
Fibrinolytic activity, increased, in intima of atheromatous coronary arteries, protection at a price, **114** *P*
Fibrinolytic therapy
  Heart Attacks in London study, results, **90** *P*
  and reduced in-hospital mortality from myocardial infarction, **90** *P*
Fistula between vein graft aneurysm and right atrium: *case report*, **412**
Flecainide, sotalol, and verapamil, efficacy compared, in right ventricular tachycardia without overt cardiac abnormality, **392**
Flow cytometry of whole blood, platelet activation analysis, **100** *P*
Fontan procedure, arrhythmias after, **199**
Free radical generation (oxidative stress), in unstable angina, evidence, **104** *P*
Free radical markers, in men with stable ischaemic heart disease, circadian variation in white cell aggregation, **157** *P*
Free radical production after thrombolysis after MI, **158** *P*
Frusemide-induced natriuresis, augmented by ultra-low-dose captopril but not by standard doses of captopril, chronic heart failure, **119** *P*

Gait, short-stepping, in severe heart failure, **469**
Gap junction
  abnormal organisation, in human myocardial ischaemia and hypertrophy, **76** *P*
  in normal, ischaemic and hypertrophied human ventricular myocardium, **128** *P*
Gated F18 fluorodeoxyglucose positron emission tomography, novel approach for detection of viable myocardium, **140** *P*
Giant right atrial diverticulum, unusual cause of Wolff-Parkinson-White syndrome: *case report*, **58**
Glycoprotein, platelet membrane (GPIIb–IIIa), expression and size are increased in myocardial infarction, **157** *P*
Graft failure, late, and coronary occlusive disease, after cardiac transplantation, **260**
Graft vascular disease, in heart transplant patients: *editorial*, **253**
Growth hormone replacement therapy, beneficial effects on myocardial function, **129** *P*

Hair calcium as diagnostic aid for coronary heart disease prediction, **75** *P*
Head-up tilt, impaired immediate vasoconstrictor response to, and vasovagal syncope, **73** *P*
Heart attack risk, physical activity and hypertension, **139** *P*
Heart Attacks in London study, results, and fibrinolytic therapy, **90** *P*
Heart failure
  chronic
    physical training improves skeletal muscle metabolic abnormalities, **158** *P*
    ventilation, effects of physical training, **473**
    ± candoxatrilat in increase of ANF concentrations, **387**
    phosphorus-31 magnetic resonance spectroscopy, **114** *P*
  QT dynamics, **105** *P*
  severe
    response to candoxatrilat, **119** *P*
    and short-stepping gait, **469**
Heart and lung transplantation, paediatric, three and a half year review, **87** *P*
Heart rate
  increasing, effect on Doppler indices of left ventricular performance in healthy men, **425**
  recovery after exericse, new index of autonomic balance in post-infarction patients, **103** *P*
  and sympathetic contribution to exercise induced QT shortening, **105** *P*
  variability, independent value for predicting sudden death after myocardial infarction, **145** *P*
Heart transplantation
  children, accelerated coronary sclerosis after, role of oral steroids, **126** *P*
  coronary artery disease after, clinical aspects: *editorial*, **255**
  and coronary occlusive disease, angiographic and pathological features, **103** *P*
  coronary occlusive disease after, impaired myocardial endothelial and non-endothelial dependent microvascular function, **140** *P*
  coronary occlusive disease and late graft failure after, **260**
  creatine kinase isoforms as non-invasive marker of significant allograft rejection, **127** *P*
  fall in pulmonary vascular resistance in patients awaiting, **365**
  paediatric
    response to dynamic exercise after, **88** *P*
    three and a half year review, **87** *P*
  patients, graft vascular disease: *editorial*, **253**
  predictive value of pulmonary haemodynamic measurements, **126** *P*
  recipients
    left ventricular function and wall thickness changes, relation to acute rejection, **356**
    with minor coronary occlusive disease, coronary flow reserve impairment, **266**
  urgent, long-term follow up, **125** *P*
Heat stress
  enhanced myocardial resistance to hypoxia after is dependent on metabolic substrate, **71** *P*
  preconditioning with protects ischaemic myocardium, **72** *P*
  prior, enhancing myocardial resistance to calcium overload, **72** *P*
Heparin, early intravenous, effect on coronary patency, infarct size, and bleeding complications after alteplase thrombolysis: *correspondence*, **342**
High density lipoprotein cholesterol, and plasma triglyceride, as predictors of ischaemic heart disease, British men, *epidemiology*, **60**
High temporal resolution Doppler ultrasound spectral analyser in validation of blood velocity in ascending aorta: *technology*, **223**
HIV
  cardiomyopathy, is it caused by selenium deficiency? **137** *P*
  myocardial dysfunction in infected patients, prevalence and risk factors, **549**
Hormone deficiency, effects on cardiovascular risk markers in women, **131** *P*
Hormone replacement, effects on lipid and lipoprotein cardiovascular risk markers in postmenopausal women, **108** *P*
Hypercholesterolaemic patients, are 50% receiving lipid lowering drug therapy unnecessarily? **108** *P*
Hypertension, physical activity, and heart attack risk, **139** *P*
Hypertrophic cardiomyopathy, *see* Cardiomyopathy, hypertrophic
Hyperventilation and mental stress, effect on coronary blood flow in syndrome X, **131** *P*
Hypoxia
  and arrhythmias, nocturnal, in patients with impaired left ventricular function, **382**
  enhanced myocardial resistance to after heat stress is dependent on metabolic substrate, **71** *P*

Idiopathic dilated cardiomyopathy, *see* Cardiomyopathy, idiopathic dilated
Immunoturbidimetric assay, rapid, for myoglobin, in myocardial infarction, **462**
Implantable cardioverter defibrillator, cost effectiveness, **241**
Indian red scorpion *see Mesobuthus tamulus*
Infarct size is related to development of late potentials after MI, **101** *P*
Inotropic versus vasodilator agents for diagnostic stress echocardiography, **124** *P*
Insulin
  alcohol, and cardiovascular disease risk, middle aged men, **110** *P*
  first phase secretion, and serum lipoprotein (a) concentrations, inverse relation between, **141** *P*
Insulin-like growth factor gene expression, and transplanted heart growth in children, investigation, **88** *P*
Intensive care, outcome of open heart surgery patients outside: *audit*, **430**
Internal mammary artery, measurement of flow to coronary artery grafts by transcutaneous ultrasound, **78** *P*
International normalised ratio (INR), raised, cause or effect of late cardiac tamponade, **212**
Interventional procedures, cardiac, UK, 1990, **434**
Intimal thickening, progressive, after balloon angioplasty, is related to rupture of the internal elastic lamina, **86** *P*
Intravascular ultrasound, to assess left main stem coronary artery lesion: *case report*, **524**
Intravascular ultrasound imaging, coronary arteries, **276**
Ischaemia, global, perfused heart, mechanisms of intracellular pH recovery after, **142** *P*
Ischaemic heart disease
  comparison of trends between North Karelia, Finland, and Kaunas, Lithuania, 1971–1987, **516**
  left ventricular wall motion abnormalities, Doppler echocardiography and magnetic resonance velocity mapping compared, **125** *P*
  major risk factors in type 1 (insulin dependent) diabetes, study of identical twins, **154** *P*
  plasma triglyceride and HDL cholesterol as predictors, British men: *epidemiology*, **60**
  stable
    circadian variation in tissue plasminogen activator, its inhibitor, von Willebrand factor, and prostacyclin stimulating factor, men, **158** *P*
    circadian variation in white cell aggregation and free radical markers, men, **157** *P*

Ischaemic myocardium, preconditioning with heat stress protects, **72** *P*
Isoprenaline, and CGRP, contrasting effects on intracellular free calcium concentrations in isolated depolarised cardiac myocytes, **105** *P*
Isovolumic relaxation, duration and nature determine Doppler A/E ratio in left ventricular disease, **130** *P*

Jugular venous "a" wave in pulmonary hypertension, Doppler echocardiographic study, **187**

Kearns-Sayre syndrome and complete heart block, mitochondrial DNA deletion diagnosed by endomyocardial biopsy: *case report*, **408**

Laser-balloon dilatation, balloon dilatation, and stent implantation compared, for maintaining patency of the arterial duct, **70** *P*
Left atrial mass, common pulmonary vein remnant mistaken for, transoesophageal echocardiography: *case report*, **4**
Left main stem coronary artery lesion, intravascular ultrasound assessment: *case report*, **524**
Left ventricle, *see* Ventricle (ventricular), left
Linoleic acid and sudden cardiac death risk, **110** *P*
Lipid and lipoprotein cardiovascular risk markers, effects of hormone replacement, postmenopausal women, **108** *P*
Lipid lowering drug therapy, are 50% of hypercholesterolaemic patients receiving unneccessarily? **108** *P*
Lipid peroxide, coronary venous concentrations, after coronary angioplasty, and evidence of myocardial ischaemia, **43**
Lipoprotein (a) serum concentrations, and first phase insulin secretion, inverse relation between, **141** *P*
Lipoprotein cardiovascular risk markers, effects of hormone replacement, postmenopausal women, **108** *P*
Loeffler's endocarditis, and endomyocardial fibrosis with recurrent pulmonary emboli: *case report*, **326**
Lond duration subthreshold pulses, and inhibition in human heart, spatial and temporal effects, **122** *P*
Long QT syndrome, symmetrical and asymmetrical 123I-metaiodobenzylguanidine scans, **137** *P*

Magnarail or Omniflex for total coronary occlusions? **82** *P*
Magnesium
  extracellular, increase slows conduction, **113** *P*
  intravenous, effects on tachycardia and cardiac arrest in acute myocardial infarction, **144** *P*
  and the myocardium: *editorial*, **441**
  prolongs ventricular action potential duration in denervated heart, **101** *P*
Magnetic resonance imaging
  of hearts with atrioventricular valve atresia or double inlet ventricle, **313**
  role in congenital heart disease in adults, **97** *P*
  use to assess long-term results of total correction of tetralogy of Fallot, **80** *P*
Magnetic resonance jet velocity mapping validated against Doppler echocardiography, in mitral and aortic valve stenosis, **112** *P*
Magnetic resonance velocity mapping, and Doppler echocardiography compared, abnormalities of left ventricular wall motion in ischaemic heart disease, **125** *P*
Marfan syndrome, inadequacy of echocardiographic and clinical features, **84** *P*
Mega-trial, thinking beyond, certainty and uncertainty: *viewpoint*, **352**
Mesobuthus tamalus, poisoning, management of cardiovascular malformations, **478**
Metaiodobenzylguanidine 123I scans
  evidence of asymmetrical cardiac sympathetic innervation in Romano-Ward syndrome, **137** *P*
  symmetrical and asymmetrical, in long QT syndromes, **137** *P*
Metaiodobenzylguanidine imaging, detecting differences in regional cardiac autonomic innervation, **152** *P*
Metastasis, myocardial, from solid cancers, analysis, **501**
Mitochondrial DNA deletion diagnosed by endomyocardial biopsy in Kearns-Sayre syndrome and complete heart block: *case report*, **408**
Mitral annulus method for transoesophageal Doppler echocardiographic measurement of cardiac output, **510**
Mitral prosthesis function, does biplane transoesophageal imaging confer advantages, **112** *P*
Mitral stenosis
  effect of retrograde non-transseptal balloon dilatation of mitral valve on left atrial function, **112** *P*
  magnetic resonance jet velocity mapping validated against Doppler echocardiography, **112** *P*
Mitral valve
  abnormalities, in congenitally corrected transposition, echocardiography, **498**
  ballon dilatation, complementary roles of biplane transoesophageal and precordial echocardiography, **82** *P*
  conservative surgery, first 100 cases from one unit and one surgeon, **505**
  echocardiographic restenosis after successful balloon dilatation, **83** *P*
  is thromboembolic risk reduced by balloon dilatation, **84** *P*
Mivazerol, improved exercise tolerance in angina, **107** *P*
Molecular genetic analysis in familial hypertrophic cardiomyopathy, clinical applications, **128** *P*
Monoclonal conjugate (R2), novel, with powerful antiplatelet and fibrinolytic properties which localises to damaged endothelium, **142** *P*
Monocytes inhibit intimal smooth muscle proliferation, **93** *P*
Myocardial collagen, and echo amplitude, relation between, **78** *P*
Myocardial contusion, delayed complications: *case report*, **529**
Myocardial function, beneficial effects of growth hormone replacement therapy, **129** *P*
Myocardial infarction
  early diagnosis, by newly developed rapid immunoturbidimetric assay for myoglobin, **462**
  early vasodilator treatment, appropriate for majority or minority, **369**
  effect of intravenous magnesium on tachycardia and cardiac arrest, **144** *P*
  evidence of increased platelet activation after thrombolysis, **374**
  free radical production after thrombolysis, **158** *P*
  independent value of heart rate variability for predicting sudden death, **145** *P*
  intravenous anistreplase, **89** *P*
  modification of circadian rhythm of onset by long-term antianginal treatment, **458**
  neurohumoral activation after, differences between the systems and with different drug treatment, **104** *P*
  platelet membrane glycoprotein (GPIIb–IIIa) expression and size are increased, **157** *P*
  results of fibrinolytic therapy, **90** *P*
  serum enzyme analysis, rapid exclusion, **145** *P*
  streptokinase resistance titre monitoring, **167**
  successful thrombolysis, assessment of myocardial viability by 150-labelled water and PET, **151** *P*
  suspected, hypersensitivity reactions to streptokinase, **156** *P*
  ventricular remodelling after: *editorial*, **257**
  ventricular tachyarrhythmias after, what does surgery offer? **121** *P*
  ventricular tachycardia after, prevention, is life-long anti-arrhythmic therapy necessary? **155** *P*
  white cell accumulation, inhibition by adenosine, **95** *P*
  see also Thrombolysis: Thrombolytic treatment
Myocardial ischaemia
  detection by transthoracic leads in ambulatory electrocardiographic monitoring, **286**
  exercise echocardiography and technetium-99m MIBI SPECT compared, **124** *P*
  left atrial and left ventricular diastolic function during, **377**
  optimal control, **291**
Myocardial metastasis from solid cancers, incidence analysis, **501**
Myocardial microvascular function, impaired, in coronary occlusive disease after cardiac transplantation, **81** *P*
Myocardial perfusion, measurement by ultrafast x-ray computed tomography compared with adenosine thallium tomography, **106** *P*
Myocardial perfusion imaging, using vasodilators, demonstration of local electrophysiological changes of ischaemia, **21**
Myocardial revascularisation
  determinants in coronary artery disease, report from the RITA coronary arteriogram register, **89** *P*
  extending use of autologous arterial conduits: *editorial*, **161**
Myocardial viability
  after Q wave infarction, evaluation using early and late thallium reinjection imaging, **151** *P*
  assessment by 150-labelled water and PET in successful thrombolysis for myocardial infarction, **151** *P*
Myocarditis, how can it be diagnosed and should it be treated?: *editorial*, **346**
Myocytes
  isolated cardiac, effect of propafenone and verapamil on inward calcium current, **134** *P*
  isolated functioning cardiac, endothelium-derived factors reduce contraction amplitude, **149** *P*
Myoglobin, rapid immunoturbidimetric assay, in myocardial infarction, **462**
Myosin heavy chain gene, identification in hypertrophic cardiomyopathy, **77** *P*
Myosin mis-sense mutations, suggest pathogenetic mechanism in familial hypertrophic cardiomyopathy, **129** *P*
Myosin mis-sense mutations, and familial hypertrophic cardiomyopathy, **128** *P*
Myosin mutations in hypertrophic cardiomyopathy: *abstracts in cardiology*, **37**

Naloxone, cardiac electrophysiological effects and myocardial ischaemia, **134** *P*
Neurally mediated syncope, augmented cardiopulmonary baroreflex control, **76** *P*
Neurohumoral activation after acute myocardial infarction, differences between the systems and with different drug treatment, **104** *P*
Nifedipine and atenolol combined in chronic stable angina, **291**
Nifedipine and prazosin in scorpion poisoning, **478**

Nitric oxide
myocardial production could contribute to cardiac depression in endotoxaemia and allograft rejection, 129 *P*
in regulation of coronary artery tone in humans, 85 *P*
release is responsible for accommodation of pulmonary vasculature to increased flow, 150 *P*
Nocturnal hypoxia, and arrhythmias, in patients with impaired left ventricular function, 382
Non-rheumatic atrial fibrillation, warfarin or aspirin for all: *review*, 544
Noonan syndrome
myocardial disarray, 586
true incidence of cardiological abnormalities, phenotypic diagnosis and echocardiographic assessment, 118 patients, 96 *P*
Notices, 160, 252, 344, 440, 536
Nuclear magnetic resonance spectroscopy, excised human hearts, 272

Omniflex or Magnarail for total coronary occlusions? 82 *P*
Open heart surgery, outcome of patients managed outside intensive care: *audit*, 430
Oxidative stress, in unstable angina, evidence, 454
Oxygenation, intravenous, early experience, 133 *P*

Pacemaker prescription and costs of pacing, impact of recommendations of British Pacing and Electrophysiology Group: *audit*, 531
Pacemaker syndrome
iatrogenic condition: *viewpoint*, 163
is it caused by increased variability of pulmonary venous blood flow? 92 *P*
Pacing
DDD, beat to beat variability of stroke volume during VVI pacing as predictor of haemodynamic benefit, 92 *P*
implications of chronic sensing thresholds during sinus rhythm and tachycardia, 91 *P*
modes, optimal, after cardiac transplantation, is synchronisation of recipient and donor atrial beneficial? 195
permanent, in cardioinhibitory malignant vasovagal syndrome, the Westminster experience, 97 *P*
temporary, continuing failures in general medical management, 91 *P*
thresholds, of epicardial electrodes, 133 *P*
VVI, beat to beat variability predicts haemodynamic benefit from DDD pacing, 92 *P*
WI and DDD, using Capintec vest, 91 *P*
Paediatric cardiology, future, UK, 630
Palmaz-Schatz coronary artery stent implantation, and containment of dissection after PTCA, 154 *P*
Palmaz-Schatz intracoronary stent, experience, 153 *P*
Paroxysmal atrial fibrillation, clinical features and treatment, CRAFT multicentre registry, 102 *P*
Patent arterial ducts, transcatheter occlusion, 138 *P*
Patent ductus arteriosus
catheter closure, complication, device protrusion, 301
complicated by pulmonary artery rupture in pregnancy: *case report*, 616
Percutaneous balloon pericardiotomy in management of recurrent malignant pericardial effusions, 613
Percutaneous cardiopulmonary support in resuscitation, 154 *P*
Percutaneous transluminal coronary angioplasty
in chronic stable angina, 81 *P*
containment of dissection after by implantation of Palmaz-Schatz coronary artery stent, 154 *P*
during 1990, UK, 434
failed, and emergency surgical revascularisation, 106 *P*
guidelines for training, 437
improved left ventricular subendocardial function after, 138 *P*
procedures in a regional centre, 1000, complexity, results, and complications, 80 *P*
recovery of coronary resistive vessel function after, 145 *P*
restenosis after, 417
stimulation of autonomic reflexes, 120 *P*
surgical cover, 339
temporary stenting as bale out procedure during, 153 *P*
Perfused heart, mechanisms of intracellular pH recovery, 99 *P*
Pericardial effusions, malignant, recurrent, percutaneous balloon pericardiotomy in management, 613
Peripheral vascular surgery, high apolipoprotein (a) concentrations and increased cardiac risk, 143 *P*
pH recovery
intracellular
mechanisms, after global ischaemia in perfused heart, 142 *P*
mechanisms in perfused heart, 99 *P*
Phaeochromocytoma, and catecholamine-induced cardiomyopathy, captopril treatment, and heart failure reversal: *case report*, 527
Phorbol ester and adenosine triphosphate potentiate adenylate cyclase activity in endothelial cells, 114 *P*
Phosphorus-31 magnetic resonance spectroscopy, heart failure, 114 *P*
Physical activity, hypertension, and heart attack risk, 139 *P*
Plaques, aortic, differences in fatty acid composition, 132 *P*
Platelet activation
analysis, flow cytometry of whole blood, 100 *P*
important side effect of contrast media of relevance to coronary angiography and intervention, 80 *P*
increased, evidence after thrombolysis in myocardial infarction, 374
Platelet adhesion, inhibition by SIN-1, 94 *P*
Platelet volume, predicts restenosis after successful coronary angioplasty, 78 *P*
Positron emission tomography
and 150-labelled water, for assessment of myocardial viability in successful thrombolysis for myocardial infarction, 151 *P*
in preoperative prediction of outcome of coronary revascularisation, novel approach, 106 *P*
Posteroseptal accessory pathway
detailed mapping of posteroseptal space for catheter ablation, 148 *P*
located in coronary sinus aneurysm, diagnosis and radiofrequency catheter ablation: *case report*, 414
novel technique using bipolar RV/LV electrode configuration for radiofrequency ablation, 148 *P*
Potentials, late, development after MI, related to infarct size, 101 *P*
Pregnancy
accelerating incessant atrial tachycardia: *correspondence*, 342
in cyanotic congenital heart disease, maternal complications and factors influencing successful fetal outcome, 96 *P*
maternal heart adaptation: *review*, 540
pulmonary artery rupture complicating patent ductus arteriosus: *case report*, 616
Presystolic flow, in superior vena cava, characteristics, new thoughts on a forgotten sound, 31
Programmed cell death is a mechanism of senescence of human endothelial cells in culture, 99 *P*
Proliferating cells, detection in human coronary artery, 115 *P*
Prolonged QT interval in type 1 diabetes, information from identical twins, 142 *P*
Propafenone and verapamil, effect on inward calcium current in isolated cardiac myocytes, 134 *P*
Propionibacterium acnes causing aortic root abscess: *case report*, 218
Protein kinase C, selective inhibitors are potent inhibitors of vascular smooth muscle proliferation, 109 *P*
Pulmonary
artery pressure recording, ambulatory, new system: *technology*, 230
artery rupture in pregnancy complicating patent ductus arteriosus: *case report*, 616
atresia, with ventricular septal defect, successful repair without use of a conduit, new surgical option, 320
autograft in aortic valve disease (Ross operation), initial experience, 84 *P*
autograft operation for aortic valve disease, long-term outcome, 83 *P*
haemodynamic measurements in patients accepted for heart transplantation, predictive value, 126 *P*
hypertension
crisis in infancy treated with extracorporeal membrane oxygenation, 88 *P*
irreversible, right-sided endomyocardial fibrosis with recurrent pulmonary emboli leading to: *case report*, 326
jugular venous "a" wave, Doppler echocardiographic study, 187
left ventricular filling characteristics, new mode of ventricular interaction, 16
ventricular interactions, 144 *P*
valve insertion for progressive late right ventricular dysfunction after tetralogy of Fallot repair, 89 *P*
vascular resistance, fall, in patients awaiting heart transplantation, 365
vasculature, accommodation to increased flow, NO release responsible for, 150 *P*
venous blood flow, does increased variability cause pacemaker syndrome? 92 *P*

Q wave infarction, myocardial viability after, evaluation using early and late thallium reinjection imaging, 151 *P*
QRS duration, effects on left ventricular pressure pulse, 403
QT dynamics in left ventricular hypertrophy and heart failure, 105 *P*
QT interlead variability, arrhythmogenic marker? 116 *P*
QT intervals, and epicardial monophasic action potential, relation between, 123 *P*
QT shortening, exercise induced, heart rate and sympathetic contribution to, 105 *P*

Radiofrequency catheter ablation
for all forms of junctional reentry, 73 *P*
for cure of supraventricular arrhythmias, cost-benefit analysis, 67 *P*
in posteroseptal accessory pathway located in coronary sinus aneurysm: *case report*, 414
Radionuclide angiography with multiwire camera and tantalum-178, 151 *P*
Ramipril, effect on response to vascular injury induced by balloon catheter, rat, 93 *P*
Rashkind double umbrella, malposition, as cause of residual flow after transcatheter occlusion of the arterial duct, 71 *P*
Rashkind umbrella, in transcatheter occlusion of patent arterial duct, factors influencing late results, 71 *P*
Real time, echocardiographic analysis of ventricular function by automatic

boundary detection, **143** *P*
Reciprocal ST depression, significance in thrombolysis treated myocardial infarction, **104** *P*
Rehabilitation, cardiac, working party report: *correspondence*, **250**
Renal blood flow, measurement by continuous renal vein thermodilution, **127** *P*
Repolarisation abnormalities in hypertrophic cardiomyopathy and ventricular arrhythmias, importance, **113** *P*
Restenosis
  after coronary angioplasty, **417**
  echocardiographic, after successful balloon dilatation of mitral valve, **83** *P*
Resuscitation, percutaneous cardiopulmonary support, **154** *P*
Retrograde non-transseptal balloon dilatation of mitral valve, effect on left atrial function in mitral stenosis, **112** *P*
Revascularisation
  coronary, complete, role of internal thoracic artery in surgery, **134** *P*
  surgical, emergency, performed within 24 hours of failed coronary angioplasty, **106** *P*
Review process, speeding up: *editorial*, **345**
Right heart filling, abnormal, after cardiac surgery: *correspondence*, **250**
Right ventricle, *see* Ventricle (ventricular), right
Risk factors for coronary artery disease, south Asian and white people, comparative study, **109** *P*
Risk markers, cardiovascular, effects of hormone deficiency, women, **131** *P*
RITA coronary arteriogram register, report, **89** *P*
Romano-Ward syndrome, evidence of asymmetrical cardiac sympathetic innervation from studies using 123I-metaiodobenzylguanidine, **137** *P*

Saphenous vein coronary artery bypass grafts, diseased, self-expanding stents, **153** *P*
Saphenous vein graft, right coronary, leaking false aneurysm, percutaneous coil embolisation: *case report*, **619**
Second atrioventricular accessory connection, adenosine unmasking, in child with long RP' reentrant tachycardia: *case report*, **216**
Secundum atrial septal defect, with and without surgical closure, long-term outcome, adults, **87** *P*
Selenium deficiency, cause of HIV cardiomyopathy? **137** *P*
Sensing thresholds, chronic, during sinus rhythm and tachycardia, pacing implications, **91** *P*
Septal rupture, post-infarct, in the elderly, **140** *P*
Serotonin, coronary vasomotor effects in angina, relation to coronary stenosis morphology, **141** *P*
Short-stepping gait in severe heart failure, **469**
Sick sinus syndrome, different distribution of abnormal endocardial electrograms within right atrium, **596**
Signal-averaged ECG, in identifying sudden death risk in hypertrophic cardiomyopathy, **98** *P*
Signal-averaged electrocardiogram, role in prediction of serious arrhythmic events after myocardial infarction, **79** *P*
Silent myocardial ischaemia, due to coronary artery spasm, and life-threatening ventricular arrhythmias: *abstracts in cardiology*, **180**
SIN-1 inhibition of platelet adhesion, **94** *P*
Sinus rhythm and tachycardia, chronic sensing thresholds during, pacing implications, **91** *P*
Sinus of Valsalva, congenital aneurysm associated with anomalous origin of right coronary artery from pulmonary artery: *case report*, **330**
Skeletal muscle
  cardiac assistance, critical appraisal of various approaches, **333**
  counterpulsation, in mock circulation model, objective evaluation, **125** *P*
  metabolism, in chronic heart failure, effect of physical training, experimental and human study, **127** *P*
  physical training improves metabolic abnormalities in chronic heart failure, **158** *P*
Smoking
  current, and time since quitting, relation of diet, Scottish Heart Health Study, **118** *P*
  giving up, how rapidly does risk of heart attack disappear? **146** *P*
Smooth muscle
  cell proliferation, vascular, role of c-myc proto-oncogene expression in inhibition, **93** *P*
  proliferation, intimal, monocytes inhibit, **93** *P*
Snooze-induced excitation of sympathetic triggered activity (SIESTA), effects of afternoon nap on circadian patterns of heart rate and blood pressure, **155** *P*
Sotalol, flecainide, and verapamil, efficacy compared, in right ventricular tachycardia without overt cardiac abnormality, **392**
Spasm, coronary artery, and sudden death: *abstracts in cardiology*, **180**
Stack autoperfusion catheter, in acute refractory vessel closure after angioplasty, **51**
Staffing in cardiology, UK, 1991, seventh survey, **621**
Stenoses, coronary, progression, dissociation from changes in left ventricular function in chronic stable angina pectoris, **155** *P*
Stent
  implantation
    balloon dilatation, and laser-balloon dilatation compared, for maintaining patency of the arterial duct, **70** *P*
    for maintaining patency of the arterial duct, long-term results, **70** *P*
    for management of aorto-ostial stenosis, results, **154** *P*
    percutaneous, for maintenance of ductal patency, early experience, **70** *P*
  Palmaz-Schatz coronary artery, implantation, and containment of dissection after PTCA, **154** *P*
  Palmaz-Schatz intracoronary, experience, **153** *P*
  self-expanding, for diseased saphenous vein coronary artery bypass grafts, **153** *P*
Stenting, temporary, as bale out procedure during coronary angioplasty, **153** *P*
Steroids, oral, role in accelerated coronary sclerosis in children after heart transplantation, **126** *P*
Streptokinase
  failed reperfusion after, early complement and neutrophil activation associated, **77** *P*
  hypersensitivity reactions in suspected myocardial infarction, **156** *P*
  induced defibrination assessed by thrombin time, **171**
  resistance
    present two years after initial administration of streptokinase, **119** *P*
    when might streptokinase administration be ineffective? **449**
  resistance titre monitoring in myocardial infarction, **167**
Stretch-induced electrical dispersion, evidence in humans from new in vivo model, **135** *P*
Sudden cardiac death
  and alcohol, **139** *P*, **443**
  risk, and linoleic acid, **110** *P*
Sudden death
  and coronary artery spasm: *abstracts in cardiology*, **180**
  prediction in hypertrophic cardiomyopathy: *abstracts in cardiology*, **37**
  in the young, and non-atherosclerotic coronary artery disease, **601**
Sumatriptan (GR43175), effect on central haemodynamics and coronary circulation, **120** *P*
Superior vena cava
  apparent obstruction, and continuous murmur, signs of fistula between a vein graft aneurysm and right atrium: *case report*, **412**
  characteristics of presystolic flow, new thoughts on a forgotten sound, **31**
  sounds caused by presystolic flow reversal, sign of right ventricular disease, **97** *P*
Supraventricular arrhythmias, radiofrequency catheter ablation for cure, cost-benefit analysis, **67** *P*
Supraventricular tachycardia, antitachycardia pacing, long-term results, **92** *P*
Surgical cover for percutaneous transluminal coronary angioplasty, **339**
Surgical intensive care, cardiac, role of transoesophageal echocardiography, **136** *P*
Surgical revascularisation, emergency, performed within 24 hours of failed coronary angioplasty, **106** *P*
Syndrome X
  coronary arterial endothelium dependent vasodilator responses, **131** *P*
  coronary flow reserve not impaired, **86** *P*
  effect of hyperventilation and mental stress on coronary blood flow, **131** *P*
thallium scans, **48**: *correspondence*, **636**

T wave, ECG wave following, in ventricular tachycardia, **100** *P*
Tachycardia
  and cardiac arrest, in acute myocardial infarction, effect of intravenous magnesium, **144** *P*
  long RP' reentrant, in child, adenosine unmasking of second atrioventricular accessory connection: *case report*, **216**
  right ventricular, without overt cardiac abnormality, flecainide, sotalol, and verapamil compared, **392**
Technetium-99m antimyosin antibody, single dose, in combined assessment of left ventricular wall motion, ejection fraction, and acute myocardial necrosis, **152** *P*
Technetium-99m MIBI SPECT
  and dipyridamole stress echocardiography, simultaneous, after uncomplicated infarction, comparison of prognostic values with exercise testing, **124** *P*
  and exercise echocardiography compared, for identification of myocardial ischaemia, **124** *P*
Technetium-99m tetrofosmin (P53) myocardial perfusion imaging, in coronary heart disease, comparison with thallium-201 imaging, **152** *P*
Tetralogy of Fallot, use of MRI to assess long-term results of total correction, **80** *P*
Thallium-201
  imaging, and technetium-99m tetrofosmin (P53) myocardial perfusion imaging compared, in coronary heart disease, **152** *P*
  regional washout rate, and myocardial hypertrophy in hypertrophic cardiomyopathy, and exertional chest pain, **113** *P*
  reinjection imaging
    early and late, in evaluation of myocardial viability after Q wave infarction, **151** *P*
    viable myocardium: *editorial*, **537**
  scans, in syndrome X, **48**: *correspondence*, **636**

Thoracic artery, internal, role in surgery for complete coronary revascularisation, **134** *P*
Thromboembolic risk, is it reduced by balloon dilatation of mitral valve?, **84** *P*
Thrombolysis
in acute infarction, circadian variations in the onset of symptoms and silent ischaemia during early recovery, **90** *P*
effect on left ventricular remodelling and function after myocardial infarction, **90** *P*
factors influencing use, six district general hospitals, **111** *P*
free radical production after, MI, **158** *P*
in myocardial infarction, increased platelet activation after, **374**
-treated myocardial infarction, significance of reciprocal ST depression, **104** *P*
Tissue plasminogen activator enhances wound healing in coronary artery endothelial cells, **94** *P*
Total ischaemic burden, effect of exercise training, assessment by 24 hour ambulatory electrocardiographic monitoring, **560**
Transcatheter occlusion of patent arterial ducts, **138** *P*
Transfemoral arterial catheterisation, false aneurysms after, management, 10 year review, **102** *P*
Transoesophageal echocardiography
biplane, advantages in assessment of mitral prosthesis function, **112** *P*
in children with congenital heart disease, **79** *P*
Doppler, of cardiac output by mitral annulus method, **510**
limitations in focal cerebral ischaemic events: *correspondence*, **634**
neonates, infants and children, **488**
role in cardiac surgical intensive care, **136** *P*
role in congenital heart disease in adults, **97** *P*
showing common pulmonary vein remnant mistaken for left atrial mass: *case report*, **4**
to select patients for transcatheter closure of atrial septal defects, **138** *P*
Transplanted heart
growth in children, insulin-like growth factor gene expression investigation, **88** *P*
and regression of left ventricular hypertrophy: *case report*, **55**
Transposition of the great arteries, echocardiographic diagnosis accuracy in coronary artery anatomy, **96** *P*
Transthoracic leads in ambulatory electrocardiographic monitoring, and myocardial ischaemia detection, **286**
Transthoracic and transoesophageal echocardiography, comparative value, before balloon dilatation of the mitral valve, **493**
Transthoracic versus transoesophageal measurement of M mode derived indices, in left ventricular performance, children, **485**
Trials
mega-trial, thinking beyond, certainty and uncertainty: *viewpoint*, **352**
"simple", cannot answer complex questions: *viewpoint*, **348**
Tricuspid annular dilatation, important cause of tricuspid regurgitation after mitral valve replacement, **111** *P*
Tricuspid valve lesions, diagnosed during fetal life, echocardiographic and morphological investigations, correlation, **580**
Triglyceride, plasma, and HDL cholesterol, as predictors of ischaemic heart disease, British men: *epidemiology*, **60**
Truncus arteriosus with intact ventricular septum and hypoplastic right ventricle, rare variant: *case report*, **214**

Ultrasound, intravascular
and angiography compared, in detection of early atherosclerosis, **120** *P*
to assess left main stem coronary artery lesion: *case report*, **524**
Umbrella, Rashkind double, malposition, as cause of residual flow after transcatheter occlusion of the arterial duct, **71** *P*
Umbrella device, in transcatheter occlusion of patent arterial duct, factors influencing late results, **71** *P*

Valvar and myocardial disease, clinical and echocardiographic survey, elderly, **67** *P*
Variability of tests of cardiovascular autonomic function, **205**
Vascular smooth muscle proliferation, selective inhibitors of protein kinase C are potent inhibitors, **109** *P*
Vasodilator myocardial perfusion imaging, demonstration of local electrophysiological changes of ischaemia, **21**
Vasodilator treatment, early, in myocardial infarction, appropriate for majority or minority, **369**
Vasorelaxation, hypoxic, of precontracted isolated porcine coronary arteries, mechanism, **149** *P*
Vasovagal syncope, and impaired immediate vasoconstrictor response to head-up tilt, **73** *P*
Vein graft aneurysm and right atrium, fistula between: *case report*, **412**
Ventilation, in chronic heart failure, effects of physical training, **473**
Ventilation/perfusion mismatch, contribution to exertional hyperpnoea in CHF depends on limiting RV output, **107** *P*
Ventricle (ventricular)
action potential, magnesium prolongs duration, denervated heart, **101** *P*
arrhythmias, life threatening, in silent myocardial ischaemia due to coronary artery spasm: *abstracts in cardiology*, **180**
extrasystoles, reappraisal of coupling interval as index of ectopic mechanisms, **589**
fibrillation, out of hospital, what do we do with survivors? **118** *P*
function, real time, echocardiographic analysis by automatic boundary detection, **143** *P*
interactions, in pulmonary hypertension, **144** *P*
left
diastolic function, during myocardial ischaemia, **377**
disease, duration and nature of isovolumic relaxation determine Doppler A/E ratio, **130** *P*
filling, Doppler measurements, adjustment for influence of age and heart rate, **608**
filling characteristics in pulmonary hypertension, new mode of ventricular interaction, **16**
function
in chronic stable angina pectoris, changes, dissociation of coronary stenoses progression, **155** *P*
impaired, and nocturnal hypoxia and arrhythmias, **382**
function changes, and wall thickness, in heart transplant recipients, and their relation to acute rejection, **356**
hypertrophy
QT dynamics, **105** *P*
regression, in transplanted heart: *case report*, **55**
isovolumic relaxation time and incoordination, relation to transmitral Doppler filling patterns, **567**
performance in children, transthoracic versus transoesophageal measurement of M mode derived indices, **485**
performance in healthy men, effect of increasing heart rate on Doppler indices, **425**
pressure pulse, in dilated cardiomyopathy, effects of abnormal activation on time course, **403**
regional wall motion, normal neonates, analysis, **569**
remodelling after myocardial infarction: *editorial*, **257**
size and function, effects of type 1 diabetes, Doppler echocardiographic study of identical twins, **130** *P*
subendocardial function, improved, after coronary angioplasty, **138** *P*
wall motion abnormalities, in ischaemic heart disease, Doppler echocardiography and magnetic resonance velocity mapping compared, **125** *P*
paced evoked responses, unipolar and bipolar compared, **398**
preload, changes occurring during alteration, Doppler derived transmitral velocity indices, **121** *P*
right
function, assessment, and its role in clinical practice: *review*, **12**
isolation procedures, relation to postoperative ventricular arrhythmias, **74** *P*
tachycardia, without overt cardiac abnormality, flecainide, sotalol, and verapamil compared, **392**
tachyarrhythmias, after myocardial infarction, what does surgery offer? **121** *P*
tachycardia
after myocardial infarction, prevention, is life-long anti-arrhythmic therapy necessary? **155** *P*
discrimination from exercise induced sinus tachycardia by pulsatile right ventricular pressure monitoring, **121** *P*
ECG waves following T wave, **100** *P*
new philosophical approach to electrocardiographic diagnosis, **117** *P*
recurrent, efficacy and safety of dofetilide, **116** *P*
ventricular ectopic activity, relation to spectral measures of heart rate variability, **101** *P*
Ventricle (ventricular), right, disease, sounds in superior vena cava caused by presystolic flow reversal as sign, **97** *P*
Verapamil
and propafenone, effect on inward calcium current in isolated cardiac myocytes, **134** *P*
sotalol, and flecainide, efficacy compared, in right ventricular tachycardia without overt cardiac abnormality, **392**
von Willebrand factor in plasma, novel risk factor for recurrent myocardial infarction and death: *correspondence*, **635**

Waist:hip circumference ratio, and its relation to cardiovascular risk factors in men and women, **117** *P*
Wall thickness and left ventricular function changes in heart transplant recipients, and their relation to acute rejection, **356**
Walshe, Walter Hayle, 1812–1892, and his book *Diseases of the Heart: views from the past*, **246**
Water, 150-labelled, and PET, for assessment of myocardial viability in successful thrombolysis for myocardial infarction, **151** *P*
Water balance hormones, influence of cardiopulmonary bypass, children, **309**
White cell aggregation, circadian variation, and free radical markers in men with stable ischaemic heart disease, **157** *P*
Wolf-Parkinson-White syndrome
cellular morphology and basis for conduction in accessory atrioventricular pathways, **76** *P*
giant right atrial diverticulum as unusual cause: *case report*, **58**
Wound healing in coronary artery endothelial cell, human tissue plasminogen activator enhances, **94** *P*